



1902

USNM

EX LIBRIS


William Healey Dall

Division of Mollusks
Sectional Library



I wood

Division of Mollusks
Sectional Library



447683
Index Testaceologicus;

OR

29
A CATALOGUE

OF

SHELLS,

Division of Mollusk
Sectional Library

BRITISH AND FOREIGN,

ARRANGED ACCORDING TO

THE LINNEAN SYSTEM;

WITH THE LATIN AND ENGLISH NAMES,
REFERENCES TO AUTHORS, AND
PLACES WHERE FOUND.

ILLUSTRATED WITH 2300 FIGURES.

By W. WOOD, F.R.S. & L.S.

AUTHOR OF ZOOGRAPHY, AND GENERAL CONCHOLOGY, &c.

LONDON:

PRINTED FOR W. WOOD, 428, STRAND.

1825.



Index Testarologus;

or

A CATALOGUE

of

SHELLS

BRITISH AND FOREIGN.

THE LINNEAN SYSTEM.

WITH THE LATIN AND GREEK NAMES

RESPECTIVELY IN ALPHABETIC AND

CLASSICAL ORDER.

ILLUSTRATED WITH TWO FIGURES

OF THE LINNEAN SYSTEM.

BY THE REV. J. E. SMITH, F.R.S.

OF THE ACADEMY OF SCIENCES, AND OF THE SOCIETY OF NATURALISTS.

PRINTED BY RICHARD TAYLOR, 17, ST. MARK'S LANE.

1825.

LONDON.

PRINTED BY RICHARD TAYLOR, 17, ST. MARK'S LANE.

SHOE-LANE.



59408
W881
SMOLLARIS

P R E F A C E.

A BOOK containing a sufficient number of figures to assist conchologists in the determination of the shells they may occasionally acquire, has long been a desideratum.

We have, it is true, the extensive work of Martini and Chemnitz, the more confined publications of Knorr, of Gualtieri, of Rugenfuss, Lister, Rumphius, Petiver, and others; but in no instance, except the first-mentioned, has any attempt been made to include a figure of every species. The great expense attending such publications, and the want of sufficient encouragement in purchasers, has hitherto operated to prevent the accomplishment of so desirable an undertaking. It has therefore been the endeavour of the Author, in the absence of larger and more costly publications, to supply their place by a work which will incorporate in one volume figures of all the known shells, reduced indeed to a small size, but with a degree of accuracy that it is hoped, will not only enable the conchologist to fix upon any particular species he may wish to define,

but also to arrange his collection by inspection, without the trouble of consulting other publications on the subject.

The plan followed in the present undertaking has been to give *one* characteristic figure of each species, and the arrangement adopted has been that of Linnæus. The Author is well aware that in this age of general novelty he shall be censured by the young, and perhaps by the experienced conchologist, for adhering too tenaciously to the principles of his early master ; but let it be remembered, that all systems built on artificial foundations must be liable to objection, and that it still remains to be proved whether the present innovators had not better have trusted to the Linnean method, with such additions and divisions as its great author might be supposed to have made had he now been living, than, by an extreme multiplication of the genera, rather to increase than remove the difficulty of determining the species.

With a desire in some measure to accommodate those who have adopted the French arrangement, the Author has added the divisions of Lamarck, referring his genera to the figures in the *Index Testaceologicus*.

It may not be improper to remark that all the plates (with the exception of the first six by that excellent artist

the late Mr. Sowerby) have been executed under the immediate inspection of the Author, and every attention paid to make the figures as accurate as possible. To accomplish this purpose recourse has always been had to the shells whenever they could be procured, so that the figures are for the most part original. And here the Author has great pleasure in acknowledging his obligation to Mrs. Mawe, Mr. J. and Mr. G. B. Sowerby, who with their usual liberality have allowed him the free use of their extensive collections towards the completion of his task.

Each page of the Index is divided into five columns. The first contains the Linnean names: the second, a reference to the page in Gmelin's enlarged edition of the *Systema Naturæ*, where the descriptions of such shells as were noticed by that editor will be found. The English names occupy the third column: the fourth refers to some of the principal authors whose figures have an established reputation; and in the fifth division will be seen the name of the place where every shell is to be found.

The figures of Montagu and Donovan have been constantly quoted for the British shells, and where the species is confined to Britain, the word alone is mentioned; but where it occurs also in other parts of the world, it is de-

noted by "Britain, &c." Thus the shells that have been observed on our coasts will be immediately detected.

With regard to the Plates, it must be noticed that several shells have been named by authors without any reference to figures, and which are too obscurely described to be identified. This will account for the gaps which occasionally appear in the numbering of the plates. Thus in Plate I. we pass from No. 27 to 29; in Plate II. from 17 to 19, and from 21 to 23, &c. It must also be noticed, that in some instances the figures are misplaced, such as No. 23 of Plate I., the engraver having forgotten it till he had finished No. 37.

As a guide to the comparative size of the different shells, a mark or a letter of the alphabet is added after the number engraved on the plate. Thus + indicates a shell half an inch long; $\frac{3}{4}$ three-quarters of an inch; *a* an inch; $\frac{1}{4}$ an inch and a quarter; *a* + an inch and a half; $\frac{3}{4}$ + an inch and three-quarters; *b* two inches; *c* three inches, and so on: *n* denotes shells of the natural size; and *m* such as are magnified. Thus in Plate I. figure 15 is an inch long; fig. 16, an inch and a quarter; fig. 4, an inch and a half; fig. 1, two inches; fig. 27, three-quarters of an inch; fig. 29, the natural size. In the genus *Nautilus*, Plate 13, all the figures, except three, are magnified.

A SYNOPSIS
OF
THE LINNEAN GENERA.

1. CHITON.—Plate 1.

Animal, a Lophyrus.

Shell, multivalve (valves or plates), generally eight, arranged longitudinally; moveable on each other, like the joints in the tail of a lobster; connected by a projecting coriaceous border, which is either plain, spinous, or scaly.

2. LEPAS.—Plate 1.

Animal, a Triton.

Shell, multivalve, either conical or compressed, formed of several valves: the conical shells are sessile, strongly fixed at the base, and the valves are articulated or joined to each other by delicate sutures. The compressed shells are not articulated, but connected by a membrane, and supported on a flexible retractile pedicle.

3. PHOLAS.—Plate 2.

Animal, an Ascidia.

Shell, multivalve, consisting of two principal valves, with several smaller accessory valves on the hinge. Hinge recurved, united by a cartilage, and having a strong incurved tooth in one valve. Shell always gaping at one end, generally at both.

4. MYA.—Plate 2.

Animal, an Ascidia.

Shell, bivalve, generally gaping at one end. Hinge, for the most part, with a single solid, thick, broad tooth, strongly attached by cartilage, but not inserted into the opposite valve.

5. SOLEN.—Plate 3.

Animal, an Ascidia.

Shell, bivalve, equivalve, elongated transversely; open at both ends. Hinge with an awl-shaped reflex tooth, often double; not inserted into the opposite valve.

6. TELLINA.—Plate 3.

Animal, a Tethys.

Shell, bivalve, generally flattish, sometimes orbicular, anterior end often produced into an angular beak. Hinge usually with three teeth; lateral teeth in one of the valves flat; often remote.

7. CARDIUM.—Plate 5.

Animal, a Tethys.

Shell, bivalve, equivalve, nearly equilateral, somewhat heart-shaped, ribbed longitudinally; beaks prominent, valves toothed or plaited on their internal margin. Hinge with four teeth in each valve; the two cardinal teeth near together, and alternating with the opposite; the two lateral teeth remote and inserted.

8. MACTRA.—Plate 6.

Animal, a Tethys.

Shell, bivalve, valves unequal at the sides; subtriangular; beaks prominent. Hinge with the middle tooth spoon-shaped, having a small cavity on each side; lateral teeth remote, locking into the opposite valves.

9. DONAX.—Plate 6.

Animal, a Tethys.

Shell, bivalve, equivalve, of unequal sides, the anterior side very short and very obtuse; generally crenulated on the margin. Hinge with two cardinal teeth, either on each valve, or on one only: a single remote lateral tooth in the posterior side.

10. VENUS.—Plate 7.

Animal, a Tethys.

Shell, bivalve, equivalve, with a heart-shaped depression on the cartilage slope. Hinge with three approximate teeth in each valve, the lateral ones inclining a little outwards.

11. SPONDYLUS.—Plate 9.

Animal, a Tethys.

Shell, bivalve; valves unequal, eared, spiny or rugged; one convex, the other rather flat and adherent. Hinge with two strong recurved teeth in each valve, and an intermediate hollow for the ligament.

12. CHAMA.—Plate 9.

Animal, a Tethys.

Shell, bivalve, irregular; beaks recurved, unequal. Hinge with a single oblique tooth, thick and coarse; articulated into a cavity in the opposite valve. Two muscular impressions in each valve.

13. ARCA.—Plate 9.

Animal, a Tethys.

Shell, bivalve, equivalve; beaks prominent, and separated by a channel. Hinge, composed of numerous teeth, inserted into the interstices of the opposite valve. Muscular impressions two in each valve.

14. OSTREA.—Plate 10.

Animal, a Tethys.

Shell, bivalve, irregular; valves unequal and somewhat eared.

Hinge without teeth, but having a strong elastic ligament inserted into a hollow in the valves.

15. ANOMIA.—Plate 11.

Animal, a Tethys?

Shell, bivalve; fixed, and irregular; valves unequal, the lower one with a hole at the base, which is stopped by a testaceous plug at the will of the animal. Hinge without teeth, valves united by ligaments.

16. MYTILUS.—Plate 12.

Animal, an Ascidia?

Shell, bivalve, equivalve, fixed by a silky byssus; the beaks nearly strait, terminal and pointed. Hinge lateral, generally without teeth. Ligament marginal; muscular impression long and sublateral.

17. PINNA.—Plate 12.

Animal, a Limax.

Shell, bivalve, equivalve, wedge-shaped, gaping at the summit, pointed at the base; beaks strait. Hinge lateral, without teeth, ligament marginal, linear, and very long.

18. ARGONAUTA.—Plate 13.

Animal, a Clio.

Shell, univalve, unilocular, involute, boat-shaped; very thin. Spire double-keeled, tuberculated.

19. NAUTILUS.—Plate 13.

Animal, a Cephalopode?

Shell, univalve, spiral, multilocular, the chambers formed by transverse divisions, which are concave, and communicate with each other by a small tubular aperture.

20. CONUS.—Plate 14.

Animal, a Limax.

Shell, univalve, convoluted, turbinated; aperture longitudinal, linear, without teeth, terminated at the summit by a slope; base entire: pillar smooth.

21. CYPRÆA.—Plate 17.

Animal, a Limax.

Shell, univalve, involuted, suboval, obtuse, smooth; aperture longitudinal, linear, toothed or wrinkled on both sides; base strait and open.

22. BULLA.—Plate 18.

Animal, a Limax.

Shell, univalve, convoluted, without teeth, oval; aperture for the most part the whole length of the shell, entire at the base: often without any spire.

23. VOLUTA.—Plate 19.

Animal, a Limax.

Shell, univalve, oval, more or less ventricose, spiral; aperture sloping and without a canal: pillar plaited, the lower plaits the largest and most oblique.

24. BUCCINUM.—Plate 22.

Animal, a Limax.

Shell, univalve, spiral, gibbous; aperture ovate, ending in a short canal leaning to the right, with a beak or projection turned backwards: pillar-lip expanded.

25. STROMBUS.—Plate 24.

Animal, a Limax.

Shell, univalve, spiral, ventricose; aperture dilated and terminating in a canal leading to the left: outer lip mostly expanding with age into a wing, or into long and pointed claws.

26. MUREX.—Plate 25.

Animal, a Limax.

Shell, univalve, spiral, oval, or oblong; channeled at the base; canal strait and entire, sometimes slightly reflected. Externally studded with spines, tubercles, or folds.

27. TROCHUS.—Plate 28.

Animal, a Limax.

Shell, univalve, conical, spiral; aperture more or less angular, transversely contracted: pillar placed obliquely.

28. TURBO.—Plate 30.

Animal, a Limax.

Shell, univalve, spiral, solid; aperture contracted, orbicular, entire.

29. HELIX.—Plate 32.

Animal, a Limax.

Shell, univalve, spiral, subdiaphanous, brittle; aperture entire, contracted, semilunar or roundish.

30. NERITA.—Plate 35.

Animal, a Limax.

Shell, univalve, solid, somewhat globular, flat beneath; aperture semiorbicular: pillar-lip oblique relative to the axis of the shell, flattish, truncate, and often toothed; inner lip frequently toothed or crenulated.

31. HALIOTIS.—Plate 36.

Animal, a Limax.

Shell, univalve, ear-shaped, generally flattish; spire lateral, very short; aperture nearly as large as the shell; disk perforated by a row of pores in a line parallel to the edge.

32. PATELLA.—Plate 37.

Animal, a Limax.

Shell, univalve, more or less conic, without a spire.

33. DENTALIUM.—Plate 38.

Animal, a Terebella.

Shell, univalve, tubular, slightly arched, lessening insensibly towards the extremity, and open at both ends.

34. SERPULA.—Plate 38.

Animal, a Terebella.

Shell, univalve, tubular, generally affixed to other bodies, open only at the anterior extremity.

35. TEREDO.—Plate 38.

Animal, a Terebella.

Shell, a cylindrical tube, taper, and flexuous: two testaceous hemispherical valves, truncated on the fore part, and wholly independent of the tube, are attached to the head of the animal. There are also two lanceolate valves near the tail.

LAMARCK'S DIVISIONS
OF
THE LINNEAN GENERA,
REFERRED TO THE FIGURES
OF THE
INDEX TESTACEOLOGICUS.

<i>Linnean Genera.</i>	<i>Lamarckian Genera.</i>	<i>Platc.</i>	<i>Figure.</i>
1. Chiton	{ Chiton	1	1—38
	{ Chitonellus	1	39—40
	{ Tubicinella	1	1
	{ Coronula	1	2
	{ Balanus.....	1	5
	{ Acasta	1	16
2. Lepas	{ Creusia.....	2	30
	{ Anatifera	2	38
	{ Pollicipes	2	34
	{ Cinaras.....	2	43
	{ Otion.....	2	45
3. Pholas	{ Pholas	2	1
	{ Gastrochæna	2	11

<i>Linnean Genera.</i>	<i>Lamarckian Genera.</i>	<i>Plate.</i>	<i>Figure.</i>
4. <i>Mya</i>	{ <i>Mya</i>	2	1
	{ <i>Panopæa</i>	3	41
	{ <i>Glycymeris</i>	2	10
	{ <i>Anatina</i>	3	13
	{ <i>Corbula</i>	3	40
	{ <i>Hyria</i>	2	36
	{ <i>Vulsella</i>	11	84
5. <i>Solen</i>	{ <i>Solen</i>	3	3
	{ <i>Sanguinolaria</i>	3	29
	{ <i>Hiatella</i>	3	33
6. <i>Tellina</i>	{ <i>Tellina</i>	4	26
	{ <i>Amphidesma</i>	4	76
	{ <i>Pandora</i>	5	97
	{ <i>Psammobia</i>	4	36
	{ <i>Cyclas</i>	5	90
	{ <i>Cyrena</i>	8	114
7. <i>Cardium</i>	<i>Cardium</i>	5	1—54
8. <i>Mactra</i>	{ <i>Mactra</i>	6	21
	{ <i>Lutraria</i>	6	36
	{ <i>Crassatella</i>	6	16
9. <i>Donax</i>	{ <i>Donax</i>	6	1
	{ <i>Capsa</i>	6	14
	{ <i>Petricola</i>	6	21
10. <i>Venus</i>	{ <i>Venus</i>	8	67
	{ <i>Venerirupis</i>	8	108
	{ <i>Corbis</i>	8	65
	{ <i>Lucina</i>	8	79
	{ <i>Crassina</i>	7	21
	{ <i>Galatea</i>	7	48
	{ <i>Cyprina</i>	7	41
	{ <i>Cytherea</i>	7	46
11. <i>Spondylus</i>	{ <i>Spondylus</i>	9	1
	{ <i>Plicatula</i>	9	3

<i>Linnean Genera.</i>	<i>Lamarckian Genera.</i>	<i>Plate.</i>	<i>Figure.</i>
12. Chama	{ Chama	9	18
	{ Cardita	9	4
	{ Cypricardia	9	17
	{ Isocardia	9	1
	{ Tridacna	9	2
	{ Hippopus	9	3
13. Arca	{ Arca	9	2
	{ Cucullæa	9	16
	{ Pectunculus	10	36
	{ Nucula	9	27
14. Ostrea	{ Ostrea	11	74
	{ Crenatula	11	82
	{ Perna	11	80
	{ Malleus	11	58
	{ Pedum	11	75
	{ Lima	11	54
	{ Gryphæa	10	1
	{ Pecten	10	1
15. Anomia	{ Anomia	11	3
	{ Placuna	12	30
	{ Crania	11	1
	{ Orbicula	11	2
	{ Terebratula	11	24
	{ Hyalæa	11	28
16. Mytilus	{ Mytilus	12	28
	{ Saxicava	12	9
	{ Anodon	12	32
	{ Modiola	12	31
	{ Avicula	12	42
	{ Meleagrina	12	4
17. Pinna ..	Pinna	12	1—20
18. Argonauta	{ Argonauta	13	1—3
	{ Carinaria	13	6

<i>Linnean Genera.</i>	<i>Lamarckian Genera.</i>	<i>Plate.</i>	<i>Figure.</i>
19. Nautilus.....	{ Nautilus	13	1
	{ Orthoceras	13	24
	{ Nodosaria	13	27
	{ Spirula	13	16
	{ Cristellaria	14	47
20. Conus.....	Conus	14—16	1—155
21. Cypræa.....	Cypræa	17	1—67
22. Bulla	{ Bulla	18	20
	{ Bullæa	18	14
	{ Bulimus	34	101
	{ Achatina	18	53
	{ Physa	18	37
	{ Ovula	18	1
	{ Terebellum	18	41
23. Voluta.....	{ Voluta	21	175
	{ Auricula	19	1
	{ Ancilla	18	44
	{ Tornatella	19	13
	{ Turbinella	21	160
	{ Cancellaria	20	71
	{ Columbella	20	74
	{ Mitra	21	144
	{ Marginella	20	64
	{ Volvaria	19	59
	{ Oliva	19	29
24. Buccinum	{ Buccinum.....	22	37
	{ Concholepas	22	56
	{ Phasianella	23	96
	{ Cassidaria	22	9
	{ Cassis	22	14
	{ Purpura	22	53
	{ Monoceros	22	54
	{ Harpa	22	49
	{ Dolium	22	6
	{ Eburna	23	77
	{ Terebra.....	24	129

<i>Linnean Genera.</i>	<i>Lamarckian Genera.</i>	<i>Plate.</i>	<i>Figure.</i>
25. Strombus	{ Strombus	25	22
	{ Pirena	25	40
	{ Cerithium	25	39
	{ Rostellaria	24	1
	{ Pteroceras	24	5
26. Murex	{ Murex	25	6
	{ Fasciolaria	27	98
	{ Fusus.....	26	71
	{ Pyrula	26	82
	{ Struthiolaria	26	62
	{ Ranella.....	26	44
	{ Triton	27	95
27. Trochus	{ Ricinula	26	47
	{ Trochus	29	66
	{ Pyramidella.....	30	122
	{ Solarium	29	62
28. Turbo	{ Rotella	29	78
	{ Turbo	30	34
	{ Pupa	31	110
	{ Clausilia	32	146
	{ Scalaria.....	31	88
	{ Delphinula	31	83
29. Helix	{ Turritella	32	130
	{ Helix.....	33	76
	{ Paludina	34	119
	{ Caracolla	33	44
	{ Anostoma	33	26
	{ Bulimus	34	102
	{ Succinia	35	171
	{ Cyclostoma	32	7
	{ Planorbis	33	55
	{ Lymnæa	35	166
	{ Melania	35	164
	{ Valvata.....	31	87
	{ Ampullaria	33	71
	{ Janthina	34	116
	{ Sigaretus	35	187

xx DIVISIONS OF THE LINNEAN GENERA.

<i>Linnean Genera.</i>	<i>Lamarckian Genera.</i>	<i>Plate.</i>	<i>Figure.</i>
30. Nerita	{ Nerita	36	64
	{ Navicella	37	9
	{ Neritina	35	31
	{ Natica	31	1
31. Haliotis	{ Haliotis.....	36	1—17
	{ Stomatia	36	18—21
32. Patella	{ Patella	37	27
	{ Lingula.....	12	45 & 46
	{ Umbrella	38	85
	{ Parmophora.....	38	84
	{ Emarginula	38	86
	{ Fissurella	38	98
	{ Pileopsis	37	41
	{ Calyptræa	37	1
	{ Crepidula.....	37	10
	{ Ancylylus	37	56
33. Dentalium	{ Stomatella	37	54
	{ Dentalium	38	1—15
34. Serpula.....	{ Serpula	38	36
	{ Siliquaria	38	26
	{ Spirorbis	38	8
	{ Vermilia	38	9
	{ Aspergillum.....	38	34
	{ Septaria	38	1—Teredo.
35. Teredo	{ Vermetus.....	38	25
	{ Teredo	38	2
	{ Fistulana	38	4

LIST OF SUBSCRIBERS.

Abercrombie, Honourable Lady, Edinburgh	<i>Double.</i>
Adams, R., Esq., Charlotte-street, Fitzroy-square	<i>Coloured.</i>
Adamson, John, Esq. F.A.S. and F.L.S., Newcastle	<i>Double.</i>
Alexander, R. D., Esq., Ipswich	<i>Coloured.</i>
Anderson, J. E., M.D., Portsmouth	<i>Double.</i>
Artaria, Mr., Manheim	<i>Coloured.</i>
Ashburner, J., Esq., Madras	<i>Double.</i>
Atree, T., Esq., Affcot House, Ludlow	<hr/>
Austin, G., Esq. F.L.S.	<hr/>
Aylesford, Dowager Countess of, Audley-square	<i>Coloured.</i>
Bainbridge, G. C. Esq., Liverpool	<i>Double.</i>
Bainbridge, Miss	<i>Plain.</i>
Baker, Mrs. Cresswell, Cresswell, Northumberland	<i>Double.</i>
Ballard, Admiral, Bath	<i>Coloured.</i>
Bancker, C. N., Esq.	<hr/>
Barnard, E., Esq. F.L.S., Bexley	<hr/>
Barnard, Miss, Ravensbury House, Mitcham	<i>Double.</i>
Barrington, Mr., Strand	<i>Double.</i>
Barrow, Peter, Esq., Manchester	<i>Plain.</i>
Barton, C., Esq., Lincoln's Inn	<i>Coloured.</i>
Bateman, Mrs., Camberwell House, Wiltshire . .	<hr/>
Bath, Most Noble the Marquis of, D.C.L. F.R.S. A.S. L.S. and H.S., Grosvenor-square	<i>Double.</i>
Bathurst, Right Honourable Charles, M.P., Lydney- park, Gloucestershire	<i>Coloured.</i>
Batson, Mrs., Horseheath Lodge, Cambridgeshire	<i>Double.</i>

Beeke, Very Reverend Henry, D.D. F.L.S., Dean of Bristol	<i>Coloured.</i>
Belcher, Lieutenant, Lime-street	<i>Plain.</i>
Belfast, Natural History Society of	<i>Coloured.</i>
Beltz, G. F., Esq., Heralds' College	—————
Bennet, Rev. W., Canterbury	—————
Bickersteth, Robert, Esq., Liverpool	<i>Coloured.</i>
Bingham, Lieut.-Gen., F.L.S., Penzance	<i>Double.</i>
Bland, Michael, Esq. F.R.S. A.S. L.S. and H.S., Montagu-place, Russel-square	—————
Blane, Daniel, Esq.	<i>Coloured.</i>
Bolton, Mrs., The Storrs, Windermere	<i>Double.</i>
Borough, Sir Richard, Bart. D.C.L. F.H.S., Port- land-place	<i>Coloured.</i>
Borrer, William, Esq. F.L.S., Henfield, Sussex ..	—————
Bostock, John, M.D. F.R.S. and L.S., Upper Bed- ford-place	<i>Double.</i>
Bourne, Miss, Duke-street, Liverpool	<i>Coloured.</i>
Bransby, Reverend J., M.A. F.L.S. H.S., Stoke Newington	<i>Double.</i>
Broderip, W. J., Esq., Furnival's Inn	—————
Brodhurst, Henry, Esq., Lincoln's Inn	<i>Plain.</i>
Bromley, Sir Robert Howe, Bart., East Stoke, Notts	<i>Double.</i>
Brooksbank, T. C., Esq., Cadogan-place	<i>Coloured.</i>
Buckland, Reverend William, F.R.S. L.S. and M.G.S. Professor of Mineralogy and Geology, Oxford	<i>Plain.</i>
Bulever, Reverend J.	<i>Double.</i>
Bullen, Miss, Bartlow, near Linton, Cambridge- shire	<i>Plain.</i>

Bunbury, Major-General Sir H. E., Bart., K.C.B. F.L.S. F.H.S., Milden Hall, Suffolk	<i>Coloured.</i>
Bunbury, Lady	_____
Burney, Reverend C. P., D.D. F.R.S. and A.S., Greenwich	_____
Burrow, Reverend E. J., D.D. F.R.S. and L.S. ..	_____
Caley, John, Esq. F.R.S. A.S. L.S. and H.S., Spa- fields	<i>Coloured.</i>
Carew, R. S., Esq. M.P.	<i>Double.</i>
Cawdor, Lady, Stackpole Court, Pembrokeshire .	_____
Chambers, Mrs., Chesterfield-street, May-fair ..	<i>Plain.</i>
Children, T. G., Esq. F.R.S. A.S. and L.S., British Museum	<i>Coloured.</i>
Clarke, Sir S. H., Bart., Hanover-square	_____
Clarke, J. G. C., Esq., Kinnersley Castle, Here- fordshire	<i>Double.</i>
Clayton, Mrs., The Grange, Ellesmere, Salop ..	_____
Cleaver, Reverend J. J., Holme Pierpont	_____
Cleland, James, Esq., Belfast, Ireland	<i>Coloured.</i>
Cobb, G., Esq., Broughton Castle, Oxfordshire. .	_____
Coetlogen, — de, Esq., Ashford, Middlesex ..	_____
Colberg, Miss J., Cavendish-square	_____
Conroy, Captain, Kensington Palace	_____
Conybeare, Reverend W., M.A. F.R.S. M.G.S., Brislington, near Bristol	<i>Plain.</i>
Copland, A., Esq. M.G.S. and H.S., Great George- street, Westminster	<i>Coloured.</i>
Cornwallis, the Marchioness	_____
Cotton, William, Esq., Clapham	_____
Coulthard, W., Esq., Pwley Wrack, Glamorganshire	_____
Cowper, Miss M., Finsbury-place	_____

Cozens, —, Esq., Southampton	<i>Plain.</i>
Cozens, Miss	_____
Crabbe, Reverend, G., LL.B., Trowbridge	<i>Double.</i>
Crawford, —, M.D., Bath	_____
Cresswell, W., Esq.	<i>Coloured.</i>
Crutchley, Mrs., Sunninghill Park	<i>Double.</i>
Currie, Mrs., Woodville, near Birmingham	<i>Coloured.</i>
Dashwood, Captain, Compton House, Torrington, Bucks	<i>Coloured.</i>
Deere, John, Esq., Braydeston, Norfolk	_____
Denison, J. E., Esq. M.P. F.H.S., Portman-square	<i>Double.</i>
Dikes, W. Hay, Esq., Hull	<i>Coloured.</i>
Dillwyn, L. W., Esq. F.R.S. and L.S., Pentlergare, near Swansea	_____
Dixon, Captain C., Royal Engineers	<i>Double.</i>
Dubois, Mr. Charles, F.L.S., King-street	1 <i>Plain and</i> 2 <i>Coloured.</i>
Dudley, Miss	_____
Duncan, J. S., Esq., Ashmolean Museum, Oxford	_____
Edmunds, Offey, Esq., Warmsworth, Yorkshire ..	<i>Double.</i>
Ellison, Richard, Jun., Esq., Beverley, Yorkshire	<i>Coloured.</i>
Erskine, Dr.	_____
Everet, William, Esq., Bedford-square	<i>Plain.</i>
Farquhar, Lady, Bruton-street	2 <i>Coloured.</i>
Fawkes, Walter, Esq. F.L.S. and H.S., Farnley Hall, near Otley, Yorkshire	_____
Ferussac, Baron de, Paris	_____
Fitton, William Henry, M.D. F.R.S. M.G.S.	<i>Plain and</i> <i>Coloured</i>

Flacke, Mrs., Cavendish Bridge	<i>Double.</i>
Fleicher, Mr. Frederick, Leipsic	<i>Coloured.</i>
Foljambe, Henry Savile, Esq. F.L.S., Retford, Notts	2 —————
Foljambe, Miss, Warmsworth, near Doncaster ..	—————
Forster, Lieut.-Col., Holt, Melksham	—————
Forster, Edward, Esq. F.R.S. L.S. and H.S., St. Helen's-place	—————
Fox, G. T., Esq., Westhoe, Durham	—————
Francis, Reverend R., Edgefield, Norfolk	—————
Gale, Mr., Bruton-street	<i>Coloured.</i>
Galton, Miss	<i>Double.</i>
Gatton, Miss	<i>Coloured.</i>
Gee, Captain, Ambleside, Westmoreland	<i>Coloured.</i>
Gilbert, Miss C.	<i>Double.</i>
Glaisyer, Mr. J., Brighton	—————
Goodall, Reverend Joseph, D.D. F.A.S. L.S. and H.S. Provost of Eton College	1 <i>Plain</i> and 1 <i>Double.</i>
Gordon, John, Esq. M.G.S., Winchcombe, Dor- setshire	—————
Gower, Leveson, Esq., Gains College, Oxford ..	<i>Coloured.</i>
Graves, Mr., Peckham	<i>Coloured.</i>
Gray, J. E., Esq.	<i>Plain.</i>
Gray, Mrs. De, Winchester	<i>Coloured.</i>
Green, J. H., Esq. F.R.S., Lincoln's Inn Fields ..	—————
Grenville, Lord, Dropmore	—————
Griffith, Edward, Esq. F.L.S., Temple	—————
Griffith, Reverend John, D.D., Rochester	—————
Grimes, E., Esq., Cotton House, Rugby	<i>Plain.</i>
Groombridge, Mrs., Blackheath	<i>Coloured.</i>

Guilding, Rev. L., F.R.S., Kingston, St. Vincent's	<i>Double.</i>
Guillemiard, John, Esq. F.R.S., Gower-street	<i>Coloured.</i>
Halliday, —, Esq., Clifton, Belfast, Ireland . .	<i>Plain.</i>
Hammersley, G., Esq. F.H.S., Pall Mall	<i>Double.</i>
Harcourt, W., Esq., St. Leonard's, Windsor	<i>Coloured.</i>
Hardwicke, Major-General, F.R.S. and L.S.	—————
Harrison, Thomas, Esq. F.L.S. H.S., Alpha Lodge	<i>Double.</i>
Harrison, W., Esq., Lincoln's Inn	—————
Hartopp, G. H. F., Esq., Four Oaks, Litchfield. .	—————
Hennah, Rev. W., Walkhampton, near Plymouth	<i>Plain.</i>
Hensman, Rev. J., Clifton	<i>Coloured.</i>
Hewson, Rev. W., Swansea	—————
Hill, J., Esq., Lincoln's Inn	—————
Hinde, Rev. —, D.D., Findon, Sussex	—————
Hogg, J., Esq., Leeds	—————
Holbech, W., Esq., Farnbro', Banbury	—————
Hooker, W. J., LL.D. F.R.S. A.S. L.S. and H.S. Professor of Botany, Glasgow	—————
Horsfall, C., Esq., Everton, near Liverpool	<i>Double.</i>
Hudson, Robert, Esq., Clapham	<i>Double.</i>
Humphrys, A., Esq., Harpur-street	<i>Coloured.</i>
Hurley, Charles, Esq., Gray's Inn Square	—————
Hyde, William, Esq., Philadelphia	<i>Plain.</i>
Image, Rev. T., Whipstead, near Bury, Suffolk . .	<i>Coloured.</i>
Jacob, Rev. Dr., St. Aubyn's-street, Devonport . .	<i>Double.</i>
Jemmett, William, Esq., Temple.	<i>Coloured.</i>
Jeston, Rev. Henry P., M.A., Barbadoes	<i>Plain.</i>
Johnson, Thomas, Esq.	<i>Double.</i>

Johnson, Miss, Hampstead	<i>Coloured.</i>
Joinville, —, Esq., Camden Town	—————
Kane, —, M.D., 2d Dragoon Guards	<i>Coloured.</i>
Kerr, Rev. N., Tilhook, near Kimbolton, Huntingdon	—————
Kilcoursie, Lord	—————
King, Captain, F.R.S.	—————
King, Benjamin, Esq.	<i>Double.</i>
King, Mr., Cork, Ireland	<i>Coloured.</i>
Kirby, Rev. William, M.A. F.R.S. and L.S., Barmham, near Ipswich	—————
Latham, John, M.D. F.R.S. A.S. and L.S., Winchester	<i>Coloured.</i>
Legh, G. J., Esq. F.H.S, High Leigh, Cheshire ..	<i>Double.</i>
Lemon, C. Esq.	<i>Coloured.</i>
Lincoln, A., Esq., Highbury-place	<i>Double.</i>
Livesay, Mrs., Thirsk, Yorkshire	—————
Llewelyn, Mrs., Myrtles, Swansea	<i>Coloured.</i>
Locker, E. H., Esq. F.R.S., Greenwich Hospital ..	<i>Coloured.</i>
Lowder, —, Esq., Compton-street	<i>Coloured.</i>
Lowry, Wilson, Esq. F.R.S.	<i>Plain.</i>
Maclaren, Mrs., Euston-square	<i>Coloured.</i>
MacLeay, Alexander, Esq. F.R.S. L.S. and V.P.H.S., Queen-square, Westminster	<i>Double.</i>
Magrath, George, M.D. F.R.S. and L.S., Plymouth	<i>Coloured.</i>
Mantell, Mrs., Castle-place, Lewes	—————
Martyn, Rev. Thomas, B.D. F.R.S. and L.S. Regius Professor of Botany, Cambridge	—————

Maton, W. G., M.D. F.R.S. A.S. and V.P.L.S., Spring Gardens	<i>Double.</i>
Maud, C., Esq., Marlborough Buildings, Bath ..	—
Maund, Mr., Bromsgrove, Worcestershire	<i>Coloured.</i>
Mawe, Mrs., Strand	1 <i>Plain and 1 Coloured.</i>
Mills, Miss Emma, Leigh Court, Bristol	<i>Double.</i>
Milne, Joshua, Clapton-terrace	<i>Double.</i>
Molyneux, T. C., Esq., Liverpool	—
Montagu, Viscount	—
Mordaunt, Lady, Walton, Warwickshire	<i>Plain.</i>
Morland, Miss, Abingdon, Bucks	—
Morrall, Cyrus, Esq., Liverpool	<i>Double.</i>
Morrel, W. R. Esq.	<i>Coloured.</i>
Nares, Rev. Rich., F.R.S., Archdeacon of Lichfield	<i>Coloured.</i>
Neville, Lady Charlotte	<i>Double.</i>
Neville, Honourable Miss	—
Newport, Viscountess, Castle Bromwich, War- wickshire	—
Norris, T., Esq.	<i>Coloured.</i>
Northumberland, His Grace the Duke of, F.R.S.	<i>Coloured.</i>
Northumberland, Her Grace the Duchess of	—
Paget, J. W., Esq.	<i>Coloured.</i>
Parker, C., Esq., Liverpool	<i>Double.</i>
Partridge, Miss, Bishop's Wood, near Ross, Here- ford	<i>Coloured.</i>
Peacock, L., Esq., Lincoln's Inn	<i>Double.</i>
Phelps, W., Jun., Esq.	<i>Coloured.</i>
Phillips, Edward, Esq., M.A., St. Stephen's-court	<i>Double.</i>
Phillips, Mrs. Marsh, Stoke Bishop, near Bristol	<i>Coloured.</i>

Pilkington, William, Esq. F.A.S. and L.S. White- hall	1	Plain and 1	Coloured.
Pole, Sir Charles, Bart., Upper Harley-street ..			Double.
Poore, Sir Edward, Bart., Rushall, Wilts			Coloured.
Purton, Thomas, Esq., F.L.S., Alcester, Warwick- shire			—————
Rackett, Reverend Thomas, M.A. F.R.S. A.S. and L.S., Gower-street			Coloured.
Radcliffe Library, Oxford			Double.
Rashleigh, Reverend P., Southfleet, Kent			Coloured.
Raymond, Miss, Belchamp Hall, near Sudbury, Suffolk			—————
Reid, Mrs., Ewell, Surrey			Coloured.
Rhoyale, Mr.			—————
Richardson, Mr., Cornhill	3		—————
Rivers, Rev. F., Kensington-terrace			Coloured.
Robinson and Hurst, Manchester	3		—————
Rogers, E., Esq., Liverpool			Coloured.
Rohde, M., Esq.			—————
Ross, David, Esq.			Double.
Rothman, R. W., Esq., Trinity College, Cambridge			Coloured.
Rudge, E., Esq. F.R.S. A.S. and L.S., Wimpole-street			—————
Russell, Frederick, Esq., Southampton			—————
Ryder, the Honourable Mrs. Henry, Deanery, Wells Castle, Eccleshall, Staffordshire			—————
Sainsbury, Miss, York-place, Portman-square . . .			Double.
Salvin, Rev. Hugh, Newcastle			—————
Schmetz, —, Esq., Inspector of Mines, Munich			—————
Sconce, R. C., Esq., Tothill, Plymouth			—————

Seagar, —, Esq., Cheltenham	<i>Coloured.</i>
Selby, P. T., Esq. F.H.S., Twizel House, near Bel- ford, Northumberland	<i>Coloured.</i>
Senior, Miss, Sittingbourne, Kent	<hr/>
Setchell, Mr., King-street.	2 <i>Double.</i>
Shaw, John, Esq. F.A.S. and L.S., Gower-street	<i>Coloured.</i>
Shebbeare, Lieutenant	<i>Double.</i>
Sherbrooke, Mrs., Axton	<i>Double.</i>
Simes, J. T., Esq.	<i>Coloured.</i>
Smith, T., Esq. F.R.S. and L.S., Paper Buildings, Temple	<i>Coloured.</i>
Smith, Major Hamilton, Guernsey	<i>Double.</i>
Smith, George, Esq., Somerset-place	<i>Coloured.</i>
Smyth, Rev. J. H., B.D., Liverpool	<hr/>
Sockett, H., Esq.	<hr/>
Sotheby, S., Esq.	<i>Coloured.</i>
Stanley, Edward Lord, M.P. LL.D. V.P.L.S. F.H.S., Upper Grosvenor-street	<i>Double.</i>
Stanley, Rev. Edward, Alder, Devonshire	<i>Coloured.</i>
Stephenson, E., Esq., Great Queen-street, West- minster	<i>Double.</i>
Stodart, Mrs., Doctors Commons	<i>Coloured.</i>
Stokes, Charles, Esq. F.R.S. A.S. and L.S., Ve- rulam Buildings	<hr/>
Strong, Reverend Archdeacon, Peterborough ..	<i>Double.</i>
Surgeons, Royal College of	<i>Coloured.</i>
Sutton, Right Honourable Charles Manners, Speaker of the House of Commons	<i>Double.</i>
Swainson, William, Esq. F.R.S. and L.S.	<i>Coloured.</i>
Swainson, T. G., Esq., Elm Grove, Liverpool ..	<hr/>
Sykes, Reverend C., Hull	<hr/>

Taswell, W., Esq., Forkington, Bristol	<i>Double.</i>
Tayleure, Mr., Pantou-street	<i>Coloured.</i>
Taylor, Mr. Richard, F.L.S.	_____
Temminck, C. J., Esq., Amsterdam	_____
Templar, Rev. G. H., Shapwick, Glastonbury	<i>Coloured.</i>
Thackery, Rev. George, D.D. F.L.S. Provost of King's College, Cambridge	<i>Double.</i>
Thomas, Colonel, Ratton, near Eastbourne	_____
Tomlinson, William, Esq., Preston, Lancashire . .	<i>Coloured.</i>
Tozer, Rev. J. S., Plymouth	<i>Double.</i>
Traile, Dr., Liverpool	<i>Coloured.</i>
Trevelyan, J., Esq., Wallington, Northumberland	<i>Coloured.</i>
Tucker, Rev. J., Malling, Kent	<i>Plain.</i>
Turner, Honourable Lady, Kirkleatham, Yorkshire	<i>Double.</i>
Turton, William, M.D. F.L.S., Torquay	<i>Coloured.</i>
Tylden, Richard, Esq., Milsted, Kent	<i>Double.</i>
Valpy, Mrs., Norwich	<i>Double.</i>
Vine, James, Esq., Grenville-street, Brunswick- square	<i>Coloured</i>
Vivyan, Sir Richard, Bart., M.P.	_____
Walker, J., Esq.	<i>Double.</i>
Walker, Joseph, Esq., Eton Lodge, Liverpool . . .	<i>Coloured.</i>
Warde, Lieut.-General, Sir H., K.C.B.	<i>Double.</i>
Wardle, Mr., Philadelphia, America	2 <i>Coloured</i>
Warner, Mrs.	<i>Double.</i>
Watts, Miss, Hanslop Park, Bucks	_____
Wavel, William, M.D., Horwood House, Barnstaple, Devon	<i>Coloured.</i>
Webb, P.W., Esq., Davies-street, Berkeley-square	_____

Webster, Miss, Birmingham	<i>Coloured.</i>
Wells, W., Esq., Red-leaf, Tonbridge.....	_____
Whitelaw, Richard, Esq.	_____
Whitfield, Mrs. G.	_____
Whitshed, Lady H., Whitehall-place	_____
Williams, George, M.D. Regius Professor of Botany, Oxford	_____
Williams, Miss Gregory, St. James's-place	_____
Wilson, Mr., Hull	<i>Plain.</i>
Wilton, Rev. C. P. N., B.A. F.C.P.S., Blakeney, Gloucestershire.....	<i>Double.</i>
Wollaston, William Hyde, M.D. V.P.R.S. M.G.S., Buckingham street, Fitzroy-square	<i>Coloured.</i>
Wolston, A., Esq., Furnival's Inn	_____
Wood, G. W., Esq. M.G.S., Manchester	_____
Worthington, C., Esq., Weybridge.....	<i>Plain.</i>
Wray, R., Esq., Chancery-lane	<i>Double.</i>
Yarrell, Mr. William, Bury-street, St. James's ..	<i>Double.</i>

ADVERTISEMENT.

It is the intention of the Author to give an Appendix to the *Index Testaceologicus*, containing figures of all the shells that have been lately discovered; and the subscribers, in this case, who are desirous of the addition, will be entitled to priority of impressions according to the original list.

ABBREVIATIONS.

<i>A.</i>	Adanson's <i>Senegal</i> .
<i>B.</i>	Born, <i>Testacea Musei Cæsarei</i> .
<i>Br. E. M.</i>	Bruguiere in <i>Encyclopédie Méthodique</i> , art. <i>Vers</i> .
<i>B. E. C.</i>	Burrow's <i>Elements of Conchology</i> .
<i>C.</i>	Martini et Chemnitz, <i>Historia Conchyliorum</i> .
<i>D.</i>	Donovan's <i>Natural History of British Shells</i> .
<i>E. M.</i>	<i>Encyclopédie Méthodique</i> , art. <i>Vers testacés</i> .
<i>Fab. F. Gr.</i>	Fabricius, <i>Fauna Groenlandica</i> .
<i>F.</i>	Favanne, <i>Conchyliologie, ou Histoire Naturelle des Coquilles</i> .
<i>F. T. M.</i>	Fichtell et Moll, <i>Testacea Microscopica</i> .
<i>Geoff.</i>	Geoffroy, <i>Traité Sommaire des Coquilles</i> .
<i>Gm.</i>	Gmelin, <i>Systema Naturæ Linnæi</i> .
<i>G. Z.</i>	Gronovius, <i>Zoophylacium</i> .
<i>G.</i>	Gualtieri, <i>Index Testarum Conchyliorum</i> .
<i>Kam. Cab. Rudolst.</i>	Kämmerer, <i>Die Conchylien, &c.</i>
<i>Kl. Ost.</i>	Klein, <i>Tentamen Methodi Ostracologicæ</i> .
<i>K.</i>	Knorr, <i>Les Délices des Yeux et de l'Esprit</i> .
<i>L. Z. M.</i>	Leach's <i>Zoological Magazine</i> .
<i>L. F. S.</i>	Linnæus, <i>Fauna Suecica</i> .
<i>L. M.</i>	Linné, <i>Mantissa altera</i> .
<i>L. M. U.</i>	— <i>Museum Ludovicæ Ulricæ Sueciæ Regiæ</i> .
<i>L. S. N.</i>	— <i>Systema Naturæ</i> . Ed. 12.
<i>L. T.</i>	<i>Linnean Transactions</i> .

<i>L.</i>	Lister, <i>Historia Conchyliorum</i> .
<i>M. U. C.</i>	Martyn's <i>Universal Conchologist</i> .
<i>M.</i>	Montagu's <i>Testacea Britannica</i> .
<i>M. Suppl.</i>	———— <i>Supplement</i> .
<i>M. Z. D.</i>	Muller, <i>Zoologia Danica</i> .
<i>M. V.</i>	———— <i>Vermium Terrestrium et Fluvialium</i> .
<i>P. M. Z.</i>	Pallas, <i>Miscellanea Zoologica</i> .
<i>P. S. Z.</i>	———— <i>Spicilegia Zoologica</i> .
<i>P.</i>	Petiver, <i>Gazophylacium</i> .
<i>P. Amb.</i>	———— <i>Amboyna Shells</i> .
<i>R.</i>	Rumphius, <i>Thesaurus Imaginum Piscium Testaceorum</i> .
<i>S. Conch.</i>	Schreiber's <i>Conchylienkenntniss</i> .
<i>S. Einl.</i>	Schröter, <i>Einleitung in die Conchylien</i> .
<i>S. Erd.</i>	———— <i>Erdkonchylien</i> .
<i>S. Fluss.</i>	———— <i>Flussconch</i> .
<i>S. N. M.</i>	Shaw's <i>Naturalist's Miscellany</i> .
<i>W. M. S.</i>	Walker's <i>Minute Shells</i> .
<i>W.</i>	Wood's <i>General Conchology</i> .
<i>Fr. w.</i>	Fresh water.
<i>L.</i>	Land.
<i>U.</i>	Unknown.

} These abbreviations occur in the
fifth column.

A

CATALOGUE OF SHELLS.

MULTIVALVES.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
I. CHITON.		COAT OF MAIL.		
1 squamosus	3203	scaly	<i>P.t.</i> 1, <i>f.</i> 3. <i>B.t.</i> 1, <i>f.</i> 1, 2. <i>E.M.</i> <i>t.</i> 162, <i>f.</i> 5, 6. <i>W.t.</i> 1, <i>f.</i> 1.	America.
2 bistratus		2-striated	<i>C.</i> 8, <i>t.</i> 94, <i>f.</i> 788-91. <i>W.p.</i> 7.	U.
3 fulvus		tawny	<i>C.</i> 10, <i>t.</i> 173, <i>f.</i> 1691. <i>E.M.</i> <i>t.</i> 161, <i>f.</i> 4, 5. <i>W.p.</i> 7, <i>t.</i> 1, <i>f.</i> 2.	S. America.
4 piceus	3205	pitchy	<i>C.</i> 8, <i>t.</i> 96, <i>f.</i> 807-10. <i>E.M.</i> <i>t.</i> 163, <i>f.</i> 3-5. <i>W.p.</i> 8, <i>t.</i> 1, <i>f.</i> 3.	Red Sea.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
5 <i>granulatus</i>	3205	granulated	<i>C. 8, t. 96, f. 806. W.</i> <i>p. 9.</i>	W. Indies.
6 <i>aculeatus</i>	3202	prickly	<i>C. 10, t. 173, f. 1692.</i> <i>E. M. t. 163, f. 16.</i> <i>W. p. 9.</i>	Asia.
7 <i>fasciatus</i>	3203	β banded	<i>C. 8, t. 95, f. 801.</i> <i>E. M. t. 162, f. 1, 2.</i> <i>W. t. 1, f. 4, 5.</i>	S. Amer.
8 <i>marmoratus</i>	3205	marbled	<i>C. 8, t. 95, f. 803-5. E.</i> <i>M. t. 162, f. 11, 12.</i> <i>W. p. 10.</i>	W. Indies.
9 <i>maculatus</i>	3205	spotted	<i>C. 8, t. 95, f. 802. W.</i> <i>p. 11.</i>	_____
10 <i>tunicatus</i>		coated	<i>W. p. 11, t. 2, f. 1.</i>	_____
11 <i>Gigas</i>	3206	gigantic	<i>C. 8, t. 96, f. 819. E. M.</i> <i>t. 161, f. 3. W.</i> <i>p. 12. Cape of Good Hope.</i>	
12 <i>amiculatus</i>	3206	kidney-sh.	<i>W. p. 13.</i>	Kurile Islands.
13 <i>castaneus</i>		chestnut	<i>W. p. 13, t. 2, f. 2, 3. &</i> <i>t. 3, f. 2, 3.</i>	U.
14 <i>ruber</i>	3203	red	<i>C. 8, t. 96, f. 813. W.</i> <i>p. 14.</i>	North Sea.
15 <i>punctatus</i>	3203	punctured	<i>W. p. 14.</i>	Asia, Eur., & Amer.
16 <i>Indus</i>	3205	Indian	<i>C. 8, t. 96, f. 811. W.</i> <i>p. 15.</i>	West Indies.
17 <i>viridis</i>		green	<i>C. 10, t. 173, f. 1689.</i> <i>E. M. t. 162, f. 9.</i> <i>W. p. 15.</i>	U.
18 <i>lineatus</i>		striped	<i>W. p. 15, t. 2, f. 4, 5.</i>	U.

<i>Linn. names.</i>	<i>Gm. Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
19 fascicularis	3202 tufted	C. 10, t. 173, f. 1683. E. M. t. 163, f. 15. M.p.5, t. 27. W.p. 16, t. 2, f. 6.	Britain, &c.
20 sulcatus	furrowed	W.p. 16, t. 3, f. 1.	S. Seas.
21 bicolor	3204 2-colour'd	C. 8, t. 94, f. 794, 5. W. p. 17.	Indian Seas.
22 cerasinus	3204 cherry	C. 8, t. 94, f. 796. W. p. 17.	U.
23 magellanicus	3204 Magellanic	C. 8, t. 95, f. 797-3. E. M. t. 160, f. 4, 5. W t. 3, f. 6.	Str. of Magellan.
24 fuscus	3204 brown	C. 8, t. 95, f. 799, 800. E. M. t. 160, f. 6, 7. W.p. 18.	East Indies.
25 minimus	3205 mealy	C. 8, t. 96, f. 814. W. p. 19.	Norwegian Sea.
26 Cimex	3206 bug	C. 8, t. 96, f. 815. W. p. 19.	Coast of Norway.
27 Asellus	3206 millepede	C. 8, t. 96, f. 816. E. M. t. 161, f. 12. W. p. 19.	North Seas.
28 icelandicus	3206 Iceland	W.p. 20.	Iceland.
29 albus	3294 white	C. 8, t. 96, f. 817. L. T. 8, t. 1, f. 4. W.p. 20.	Britain, &c.
30 marginatus	3206 bordered	M.p. 1. L. T. 3, t. 1, f. 2. W.p. 21, t. 3, f. 4.	—————
31 cinereus	3204 ash-colour'd	C. 8, t. 96, f. 818. E. M. t. 161, f. 11. M.p. 3. W.p. 21, t. 3, f. 5.	—————

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
32 lævis	3206	smooth	<i>M.p.</i> 2. <i>W.p.</i> 22.	Britain, &c.
33 tuberculatus	3202	tuberculated	<i>W.p.</i> 22.	S. Amer.
34 tessellatus		tessellated	<i>C.</i> 10, <i>t.</i> 173, <i>f.</i> 1690. <i>E. M. t.</i> 162, <i>f.</i> 10. <i>W.p.</i> 23.	Isle of St. Thomas.
35 crinitus	3206	hairy	<i>E. M. t.</i> 163, <i>f.</i> 13, 14. <i>M.p.</i> 4. <i>W.p.</i> 23.	Scotland.
36 hispidus	3202	hispid	<i>S. Einl.</i> 3, <i>p.</i> 493, <i>t.</i> 9, <i>f.</i> 18. <i>W.p.</i> 24.	America.
37 thalassinus	3206	sea-green	<i>W.p.</i> 24.	U.
38 spinosus		spiny	<i>B.E.C.p.</i> 185, <i>t.</i> 26, <i>f.</i> 4.	U.
39 porosus		porous	<i>B.E. C. p.</i> 189, <i>t.</i> 28, <i>f.</i> 1.	U.
40 larvæformis		larva-shaped	<i>B.E.C. p.</i> 191, <i>t.</i> 28, <i>f.</i> 2-4.	U.

II. LEPAS.

BARNACLE.

1 tracheæformis		windpipe	<i>W. p.</i> 31, <i>t.</i> 4*, <i>f.</i> 1, 2, 3.	On S. Sea whales.
2 Diadema	3208	turban	<i>L. t.</i> 445, <i>f.</i> 288. <i>G.</i> <i>t.</i> 106, <i>f.</i> Q. <i>C.</i> 8, <i>t.</i> 99, <i>f.</i> 843-4. <i>E. M. t.</i> 165, <i>f.</i> 13, 14. <i>W. p.</i> 33, <i>t.</i> 4.	North. Ocean on whales.
3 balænaris	3208	whale	<i>P. t.</i> 1, <i>f.</i> 11. <i>C.</i> 3, <i>t.</i> 99, <i>f.</i> 845-6. <i>W.p.</i> 35, <i>t.</i> 5, <i>f.</i> 1-3.	N. Sea, on whales.

CHITON.

Pl. I.



LEPAS



<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
4 testudinaria	3209	turtle	<i>G.t.</i> 106, <i>f.</i> M. C. 8, <i>t.</i> 99, <i>f.</i> 847-8. <i>E.M.</i> <i>t.</i> 165, <i>f.</i> 17, 18. <i>W.</i> <i>p.</i> 37, <i>t.</i> 5, <i>f.</i> 4. Backs of turtles.	
5 Tintinnabu- lum	3208	bell	<i>L.t.</i> 443, <i>f.</i> 385. C. 8, <i>t.</i> 97, <i>f.</i> 828-31. <i>E.M.t.</i> 164, <i>f.</i> 5. <i>D.</i> <i>t.</i> 148. <i>M.p.</i> 10. <i>W.</i> <i>p.</i> 38, <i>t.</i> 6, <i>f.</i> 12. East Indies,	
6 Scotica		Scottish	<i>W.p.</i> 40, <i>t.</i> 6, <i>f.</i> 3.	Scotland.
7 rugosa		wrinkled	<i>M.p.</i> 8. <i>L.T.</i> 3, <i>t.</i> 1, <i>f.</i> 5. <i>W.p.</i> 41, <i>t.</i> 6, <i>f.</i> 4. Britain, &c.	
8 angustata	3212	nar.-mouthed	<i>C.</i> 8, <i>t.</i> 98, <i>f.</i> 835. <i>E.M.</i> <i>t.</i> 164, <i>f.</i> 12. <i>W.p.</i> 41, <i>t.</i> 6, <i>f.</i> 5. Mediterranean.	
9 conoides		conic	<i>M.p.</i> 12. <i>W.p.</i> 42.	Britain,
10 lævis		contracted	<i>C.</i> 8, <i>t.</i> 97, <i>f.</i> 822. <i>E.M.</i> <i>t.</i> 164, <i>f.</i> 2. East Indies.	
11 Balanus	3207	common	<i>L.t.</i> 443, <i>f.</i> 286. C. 8, <i>t.</i> 97, <i>f.</i> 820. <i>E.M.</i> <i>t.</i> 164, <i>f.</i> 1. <i>D.t.</i> 30, <i>f.</i> 1. <i>M.p.</i> 6. <i>W.p.</i> 43, <i>t.</i> 7, <i>f.</i> 3. Britain, &c.	
12 balanoides	3207	smooth	<i>L.t.</i> 444, <i>f.</i> 287. C. 8, <i>t.</i> 97, <i>f.</i> 826. <i>E.M.</i> <i>t.</i> 164, <i>f.</i> 3. <i>M.p.</i> 7. <i>W.t.</i> 7, <i>f.</i> 1.	_____
13 clavata	3203	club-shaped	<i>C.</i> 8, <i>t.</i> 98, <i>f.</i> 838. <i>E.M.</i> <i>t.</i> 164, <i>f.</i> 7, 8. <i>M.</i> <i>p.</i> 10. <i>W.p.</i> 45, <i>t.</i> 7, <i>f.</i> 2.	_____

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
14 punctata		punctured	<i>M.p.</i> 8, <i>t.</i> 1, <i>f.</i> 5. <i>W.</i> <i>p.</i> 46.	Britain, &c.
15 costata		ribbed	<i>M.p.</i> 11. <i>D.t.</i> 30, <i>f.</i> 2. <i>W.p.</i> 46.	_____
16 spongiosa		sponge	<i>M.Suppl.t.</i> 17, <i>f.</i> 4, 5, 6. <i>W.p.</i> 47.	_____
17 galeata	3209	helmet	<i>S.</i> 3, <i>t.</i> 9, <i>f.</i> 20. <i>E.M.</i> <i>t.</i> 165, <i>f.</i> 7, 8. <i>W.</i> <i>p.</i> 43.	On <i>Gorgonia</i> .
18 Psittacus	3212	parrot-beak.	<i>W.p.</i> 49.	Chili.
19 spinosa	3213	spiny	<i>C.</i> 8, <i>t.</i> 98, <i>f.</i> 840, <i>t.</i> 99, <i>f.</i> 841. <i>E.M.t.</i> 164, <i>f.</i> 9, 10. <i>W.p.</i> 49, <i>t.</i> 7, <i>f.</i> 4, 5.	East Indies.
20 minor	3212	flesh-colour.	<i>C.</i> 8, <i>t.</i> 97, <i>f.</i> 827. <i>E.M.</i> <i>t.</i> 164, <i>f.</i> 14. <i>W.p.</i> 50, <i>t.</i> 7, <i>f.</i> 6.	_____
21 radiata		rayed	<i>W.p.</i> 50, <i>t.</i> 7, <i>f.</i> 7.	U.
22 palmipes	3209	palmated	<i>W.p.</i> 51.	U.
23 crispata	3214	rugged	<i>E.M.t.</i> 164, <i>f.</i> 11. <i>W.</i> <i>p.</i> 51, <i>t.</i> 8, <i>f.</i> 1-4.	East Indies.
24 porcata		ridged	<i>W.p.</i> 52, <i>t.</i> 8, <i>f.</i> 5.	_____
25 violacea	3213	violet	<i>C.</i> 8, <i>t.</i> 99, <i>f.</i> 842. <i>W.</i> <i>p.</i> 53.	Indian Ocean.
26 patellaris	3213	limpet	<i>C.</i> 8, <i>t.</i> 98, <i>f.</i> 839.	Coromandel.
27 hemisphærica		hemispherical	<i>C.</i> 8, <i>t.</i> 98, <i>f.</i> 833. <i>E.M.</i> <i>t.</i> 165, <i>f.</i> 4-6. <i>W.p.</i> 54.	Africa.
28 purpurascens		purple-tipped	<i>W.p.</i> 55, <i>t.</i> 9, <i>f.</i> 1, 2, 3.	South Seas.
29 porosa	3212	porous	<i>C.</i> 8, <i>t.</i> 98, <i>f.</i> 836-7. <i>E.M.t.</i> 165, <i>f.</i> 9, 10. <i>W.p.</i> 56, <i>t.</i> 9, <i>f.</i> 4.	East Indies.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
30 Verruca	3212	wart-shaped	C.8, t. 98, f. 834. <i>E.M.</i> t. 161, f. 16, 17. <i>D.</i> t. 36, f. 1. <i>M.p.</i> 12. <i>W.p.</i> 57, t. 9, f. 5. Britain, &c.	
31 Stroemia	3214	Norwegian	<i>W.p.</i> 58.	Norway.
32 cariosa	3214	carious	<i>W.p.</i> 58.	Kurile Islands.
33 Mitella	3210	mitre	C. 8, t. 100, f. 849-50. <i>E.M.</i> t. 166, f. 9. <i>W.</i> p. 59, t. 10, f. 1. Amboyna.	
34 pollicipes	3213	cornucopia	<i>L.t.</i> 439, f. 281. C. 8, 100, f. 851-2. <i>E.M.</i> t. 166, f. 10, 11. <i>W.</i> p. 60, t. 10, f. 2. Mediterranean.	
35 Scalpellum	3210	pen-knife	<i>G.t.</i> 106, f. C. <i>E.M.t.</i> 166, f. 7, 8. <i>D.t.</i> 166. <i>M.p.</i> 18, t. 1, f. 3. <i>W.</i> p. 61, t. 10, f. 3. Britain, &c.	
36 fascicularis		bladder	<i>E. M. t.</i> 166, f. 4. <i>D.</i> t. 144. <i>M.p.</i> 557. <i>W.</i> p. 62, t. 10, f. 4. Britain.	
37 anserifera	3210	striated	<i>L.t.</i> 440, f. 283. C. 8, t. 100, f. 856. <i>M.</i> p. 16. <i>W.p.</i> 64, t. 10, f. 5. Britain, &c.	
38 anatifera	3211	duck	<i>G.t.</i> 26, f. E. C. 8, t. 853 -5. <i>E.M.t.</i> 166, f. 1. <i>D.t.</i> 7. <i>M.p.</i> 15. <i>W.</i> t. 11.	
39 villosa		downy	<i>E.M. t.</i> 166, f. 2. <i>W.</i> p. 67. Mediterranean.	
40 dentata		toothed	<i>L.t.</i> 439, f. 282. <i>E. W.</i> ¹²⁰ t. 166, f. 6. <i>W.</i>	

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
41 <i>sulcata</i>		furrowed	<i>M. p. 17, t. 1, f. 6. W.</i> <i>p. 68, t. 12, f. 1.</i>	Britain.
42 <i>dorsalis</i>		Musquito	<i>E. M. t. 166, f. 5.</i>	Musquito coast.
43 <i>vittata</i>		ribbon	<i>W. p. 69, t. 12, f. 2, 3.</i>	Atlantic.
44 <i>membranacea</i>		membranous	<i>M. Suppl. p. 164. W.</i> <i>p. 70.</i>	Britain.
45 <i>aurita</i>		eared	<i>C. 8, t. 100, f. 857-8.</i> <i>W. p. 70, t. 12, f. 4.</i>	North Seas.

III. PHOLAS. PIERCER.

1 <i>Dactylus</i>	3214 prickly	<i>L. t. 433, f. 267. G.</i> <i>t. 105, f. D. C. 8,</i> <i>t. 101, f. 859. D.</i> <i>t. 118. M. p. 20. W.</i> <i>p. 77, t. 13.</i>	Britain, &c.
2 <i>orientalis</i>	3216 Indian	<i>L. t. 431, f. 247. C. 8.</i> <i>t. 101, f. 860. E. M.</i> <i>t. 168, f. 10. W. p. 78,</i> <i>t. 14, f. 1.</i>	Indian Ocean.
3 <i>candida</i>	3215 white	<i>L. t. 435, f. 278. G.</i> <i>t. 105, f. E. C. 8,</i> <i>t. 101, f. 861. D.</i> <i>t. 132. M. p. 25. W.</i> <i>p. 79, t. 14, f. 3, 4.</i>	Britain, &c.
4 <i>costata</i>	3215 ribbed	<i>L. t. 434, f. 277. G.</i> <i>t. 105, f. G. E. M.</i> <i>t. 169, f. 1, 2. C. 8,</i> <i>f. 863. W. p. 80, t. 15,</i> <i>f. 1, 2. E. Indies & America.</i>	

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
5 <i>crispata</i>	3216	curled	<i>L.t.</i> 436, <i>f.</i> 279. <i>E.M.</i> <i>t.</i> 169, <i>f.</i> 4, 5. <i>C.</i> 8, <i>t.</i> 102, <i>f.</i> 872-4. <i>D.</i> <i>t.</i> 62. <i>M.p.</i> 23. <i>W.</i> <i>p.</i> 81, <i>t.</i> 15, <i>f.</i> 3-5. Britain, &c.	
6 <i>parva</i>		small	<i>M.p.</i> 22, <i>t.</i> 1, <i>f.</i> 7, 8. <i>W.</i> <i>p.</i> 82.	Britain.
7 <i>striata</i>	3215	striated	<i>G. t.</i> 105, <i>f.</i> F. <i>E.M.</i> <i>t.</i> 170, <i>f.</i> 1, 2, 3. <i>C.</i> 8, <i>t.</i> 102, <i>f.</i> 867-71. <i>D.</i> <i>t.</i> 117. <i>M.p.</i> 26. <i>W.</i> <i>p.</i> 83, <i>t.</i> 16, <i>f.</i> 1-4. India & Amer.	
8 <i>falcata</i>		hooked	<i>W.p.</i> 84, <i>t.</i> 16, <i>f.</i> 5-7.	U.
9 <i>cordata</i>	3216	heart-shaped	<i>E. M. t.</i> 169, <i>f.</i> 8-10. <i>W.p.</i> 85.	In corallines.
10 <i>Chiloensis</i>	3217	Chili	<i>W.p.</i> 85.	Chili.
11 <i>hians</i>	3217	gaping	<i>C.</i> 10, <i>t.</i> 172, <i>f.</i> 1678, 1681. <i>W.p.</i> 85.	America.
12 <i>Teredula</i>	3217	Teredo	<i>W.p.</i> 86.	Belgic shores.

BIVALVES.


<i>Linn. names.</i>	<i>Gm. Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
IV. MYA. GAPER.			
1 truncata	3217 abrupt	<i>L.t.</i> 428, <i>f.</i> 269. <i>E.M.</i> <i>t.</i> 229, <i>f.</i> 2. <i>C.6</i> , <i>t.</i> 1, <i>f.</i> 1. <i>M.p.</i> 32. <i>W.</i> <i>p.</i> 90, <i>t.</i> 17, <i>f.</i> 1,2. Britain, &c.	
2 arenaria	3218 sand	<i>L.t.</i> 418, <i>f.</i> 262. <i>E.M.</i> <i>t.</i> 229, <i>f.</i> 1. <i>C.6</i> , <i>t.</i> 1, <i>f.</i> 3,4. <i>D.t.</i> 85. <i>M.</i> <i>t.</i> 30. <i>W.p.</i> 91, <i>t.</i> 17, <i>f.</i> 3.	—————
3 convexa	convex	<i>W.p.</i> 92, <i>t.</i> 18, <i>f.</i> 1.	Britain.
4 declivis	sloping	<i>W.p.</i> 93, <i>t.</i> 18, <i>f.</i> 2,3.	—————
5 prætenuis	spoon-hinge	<i>D.t.</i> 176. <i>M.p.</i> 41, <i>t.</i> 1, <i>f.</i> 1. <i>W.p.</i> 94, <i>t.</i> 24, <i>f.</i> 7-9.	—————
6 anatina	3221 duck	<i>C.6</i> , <i>t.</i> 3, <i>f.</i> 13-16. <i>E.M.</i> <i>t.</i> 229, <i>f.</i> 3. <i>W.p.</i> 94.	Africa.
7 globosa	globular	<i>W.p.</i> 95, <i>t.</i> 24, <i>f.</i> 4-6.	U.
8 arctica	3220 arctic	<i>W.p.</i> 95.	North Seas.

LEPAS.

Pl. 2



PHOLAS.



MYA.



<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
9 edentula	3220	toothless	<i>W.p.</i> 96.	u.
10 picea		pitchy	<i>C.</i> 11, <i>t.</i> 198, <i>f.</i> 1934. <i>W.p.</i> 96, <i>t.</i> 22, <i>f.</i> 5.	u.
11 Nicobarica	3221	Nicobar	<i>C.</i> 6, <i>t.</i> 3, <i>f.</i> 17, 18. <i>W.</i> <i>p.</i> 97. Nicobar Islands.	
12 rostrata		beaked	<i>C.</i> 11, <i>p.</i> 198, <i>f.</i> C. D. <i>W.p.</i> 97.	Bergen.
13 Norwegica	3222	Norway	<i>C.</i> 10, <i>t.</i> 170, <i>f.</i> 1647, 1648.	Norway.
14 membranacea	3222	membranous	<i>W.p.</i> 98.	Iceland.
15 distorta		deformed	<i>M.p.</i> 42, <i>t.</i> 1, <i>f.</i> 1.	Britain.
16 bidentata		double-toothed	<i>M.p.</i> 44. <i>W.p.</i> 99.	—
17 dcussata		decussated	<i>M. Suppl.</i> <i>p.</i> 20, <i>t.</i> 28, <i>f.</i> 1. <i>W.p.</i> 99.	Scotland.
18 purpurea		purple	<i>M. Suppl.</i> <i>p.</i> 21. <i>W.</i> <i>p.</i> 100.	Britain.
19 ferruginosa		rusty	<i>M. Suppl.</i> <i>p.</i> 22, <i>t.</i> 26, <i>f.</i> 2. <i>W.p.</i> 100.	Scotland.
20 nitens		glossy	<i>M. Suppl.</i> <i>p.</i> 165. <i>W.</i> <i>p.</i> 101.	—
21 prismatica		prismatic	<i>M. Suppl.</i> <i>p.</i> 23, <i>t.</i> 26, <i>f.</i> 3. <i>W.p.</i> 101.	—
22 substriata		substriated	<i>M. Suppl.</i> <i>p.</i> 25. <i>W.</i> <i>p.</i> 102.	Britain.
23 dubia		dubious	<i>D.t.</i> 108. <i>M.p.</i> 28. <i>W.</i> <i>p.</i> 102, <i>t.</i> 25, <i>f.</i> 2, 3.	—
24 nitida	3222	white	<i>W.p.</i> 103.	Norway.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
25 Batava		Dutch	<i>C.6, t.1, f.6. D.t.174. E.M.t.248, f.3. M. p.36. W.p.103, t.19, f.1,2.</i>	Britain, &c.
26 Pictorum		painters	<i>L. t. 146, f. 1, & 147, f.3. E.M.t.248, f.4. D.t.89. M.p.34. W. p.104, t.19, f.3,4.</i>	————
27 ovata		oval	<i>D. t. 101. M.p. 34 & 563. W.p.105, t.19, f.5.</i>	————
28 crassa		thick	<i>W.p.106, t.20,21.</i>	China. Fr.w.
29 nodulosa		knotted	<i>W.106, t.22, f.1-4.</i>	U.
30 margaritifera	3219	pearl	<i>L.t.149, f.4. C.6, t.1, f.3. E.M.t.249, f.5. D.t.73. M.p.33. W. p.107, t.23, f.1-3.</i>	Britain, &c.
31 corrugata	3221	wrinkled	<i>C.6, t.3, f.22. E.M. t.248, f.8. W.p.108, t.24, f.1-3.</i>	Coromandel. Fr.w.
32 radiata	3220	radiated	<i>C. 6, t. 2, f. 7. E. M. t. 248, f. 5. W. p.109.</i>	Malabar. Fr.w.
33 rugosa	3222	rough	<i>C. 10, t. 170, f. 1649. E.M.t.249, f.3. W. p.109.</i>	Coromandel.
34 nodosa	3222	knobbed	<i>C. 10, t. 170, f. 1650. W.p.110.</i>	
35 spuria	3222	spurious	<i>W.p.210.</i>	Tranquebar. Fr.w.
36 syrmatophora	3222	angular	<i>W.p.210.</i>	Guinea. Fr.w.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
37 suborbicularis		roundish	<i>M. Suppl. t. 26, f. 6.</i>	Britain.
38 variabilis		variable	<i>L. T. 10, t. 24, f. 4-7.</i> <i>W. p. 111.</i>	South America. Fr. w.
39 labiata		lipped	<i>L. T. 10, t. 24, f. 1-3.</i> <i>W. p. 112.</i>	South America.
40 inequivalvis		unequal-valved	<i>E. M. t. 230, f. 4. M.</i> <i>p. 38. Suppl. t. 26,</i> <i>f. 7. W. p. 113.</i>	Britain, &c.
41 Glycimeris	3222	great	<i>L. t. 414, f. 258. C. 6,</i> <i>t. 3, f. 25. D. t. 142.</i> <i>W. p. 114, t. 25.</i>	Mediterranean.

V. SOLEN. RAZOR.

1 Siliqua	3223	pod	<i>L. t. 409, f. 255. E. M.</i> <i>t. 222, f. 2. C. 6, t. 4,</i> <i>f. 29. M. p. 46. W.</i> <i>p. 118, t. 26, f. 1, 2.</i>	Britain, &c.
2 Novacula		Carmarthenshire	<i>M. p. 47. W. p. 119.</i>	Britain.
3 Vagina	3223	sheath	<i>L. t. 410, f. 256. D.</i> <i>t. 110. W. p. 119,</i> <i>t. 27, f. 1.</i>	_____
4 truncata		truncated	<i>G. t. 95, f. D. E. M.</i> <i>t. 122, f. 1. C. 6, t. 4,</i> <i>f. 28. W. p. 121, t. 26.</i> <i>f. 3, 4, t. 27, f. 2.</i>	American Seas.
5 linearis		slender	<i>C. 11, t. 198, f. 1931,</i> <i>1932. W. p. 121,</i> <i>t. 27, f. 3.</i>	Indian Seas.

<i>Linn. names.</i>	<i>Gm. Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
6 Ensis	3224 sword	<i>L.t.</i> 411, <i>f.</i> 257. <i>E.M.</i> <i>t.</i> 223, <i>f.</i> 2, 3. <i>C.</i> 6, <i>t.</i> 4, <i>f.</i> 30. <i>D.t.</i> 50. <i>M.p.</i> 48. <i>W.p.</i> 122, <i>t.</i> 28, <i>f.</i> 1, 2.	Britain, &c.
7 pellucidus	transparent	<i>C.</i> 11, <i>t.</i> 198, <i>f.</i> 1940. <i>D.t.</i> 153. <i>M.p.</i> 49. <i>W.p.</i> 123, <i>t.</i> 28, <i>f.</i> 3.	Britain.
8 Legumen	3224 peascod	<i>L.t.</i> 420, <i>f.</i> 264. <i>G.</i> <i>t.</i> 91, <i>f.</i> A. <i>E.M.</i> <i>t.</i> 225, <i>f.</i> 3. <i>C.</i> 6, <i>t.</i> 5, <i>f.</i> 32-34. <i>D.t.</i> 58. <i>M.</i> <i>p.</i> 50. <i>W.p.</i> 124, <i>t.</i> 28, <i>f.</i> 4, 5.	Britain, &c.
9 Cultellus	3224 kidney	<i>G.t.</i> 90, <i>f.</i> E. <i>E.M.</i> <i>t.</i> 223, <i>f.</i> 4. <i>C.</i> 6, <i>t.</i> 5, <i>f.</i> 36, 37. <i>W.p.</i> 125, <i>t.</i> 29, <i>f.</i> 1, 2.	Amboyne.
10 antiquatus	antiquated	<i>C.</i> 6, <i>t.</i> 6, <i>f.</i> 45. <i>D.t.</i> 114. <i>M.p.</i> 52. <i>W.p.</i> 125, <i>t.</i> 29, <i>f.</i> 3.	Britain, &c.
11 fragilis	brittle	<i>C.</i> 11, <i>t.</i> 198, <i>f.</i> 1939. <i>W.p.</i> 126, <i>t.</i> 29, <i>f.</i> 4, 5.	Southern Ocean.
12 strigilatus	3225 strigilated	<i>L.t.</i> 416, <i>f.</i> 260. <i>G.</i> <i>t.</i> 91, <i>f.</i> C. <i>E.M.</i> <i>t.</i> 224, <i>f.</i> 3. <i>C.</i> 6, <i>t.</i> 6, <i>f.</i> 41, 2. <i>W.p.</i> 127, <i>t.</i> 30, <i>f.</i> 1.	Mediterranean.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
13 anatinus	3225	duck-bill	<i>C. t. 6, f. 46-8. E. M.</i> <i>t. 228, f. 3. W. p. 128,</i> <i>t. 30, f. 2-4.</i>	Indian Ocean.
14 radiatus	3225	rayed	<i>L. t. 422, f. 266. G.</i> <i>t. 91, f. B. E. M.</i> <i>t. 225, f. 2. C. 6, t. 5,</i> <i>f. 38-40. W. p. 128,</i> <i>t. 31, f. 1, 2.</i>	Amboyna.
15 Guineensis		Guinea	<i>C. 11, t. 198, f. 1937.</i> <i>W. p. 129.</i>	Coast of Guinea.
16 maximus		largest	<i>W. p. 129, t. 31, f. 3.</i>	Sandwich Is.
17 magnus		great	<i>C. 6, t. 5, f. 35. W.</i> <i>p. 130.</i>	Coast of Nicobar.
18 inflexus		inflected	<i>W. p. 131, t. 32, f. 1, 2.</i>	
19 minimus	3227	little	<i>C. t. 5, f. 31. a. b. W.</i> <i>p. 131.</i>	Tranquebar.
20 Macha	3226	Molini's	<i>W. p. 132.</i>	Chili.
21 virens	3226	green	<i>W. p. 132.</i>	Java.
22 Diphos	3226	violet	<i>C. 6, t. 7, f. 53-4. Item</i> <i>11, t. 198, f. 1933.</i> <i>W. p. 133, t. 32,</i> <i>f. 3.</i>	Indian Ocean.
23 roseus	3227	rose-colour.	<i>C. 6, t. 7, f. 55. W.</i> <i>p. 133.</i>	Red Sea.
24 striatus	3227	striated	<i>C. 6, t. 7, f. 57, 58. W.</i> <i>p. 134.</i>	Nicobar Islands.
25 castrensis		zig-zag	<i>C. t. 198, f. 1935-6. W.</i> <i>p. 134.</i>	Coast of Guinea.
26 biradiata		double-rayed	<i>W. p. 135, t. 33, f. 1.</i>	U.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
27 <i>vespertinus</i>	3228	variable	<i>C. t. 7, f. 59, 60. D.</i> <i>t. 41, f. 2. M. p. 54.</i> <i>W. p. 135, t. 33,</i> <i>f. 2, 3.</i>	Britain, &c.
28 <i>sanguinolentus</i>	3227	sanguine	<i>L. t. 397, f. 236. E. M.</i> <i>t. 227, f. 1. C. 6, t. 7,</i> <i>f. 56. W. p. 136, t. 33,</i> <i>f. 4, 5.</i>	Jamaica, &c.
29 <i>occidens</i>	3228	spotted	<i>C. 6, t. 7, f. 61. W.</i> <i>p. 137.</i>	Western Ocean.
30 <i>Spengleri</i>	3228	Spengler's	<i>W. p. 137.</i>	
31 <i>Amethystus</i>		amethystine	<i>K. 6, t. 12, f. 2. C. 6,</i> <i>t. 10, f. 93. W. p. 138,</i> <i>t. 34, f. 1.</i>	India.
32 <i>variegatus</i>		variegated	<i>W. p. 139, t. 34, f. 2-4.</i>	
33 <i>minutus</i>	3226	minute	<i>C. t. 6, f. 50, 51. E. M.</i> <i>t. 234, f. 4. M. p. 53,</i> <i>t. 1, f. 4. W. p. 139,</i> <i>t. 34, f. 5, 6.</i>	Britain.
34 <i>squamosus</i>		scale-like	<i>M. p. 565. W. p. 140.</i>	—
35 <i>Pinna</i>		semi-oval	<i>M. p. 566, t. 15, f. 3. W.</i> <i>p. 141.</i>	—

VI. TELLINA. TELLEN.

1 <i>Gargadia</i>	3228	toothed	<i>C. 6, t. 8, f. 63, 64. a. b.</i> <i>W. p. 144.</i>	Indian Ocean.
-------------------	------	---------	--	---------------



37 n



38 q



39 a



40 n



41



42




43


SOLEN.



26+




10 b



11 a+



12 b



13 b



14 d



15 c



16 e



17 d



18 c




19 a




22 d




23 b



24 a



25 q



26 b



27 a+



28 c



29 b+



30 b



31 b



32 a



33 +




35 +


TELLINA.



1 a+



2 a+



3 b+



4 b+



5 b



6 a+



7 a



8 a+



9 b



10 q



11 b



12 a+



13 +




14 +




15 b



16 m



17 q



25 c



19 n




20 c



22 +



23 +



24 b

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
2 <i>Lingua felis</i>	3229	cat's tongue	<i>G. t.</i> 76, <i>f.</i> B. <i>E. M.</i> <i>t.</i> 289, <i>f.</i> 6. <i>C.</i> 6, <i>t.</i> 8, <i>f.</i> 65. <i>W. p.</i> 144, <i>t.</i> 40, <i>f.</i> 2, 3. Indian Ocean.	
3 <i>virgata</i>	3229	striped	<i>G. t.</i> 86, <i>f.</i> G. <i>E. M.</i> <i>t.</i> 288, <i>f.</i> 2. <i>C.</i> 6, <i>t.</i> 8, <i>f.</i> 66-72. <i>W. p.</i> 145. Atlantic.	
4 <i>interrupta</i>		freckled	<i>L. t.</i> 399, <i>f.</i> 238. <i>E. M.</i> <i>t.</i> 288, <i>f.</i> 7. <i>C.</i> 6, <i>t.</i> 8, <i>f.</i> 73. <i>W. p.</i> 146, <i>t.</i> 36, <i>f.</i> 3. S. America & India.	
5 <i>angulata</i>	3229	angular	<i>L. t.</i> 406, <i>f.</i> 252. <i>E. M.</i> <i>t.</i> 290, <i>f.</i> 3. <i>C.</i> 6, <i>t.</i> 9, <i>f.</i> 75. <i>W. p.</i> 146, <i>t.</i> 43, <i>f.</i> 1. Indian Ocean.	
6 <i>Gari</i>	3229	varying	<i>K.</i> 6, <i>t.</i> 12, <i>f.</i> 2. <i>C.</i> 6, <i>t.</i> 10, <i>f.</i> 92. <i>W. p.</i> 147. —	
7 <i>fragilis</i>	3230	brittle	<i>C.</i> 6, <i>t.</i> 9, <i>f.</i> 84. <i>W. p.</i> 148. Eur. Ocean & Caspian Sea.	
8 <i>rugosa</i>	3230	rugged	<i>C.</i> 6, <i>t.</i> 8, <i>f.</i> 62. <i>E. M.</i> <i>t.</i> 290, <i>f.</i> 1. <i>W. p.</i> 148, <i>t.</i> 41, <i>f.</i> 2, 3. India & S. Amer.	
9 <i>inflata</i>	3230	inflated	<i>C.</i> 6, <i>t.</i> 9, <i>f.</i> 76. <i>W. p.</i> 149. U.	
10 <i>crystallina</i>		pellucid	<i>C.</i> 11, <i>t.</i> 199, <i>f.</i> 1947-8. U.	
11 <i>multangula</i>	3230	multangular	<i>C.</i> 6, <i>t.</i> 9, <i>f.</i> 77. <i>W.</i> <i>p.</i> 150. Tranquebar.	
12 <i>papyracea</i>	3231	paper	<i>C.</i> 6, <i>t.</i> 9, <i>f.</i> 78. <i>E. M.</i> <i>t.</i> 290, <i>f.</i> 14. <i>W. p.</i> 150. Coast of Guinea.	
13 <i>gibbosa</i>	3231	gibbous	<i>G. t.</i> 77, <i>f.</i> Q. <i>W. p.</i> 151. U.	

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
14 inæquilatera	3231	uneq.-sided	<i>G. t.</i> 88, <i>f.</i> C. <i>W.</i> p. 151.	U.
15 Knorrii	3231	Knorr's	<i>K.</i> 5, <i>t.</i> 21, <i>f.</i> 5. <i>W.</i> p. 151.	U.
16 pusilla	3231	minute	<i>W.</i> p. 152.	Europe. Fr. w.
17 obliqua		oblique	<i>W.</i> p. 152, <i>t.</i> 41, <i>f.</i> 4, 5.	U.
18 maculata		spotted	<i>L. T.</i> 3, <i>p.</i> 252. <i>W.</i> p. 153.	Britain.
19 amnica		river	<i>G. t.</i> 7, <i>f.</i> C. C. <i>C.</i> 6, <i>t.</i> 13, <i>f.</i> 134. <i>D. t.</i> 64, <i>f.</i> 2. <i>M.</i> <i>p.</i> 86. <i>W.</i> p. 153, <i>t.</i> 47, <i>f.</i> 6.	Britain. Fr. w.
20 foliacea	3232	foliaceous	<i>C.</i> 6, <i>t.</i> 10, <i>f.</i> 95. <i>E. M.</i> <i>t.</i> 287, <i>f.</i> 4. <i>W.</i> p. 154, <i>t.</i> 36, <i>f.</i> 1.	Indian Ocean.
21 albida	3231	whitish	<i>E. M.</i> <i>t.</i> 228, <i>f.</i> 2. <i>W.</i> p. 154.	Europe.
22 tenuis		thin	<i>L. t.</i> 405, <i>f.</i> 251. <i>C.</i> 6, <i>t.</i> 12, <i>f.</i> 117. <i>D. t.</i> 19, <i>f.</i> 2. <i>M.</i> <i>p.</i> 59. <i>W.</i> p. 155, <i>t.</i> 44, <i>f.</i> 3, 4.	Britain, &c.
23 fabula	3239	semi-striated	<i>D. t.</i> 97. <i>M.</i> p. 61. <i>W.</i> p. 156, <i>t.</i> 45, <i>f.</i> 4.	—
24 planata	3232	flat	<i>G. t.</i> 89, <i>f.</i> G. <i>W.</i> p. 157.	U.
25 acuta		sharp-edged	<i>W.</i> p. 157, <i>t.</i> 44, <i>f.</i> 1.	West Indies.
26 radiata	3232	rayed	<i>L. t.</i> 393, <i>f.</i> 240. <i>G. t.</i> 89, <i>f.</i> 1. <i>E. M.</i> <i>t.</i> 289, <i>f.</i> 2. <i>C.</i> 6, <i>t.</i> 11, <i>f.</i> 102. <i>W.</i> p. 158, <i>t.</i> 38, <i>f.</i> 2, 3.	S. America.
27 sanguinea		red	<i>W.</i> p. 159, <i>t.</i> 44, <i>f.</i> 2.	

<i>Linn. names.</i>	<i>Gm. Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
28 rostrata	3232 beaked	<i>L. t.</i> 382, <i>f.</i> 225. <i>G. t.</i> 88, <i>f.</i> T. <i>E. M. t.</i> 289, <i>f.</i> 1. <i>C.</i> 6, <i>t.</i> 11, <i>f.</i> 105. <i>W.</i> <i>p.</i> 159, <i>t.</i> 37, <i>f.</i> 3. Indian Ocean.	
29 lævigata	3232 smooth	<i>L. t.</i> 387, <i>f.</i> 234. <i>C.</i> 6, <i>t.</i> 12, <i>f.</i> 111. <i>W. p.</i> 160, <i>t.</i> 41, <i>f.</i> 1. Europe and India.	
30 trifasciata	3232 3-banded	<i>C.</i> 6, <i>t.</i> 12, <i>f.</i> 114, a.b. <i>W.</i> <i>p.</i> 161. European Ocean.	
31 donacina	3234 Donax	<i>G. t.</i> 88, <i>f.</i> N. <i>M. p.</i> 58. <i>W.</i> <i>p.</i> 161, <i>t.</i> 45, <i>f.</i> 5. Britain, &c.	
32 truncata	3234 truncated	<i>W. p.</i> 162.	Java.
33 trilatera	3234 triangular	<i>C.</i> 6, <i>t.</i> 10, <i>f.</i> 85. <i>W. p.</i> 162.	—
34 oblonga	3234 oblong	<i>C.</i> 6, <i>t.</i> 10, <i>f.</i> 37. <i>W. p.</i> 163.	Europe.
35 Spengleri	3234 Spengler's	<i>L. t.</i> 398, <i>f.</i> 237. <i>E. M.</i> <i>t.</i> 287, <i>f.</i> 5. <i>C.</i> 6, <i>t.</i> 10, <i>f.</i> 88-90. <i>W. p.</i> 163, <i>t.</i> 37, <i>f.</i> 2. Indian Ocean.	
36 Ferröensis	3235 carnation	<i>L. t.</i> 394, <i>f.</i> 241. <i>C.</i> 6, <i>t.</i> 10, <i>f.</i> 91. <i>D. t.</i> 60. <i>W. p.</i> 164, <i>t.</i> 45, <i>f.</i> 1. Britain, &c.	
37 operculata	3235 blushing	<i>K.</i> 6, <i>t.</i> 12, <i>f.</i> 1. <i>C.</i> 6, <i>t.</i> 11, <i>f.</i> 97. <i>W. p.</i> 165, <i>t.</i> 42, <i>f.</i> 1. Indian Ocean.	
38 alba	3235 β white	<i>C.</i> 6, <i>t.</i> 11, <i>f.</i> 98.	U.
39 hyalina	3235 glassy	<i>C.</i> 6, <i>t.</i> 11, <i>f.</i> 99. <i>W. p.</i> 166.	I. Ocean.
40 lanceolata	3236 lance-shap.	<i>C.</i> 6, <i>t.</i> 11, <i>f.</i> 103. <i>W. p.</i> 107, <i>t.</i> 45, <i>f.</i> 2.	India.
41 opalina	3236 opaline	<i>C.</i> 6, <i>t.</i> 12, <i>f.</i> 107. <i>W. p.</i> 167.	—

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
42 coccinea	3236	scarlet	<i>C. 6, t. 12, f. 109.</i>	Mediterranean.
43 calcarea	3236	chalky	<i>C. 6, t. 13, f. 136.</i> <i>p. 168.</i>	W. Irish Sea.
44 pectinata	3236	Lister's	<i>L. t. 300, f. 137.</i> <i>p. 169.</i>	W. East Indies.
45 angusta	3236	narrow	<i>L. t. 383, f. 226.</i>	Scotland?
46 Madagasea- riensis	3237	Madagascar	<i>L. t. 386, f. 233.</i>	Madagascar.
47 punicea	3239	flat-striated	<i>D. t. 123. M. p. 57.</i> <i>p. 170, t. 39, f. 1.</i>	W. Britain, &c.
48 depressa	3238	depressed	<i>G. t. 88, f. L. C. 6, t. 10,</i> <i>f. 96. D. t. 163. M. p. 56.</i> <i>W. p. 171, t. 45, f. 3.</i>	————
49 purpurascens	3237	purple	<i>L. t. 391, f. 230. W. p. 172.</i>	U.
50 aspera	3237	rough	<i>W. p. 172.</i>	U.
51 triangularis	3237	subcuneated	<i>L. t. 401, f. 244. W. p. 173.</i>	U.
52 lata	3237	broad	<i>L. t. 407, f. 253. W. p. 173.</i>	Norway.
53 Jamaicensis	3237	Jamaica	<i>L. t. 408, f. 254. W.</i> <i>p. 173.</i>	Jamaica.
54 albicans	3238	whitish	<i>G. t. 77, f. H. W. p. 174.</i>	U.
55 rufescens	3238	reddish	<i>G. t. 85, f. C. W. p. 174.</i>	U.
56 fasciata	3238	banded	<i>G. t. 89, f. B. W. p. 174.</i>	U.
57 striata	3238	striated	<i>G. t. 89, f. C. M. p. 60. W.</i> <i>p. 175.</i>	Britain, &c.
58 rosea	3238	rosy	<i>K. 5, t. 9, f. 3. W. p. 175.</i>	U.
59 Adansoni	3239	Adanson's	<i>W. p. 176.</i>	Africa.
60 cancellata	3239	reticulated	<i>W. p. 176.</i>	Island of Goree.
61 strigosa	3239	fasciated	<i>W. p. 177.</i>	Moluccas.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
62 nivea		snowy	<i>W.p.</i> 177, <i>t.</i> 46, <i>f.</i> 1.	America.
63 sulcata		sulcated	<i>W.p.</i> 178, <i>t.</i> 47, <i>f.</i> 1.	U.
64 angulosa	3244	angular	<i>C.</i> 10, <i>t.</i> 170, <i>f.</i> 1654-5. <i>W.p.</i> 178.	U.
65 Laskeyi		Laskey's	<i>M.Suppl.</i> <i>t.</i> 28, <i>f.</i> 3.	Frith of Forth.
66 balustina	3239	pomgranate flower	<i>W.p.</i> 180.	Mediterranean.
67 scobinata	3240	rasp	<i>L.</i> <i>t.</i> 203, <i>f.</i> 143. <i>G.</i> <i>t.</i> 76, <i>f.</i> E. <i>E. M.</i> <i>t.</i> 291, <i>f.</i> 4. <i>C.</i> 6, <i>t.</i> 13, <i>f.</i> 122-4. <i>W.</i> <i>p.</i> 180, <i>t.</i> 35, <i>f.</i> 1.	Indian Ocean.
68 lævis		smooth	<i>L.</i> <i>t.</i> 266, <i>f.</i> 102. <i>C.</i> 6, <i>t.</i> 12, <i>f.</i> 112. <i>W.p.</i> 181, <i>t.</i> 37, <i>f.</i> 1.	West Indies.
69 Remies	3239	waved	<i>C.</i> 6, <i>t.</i> 12, <i>f.</i> 113. <i>W.p.</i> 182, <i>t.</i> 38, <i>f.</i> 1.	India & America.
70 reticulata	3240	lattice	<i>C.</i> 6, <i>t.</i> 12, <i>f.</i> 113. <i>M.p.</i> 66. <i>W.</i> <i>p.</i> 182, <i>t.</i> 42, <i>f.</i> 2, 3.	Britain, &c.
71 radula		thread-girded	<i>D.</i> <i>t.</i> 130. <i>M.</i> <i>p.</i> 68, <i>t.</i> 2, <i>f.</i> 1, 2. <i>W.p.</i> 183, <i>t.</i> 42, <i>f.</i> 4,5.	_____
72 scabra		rough	<i>C.</i> 11, <i>t.</i> 199, <i>f.</i> 1943-44. <i>W.p.</i> 184.	W. Indies.
73 muricata		prickly	<i>C.</i> 11, <i>t.</i> 199, <i>f.</i> 1945-46. <i>W.p.</i> 185.	_____
74 fausta		obsolete	<i>E.M.</i> <i>t.</i> 290, <i>f.</i> 2. <i>D.</i> <i>t.</i> 98. <i>M.p.</i> 64. <i>W.p.</i> 185.	Britain, &c.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat</i>
75 crassa		thick	<i>L.t.</i> 299, <i>f.</i> 136. <i>D.t.</i> 103. <i>M.p.</i> 65. <i>W.p.</i> 186, <i>t.</i> 40, <i>f.</i> 1.	Britain, &c.
76 lactea	3240	milky	<i>G.t.</i> 71, <i>f.</i> D. C. 6, <i>t.</i> 13, <i>f.</i> 125. <i>M.p.</i> 70, <i>t.</i> 2, <i>f.</i> 4. <i>W.p.</i> 187.	Britain
77 rotundata		round	<i>M.p.</i> 71, <i>t.</i> 2, <i>f.</i> 3. <i>W.p.</i> 187.	—
78 flexuosa		crooked	<i>D.t.</i> 42, <i>f.</i> 2. <i>M.p.</i> 72. <i>W.</i> <i>p.</i> 188, <i>t.</i> 47, <i>f.</i> 7, 8.	—
79 carnaria	3240	flesh-colour.	<i>L.t.</i> 339, <i>f.</i> 176. C. 6, <i>t.</i> 13, <i>f.</i> 126. <i>D.t.</i> 47. <i>M.</i> <i>p.</i> 73. <i>W.p.</i> 189, <i>t.</i> 40, <i>f.</i> 4, 5.	American Ocean
80 polygona	3244	polygonal	C. 10, <i>t.</i> 170, <i>f.</i> 1650-3. <i>M.</i> <i>Suppl. t.</i> 28, <i>f.</i> 4. <i>W.</i> <i>p.</i> 190.	Indian Ocean.
81 decussata		decussated	<i>W.p.</i> 190, <i>t.</i> 43, <i>f.</i> 2, 3.	U.
82 cordiformis		heart-shaped	C. 11, <i>t.</i> 199, <i>f.</i> 1941-2. <i>W.</i> <i>p.</i> 191, <i>t.</i> 43, <i>f.</i> 4, 5.	W. Indies.
83 bimaculata	3240	double-spot.	C. 6, <i>t.</i> 13, <i>f.</i> 127. <i>D.t.</i> 19, <i>f.</i> 1, 2. <i>M.p.</i> 59. <i>W.p.</i> 192, <i>t.</i> 45, <i>f.</i> 6, 7.	Britain, &c.
84 solidula		solid	<i>L.t.</i> 405, <i>f.</i> 250. C. 6, <i>t.</i> 12, <i>f.</i> 110. <i>M.p.</i> 63. <i>W.</i> <i>p.</i> 193, <i>t.</i> 46, <i>f.</i> 2.	—
85 Balthica	3241	Baltic	C. 6, <i>t.</i> 13, <i>f.</i> 128. <i>W.</i> <i>p.</i> 194.	Baltic Sea.
86 pisiformis	3241	pea	<i>W.p.</i> 194.	Eur. mouths of rivers.





<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms:</i>	<i>Habitat.</i>
87 <i>divaricata</i>	3241	obliquely striated	<i>L. t.</i> 301, <i>f.</i> 142. <i>E.M.</i> <i>t.</i> 289, <i>f.</i> 4. <i>C.</i> 6, <i>t.</i> 13, <i>f.</i> 129. <i>W.</i> <i>p.</i> 195, <i>t.</i> 46, <i>f.</i> 6. Mediterranean.	
88 <i>dentata</i>		toothed	<i>W.</i> <i>p.</i> 195, <i>t.</i> 46, <i>f.</i> 7.	U.
89 <i>digitaria</i>	3241	digital	<i>C.</i> 6, <i>t.</i> 12, <i>f.</i> 121. <i>E. M.</i> <i>t.</i> 292, <i>f.</i> 6. <i>W.</i> <i>p.</i> 196. America.	
90 <i>cornea</i>	3241	horn-colour.	<i>L. t.</i> 159, <i>f.</i> 14. <i>G. t.</i> 7, <i>f.</i> C. <i>C.</i> 6, <i>t.</i> 13, <i>f.</i> 133. a. b. <i>E. M. t.</i> 302, <i>f.</i> 5. <i>D.</i> <i>t.</i> 95. <i>M.</i> <i>p.</i> 86. <i>W.</i> <i>p.</i> 196, <i>t.</i> 46, <i>f.</i> 3. Britain, &c. Fr.w.	
91 <i>lacustris</i>	3242	lake	<i>C.</i> 6, <i>t.</i> 13, <i>f.</i> 135. <i>E.M.</i> <i>t.</i> 302, <i>f.</i> 6. <i>M.</i> <i>p.</i> 89. <i>W.</i> <i>p.</i> 197, <i>t.</i> 47, <i>f.</i> 5. ———	
92 <i>Iberica</i>	3243	Spanish	<i>W.</i> <i>p.</i> 198.	Shores of Spain.
93 <i>sinuosa</i>	3243	sinuous	<i>G. t.</i> 77, <i>f.</i> D.E. <i>W.</i> <i>p.</i> 198.	
94 <i>Gallica</i>	3244	French	<i>W.</i> <i>p.</i> 199.	River Marne, France.
95 <i>Senegalensis</i>	3244	Senegal	<i>W.</i> <i>p.</i> 199.	Africa.
96 <i>limosa</i>		Maton's	<i>W.</i> <i>p.</i> 199, <i>t.</i> 46, <i>f.</i> 4, 5.	S. America. Fr.w.
97 <i>inæquivalvis</i>	3233	unequal-valved	<i>C.</i> 6, <i>t.</i> 11, <i>f.</i> 106. a-d. <i>D.</i> <i>t.</i> 41, <i>f.</i> 1. <i>M.</i> <i>p.</i> 75. <i>W.</i> <i>p.</i> 201, <i>t.</i> 47, <i>f.</i> 2-4. Britain, &c.	

Linn. names. *Gm.* *Engl. names.* *Synonyms.* *Habitat.*

VII. CARDIUM. COCKLE.

- | | | |
|----------------|-------------------|--|
| 1 aculeatum | 3247 spiny | <i>L. t.</i> 321, <i>f.</i> 158. <i>G. t.</i> 72, <i>f.</i> A. <i>E. M. t.</i> 298, <i>f.</i> 1. <i>C. 6, t.</i> 15, <i>f.</i> 155-7. <i>D. t.</i> 6. <i>M. p.</i> 77. <i>W. p.</i> 207, <i>t.</i> 51, <i>f.</i> 1. Britain, &c. |
| 2 echinatum | 3247 thorny | <i>L. t.</i> 324, <i>f.</i> 161. <i>E. M. t.</i> 298, <i>f.</i> 3. <i>C. 6, t.</i> 15, <i>f.</i> 158. <i>D. t.</i> 107, <i>f.</i> 1. <i>M. p.</i> 78. <i>W. p.</i> 208, <i>t.</i> 49, <i>f.</i> 1, 2. ——— |
| 3 ciliare | 3248 fringed | <i>L. t.</i> 325, <i>f.</i> 162. <i>G. t.</i> 72, <i>f.</i> C. <i>C. 6, t.</i> 17, <i>f.</i> 171-2. <i>D. t.</i> 32, <i>f.</i> 2. <i>M. p.</i> 79. <i>W. t.</i> 49, <i>f.</i> 3, 4. ——— |
| 4 tuberculatum | 3248 tuberculated | <i>L. t.</i> 329, <i>f.</i> 166. <i>G. t.</i> 71, <i>f.</i> M. <i>C. 6, t.</i> 15, <i>f.</i> 173, & <i>t.</i> 19, <i>f.</i> 191. <i>D. t.</i> 107, <i>f.</i> 2. <i>M. p.</i> 79 & 568. <i>W. p.</i> 210, <i>t.</i> 50, <i>f.</i> 1, 2. ——— |
| 5 medianum | 3246 marbled | <i>L. t.</i> 316, <i>f.</i> 153. <i>E. M. t.</i> 296, <i>f.</i> 1. <i>C. 6, t.</i> 16, <i>f.</i> 162-4. <i>D. t.</i> 32, <i>f.</i> 1. <i>M. p.</i> 83. <i>W. p.</i> 211, <i>t.</i> 50, <i>f.</i> 3. India and America. |
| 6 exiguum | 3255 pigmy | <i>L. t.</i> 317, <i>f.</i> 154. <i>D. t.</i> 32, <i>f.</i> 3. <i>M. p.</i> 82. <i>W. p.</i> 212. Britain. |
| 7 nodosum | knotty | <i>M. p.</i> 81. <i>W. p.</i> 212. ——— |
| 8 rubrum | red | <i>M. p.</i> 83. <i>W. p.</i> 213. ——— |

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
9 arcuatum		waved	<i>M. p.</i> 85, <i>t.</i> 3, <i>f.</i> 2. <i>p.</i> 213.	<i>W.</i> Britain.
10 discors		pea	<i>M. p.</i> 84. <i>W. p.</i> 214.	——— ?
11 elongatum		lengthened	<i>M. p.</i> 82. <i>W. p.</i> 214.	———
12 muricatum		microscopic	<i>M. p.</i> 85. <i>W. p.</i> 215.	———
13 fasciatum		banded	<i>M. Suppl. p.</i> 30, <i>t.</i> 27, <i>f.</i> 6. <i>W. p.</i> 215.	———
14 muricatum	3250	prickly	<i>L. t.</i> 322, <i>f.</i> 159. <i>K. 4, t.</i> 14, <i>f.</i> 5. <i>C. 6, t.</i> 17, <i>f.</i> 177. <i>W. p.</i> 216, <i>t.</i> 51, <i>f.</i> 2, 3.	<i>W. Indies.</i>
15 Isocardia	3249	imbricated	<i>L. t.</i> 323, <i>f.</i> 160. <i>C. 6, t.</i> 17, <i>f.</i> 174-6. <i>E. M. t.</i> 297, <i>f.</i> 4. <i>W. p.</i> 217, <i>t.</i> 52, <i>f.</i> 1, 2.	<i>E. & W. Indies.</i>
16 glaucum	3253	greenish	<i>W. p.</i> 218.	Mediterranean.
17 maculosum		mottled	<i>W. p.</i> 218, <i>t.</i> 52, <i>f.</i> 3.	<i>U.</i>
18 ringens	3254	toothed	<i>L. t.</i> 330, <i>f.</i> 167. <i>K. 4,</i> <i>t.</i> 14, <i>f.</i> 3. <i>C. 6, t.</i> 16, <i>f.</i> 170. <i>E. M. t.</i> 296, <i>f.</i> 3. <i>W. p.</i> 219, <i>t.</i> 53, <i>f.</i> 1, 2.	<i>Africa.</i>
19 ventricosum		prominent	<i>L. t.</i> 328, <i>f.</i> 165. <i>E. M.</i> <i>t.</i> 299, <i>f.</i> 1. <i>W. p.</i> 220.	Coast of Campeachy.
20 magnum	3250	great	<i>L. t.</i> 331, <i>f.</i> 168. <i>C. 6, t.</i> 17, <i>f.</i> 179. <i>E. M. t.</i> 297, <i>f.</i> 3. <i>W. p.</i> 221, <i>t.</i> 53, <i>f.</i> 3.	<i>W. Indies.</i>
21 lævigatum	3251	smooth	<i>L. t.</i> 332, <i>f.</i> 169. <i>D. t.</i> 54. <i>M. p.</i> 80. <i>W. p.</i> 222, <i>t.</i> 54, <i>f.</i> 1, 2.	Britain, &c.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
22 citrinum	3251	citron [serratum.]	<i>G. t.</i> 82, <i>f.</i> A. <i>C. 6, t.</i> 18, <i>f.</i> 189. <i>W. p.</i> 223, <i>t.</i> 44, <i>f.</i> 3. India and S. America.	
23 oblongum	3254	oblong	<i>C. 6, t.</i> 19, <i>f.</i> 190. <i>E. M.</i> <i>t.</i> 298, <i>f.</i> 5. <i>W. p.</i> 223, <i>t.</i> 55, <i>f.</i> 1. Mediterranean.	
24 flayum	3251	yellow	<i>Sch. 2, t.</i> 7, <i>f.</i> 11.a.b. <i>W.</i> <i>p.</i> 224. Coast of Coromandel.	
25 rusticum	3252	banded	<i>C. 6, t.</i> 19, <i>f.</i> 197. <i>W. p.</i> 225, <i>t.</i> 55, <i>f.</i> 2, 3. European Seas.	
26 edule	3252	common	<i>L. t.</i> 384, <i>f.</i> 171. <i>G. t.</i> 71, <i>f.</i> F. <i>C. 6, t.</i> 19, <i>f.</i> 194. <i>E. M. t.</i> 300, <i>f.</i> 5. <i>D.</i> <i>t.</i> 124. <i>M. p.</i> 76. <i>W.</i> <i>p.</i> 226, <i>t.</i> 55, <i>f.</i> 4. Europe.	
27 Icelandicum	3252	Iceland	<i>C. 6, t.</i> 19, <i>f.</i> 195-6. <i>E. M.</i> <i>t.</i> 300, <i>f.</i> 3. <i>W. p.</i> 227. Iceland.	
28 Greenlandicum	3252	Greenland	<i>C. 6, t.</i> 19, <i>f.</i> 198. <i>E. M.</i> <i>t.</i> 300, <i>f.</i> 7. <i>W. p.</i> 227.	Greenland.
29 regulare		equal-sided.	<i>W. p.</i> 228.	West Indies.
30 pectinatum	3253	pectinated	<i>G. t.</i> 75, <i>f.</i> A. <i>E. M. t.</i> 296, <i>f.</i> 4. <i>W. p.</i> 229. Mediterranean.	
31 Auricula	3253	eared	<i>W. p.</i> 229.	Arabia.
32 Linna	3253	Asiatic	<i>E. M. t.</i> 292, <i>f.</i> 1. a. b. <i>C. 6, t.</i> 15, <i>f.</i> 153-4. <i>W. p.</i> 230. Indian Ocean.	
33 papyraceum	3254	paper	<i>C. 6, t.</i> 18, <i>f.</i> 184. <i>W. p.</i> 230, <i>t.</i> 55, <i>f.</i> 5.	

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
34 costatum	3244	ribbed	<i>L. t.</i> 327, <i>f.</i> 164. <i>G. t.</i> 72, <i>f.</i> D. <i>C.</i> 6, <i>t.</i> 15, <i>f.</i> 151-2. <i>E. M. t.</i> 293, <i>f.</i> 1. <i>W.</i> <i>p.</i> 231, <i>t.</i> 56, <i>f.</i> 1.	Africa.
35 apertum		gaping	<i>C.</i> 6, <i>t.</i> 18, <i>f.</i> 181-3. <i>E. M.</i> <i>t.</i> 296, <i>f.</i> 5. <i>W.</i> <i>p.</i> 232, <i>t.</i> 56, <i>f.</i> 2.	Asia & S. America.
36 soleniforme	3226	solen [<i>S. bullatus.</i>]	<i>L. t.</i> 342, <i>f.</i> 179. <i>G. t.</i> 85, <i>f.</i> H. <i>E. M. t.</i> 296, <i>f.</i> 6. <i>C.</i> 6, <i>t.</i> 6, <i>f.</i> 49, 50. <i>W.</i> <i>p.</i> 233, <i>t.</i> 56, <i>f.</i> 3.	S. America.
37 pecteniforme		pecten	<i>G. t.</i> 71, <i>f.</i> H. <i>C.</i> 6, <i>t.</i> 17, <i>f.</i> 180. <i>W.</i> <i>p.</i> 233.	U.
38 Donaciforme		Donax	<i>C.</i> 6, <i>t.</i> 16, <i>f.</i> 165. <i>W.</i> <i>p.</i> 234.	Indian Ocean.
39 fimbriatum		furbeled	<i>W.</i> <i>p.</i> 234, <i>t.</i> 56, <i>f.</i> 4, 5.	U.
40 Æolicum	3254	Janus	<i>L. t.</i> 314, <i>f.</i> 150. <i>C.</i> 6, <i>t.</i> 18, <i>f.</i> 187-8. <i>W.</i> <i>p.</i> 235, <i>t.</i> 57, <i>f.</i> 1.	India and China.
41 rigidum		rough	<i>W.</i> <i>p.</i> 236, <i>t.</i> 57, <i>f.</i> 1, 2.	U.
42 latum	3254	broad	<i>C.</i> 6, <i>t.</i> 19, <i>f.</i> 192-3. <i>W.</i> <i>p.</i> 236, <i>t.</i> 57, <i>f.</i> 4, 5.	Ind. Ocean.
43 flexuosum	3255	flexuous	<i>L. t.</i> 343, <i>f.</i> 180.	U.
44 rubiginosum	3256	rusty	<i>G. t.</i> 83, <i>f.</i> D. <i>W.</i> <i>p.</i> 238.	U.
45 albidum	3256	whitish	<i>G. t.</i> 83, <i>f.</i> H. <i>W.</i> <i>p.</i> 238.	U.
46 virescens	3256	greenish	<i>G. t.</i> 84, <i>f.</i> A. <i>W.</i> <i>p.</i> 238.	U.
47 lineatum	3246	streaked	<i>E. M. t.</i> 298, <i>f.</i> 6. <i>W.</i> <i>p.</i> 239.	U.
48 roseum	3245	rose	<i>E. M. t.</i> 294, <i>f.</i> 2. <i>C.</i> 6, <i>t.</i> 14, <i>f.</i> 147. <i>W.</i> <i>p.</i> 239, <i>t.</i> 57, <i>f.</i> 6. Nicobar Isl. & Gulf of Bengal.	

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
49 hemicardium	3246	triangular	<i>G. t.</i> 83, <i>f. c.</i> <i>E. M. t.</i> 295, <i>f. 2.</i> <i>C. 6, t.</i> 16, <i>f.</i> 159-61. <i>W. p.</i> 240, <i>t.</i> 57, <i>f.</i> 7, 8. <i>E. Indies.</i>	
50 Fragum	3249	strawberry	<i>L. t.</i> 315, <i>f.</i> 152. <i>G. t.</i> 83, <i>f. E.</i> <i>C. 6, t.</i> 16, <i>f.</i> 166-7. <i>E. M. t.</i> 295, <i>f.</i> 3. <i>W.</i> <i>p.</i> 241, <i>t.</i> 58, <i>f.</i> 1, 2. <i>Indian Seas.</i>	
51 Unedo	3250	whitestraw- berry	<i>L. t.</i> 135, <i>f.</i> 151. <i>G. t.</i> 83, <i>f. A.</i> <i>C. 6, t.</i> 16, <i>f.</i> 168-9. <i>E. M. t.</i> 295, <i>f.</i> 4. <i>W.</i> <i>p.</i> 242, <i>t.</i> 58, <i>f.</i> 3. <i>Amboyna.</i>	
52 retusum	3245	Diana-heart	<i>C. 6, t.</i> 12, <i>f.</i> 139-42. <i>E. M.</i> <i>t.</i> 249, <i>f.</i> 3. <i>W. p.</i> 243, <i>t.</i> 58, <i>f.</i> 4, 5. <i>East Indies.</i>	
53 Cardissa	3245	spiny-keeled	<i>L. t.</i> 318, <i>f.</i> 155. <i>G. t.</i> 84, <i>f.</i> B.C.D. <i>E. M. t.</i> 293, <i>f.</i> 3. <i>C. 6, t.</i> 14, <i>f.</i> 143-4. <i>W. p.</i> 244, <i>t.</i> 59, <i>f.</i> 1, 2. ———	
54 humanum		smooth-keeled	<i>L. t.</i> 219, <i>f.</i> 158. <i>C. 6, t.</i> 14, <i>f.</i> 145-6. <i>E. M. t.</i> 294, <i>f.</i> 1. <i>W. p.</i> 245, <i>t.</i> 59, <i>f.</i> 3, 4. <i>Indian Ocean & Persian Gulf.</i>	

VIII. MACTRA. MACTRA.

— 1 Spengleri	3256	Spengler's	<i>C. 6, t.</i> 20, <i>f.</i> 199-201. <i>E. M. t.</i> 252, <i>f.</i> 3. <i>C. of G. Hope.</i>	
2 plicataria	3257	plaited	<i>C. 6, t.</i> 20, <i>f.</i> 202-4. <i>Ind. Ocean.</i>	
3 papyracea	3257	paper	<i>C. 6, t.</i> 23, <i>f.</i> 231. <i>Nicobar Isl.</i>	



CARDITIDAE.



<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
4 vitrea		brittle	<i>C. 9, t. 200, f. 1959-60.</i>	Ceylon.
5 striatula	3257	striated	<i>G. t. 85, f. F. C. 6, t. 21, f. 205-6. E. M. t. 251, f. 1.</i>	West Indies.
6 cygnea	3260	swan	<i>C. 6, t. 21, f. 207.</i>	Tranquebar.
7 maculata	3260	spotted	<i>C. 6, t. 21, f. 208-9. E. M. t. 254, f. 3.</i>	Nicobar Islands.
8 turgida	3260	inflated	<i>C. 6, t. 21, f. 210-12.</i>	Tranquebar.
9 violacea	3260	violet	<i>C. 6, t. 22, f. 213-4.</i>	—————
10 cuneata	3260	wedge-shap.	<i>C. 6, t. 22, f. 215. E. M. t. 257, f. 5.</i>	—————
11 rotundata	3257	roundish	<i>L. t. 263, f. 99.</i>	U.
12 glabrata	3258	smooth	<i>L. t. 263, f. 99. G. t. 71, f. A. C. 6, t. 22, f. 216-7.</i>	African Ocean.
13 nitida	3258	pellucid	<i>S. Einl. 3, t. 3, f. 2.</i>	U.
14 corallina	3258	wh.-banded	<i>G. t. 71, f. B. C. 6, t. 22, f. 218-9.</i>	Mediterr. & Guinea.
15 lactea	3258	milky	<i>C. 6, t. 22, f. 220-21.</i>	Tranquebar.
16 striata	3257	striated	<i>C. 6, t. 22, f. 222-3.</i>	U.
17 radiata		rayed	<i>D. t. 161.</i>	Britain.
18 Stultorum	3258	simpletons'	<i>L. t. 251, f. 85. G. t. 71, f. C. C. 6, t. 23, f. 224-7. E. M. t. 256, f. 3. M. p. 94.</i>	Britain, &c.
19 grandis	3259	large simpletons'	<i>C. 6, t. 23, f. 228.</i>	New Jersey.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
20 achatina		variegated	C. 11, t. 200, f. 1957-8.	Tranquebar.
21 solida	3259	strong	L. t. 253, f. 87-8. C. 6, t. 23, f. 229-30. D. t. 61. M. p. 92.	Britain, &c.
22 solidissima	3259	thick [solida, var. β.]	C. 10, t. 170, f. 1656.	N. America.
23 subtruncata		abrupt	L. t. 253, f. 86. M. p. 93. Suppl. t. 27, f. 1. L. T. 3, t. 1, f. 11.	Britain.
24 australis	3221	southern [Mya.]	C. 6, t. 3, f. 19, 20.	New Zealand.
25 Listeri	3261	Lister's	L. t. 253, f. 88. C. 6, t. 3, f. 21. E. M. t. 257, f. 4. D. t. 64, f. 1. M. p. 96.	Mouths of rivers, Britain, &c.
26 tenuis		thin	M. p. 572, t. 17, f. 7.	Britain.
27 Boysü		Boys's	M. p. 93, t. 3, f. 7. L. T. 6, t. 13, f. 9-12.	————
28 triangularis		triangular	M. p. 99, t. 3, f. 5.	————
29 minutissima		minute	M. Suppl. p. 37.	————
30 glauca	3260	red-rayed	C. 6, t. 23, f. 232-3. E. M. t. 256, f. 1. D. t. 125. M. p. 571.	Spain. Britain?
31 pellucida	3260	transparent	C. 6, t. 24, f. 234.	Guinea.
32 fragilis	3261	brittle	C. 6, t. 24, f. 235. M. p. 95, t. 5, f. 1. [M. dealbata.]	Britain, &c.
33 rugosa	3261	rugged	C. 6, t. 24, f. 236.	Mediterranean.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
34 <i>Ægyptiaca</i>		Egyptian	<i>C.11, t.200, f.1955-6.</i>	Red Sea.
35 <i>complanata</i>	3261	flat	<i>C.6, t.24, f.238-9. E. M. t.258, f.4.</i>	Tranquebar.
36 <i>lutraria</i>	3259	large	<i>L.t.415, f.259. C.6, t.24, f.240-1. E. M. t.258, f.3. D.t.58. M.p.100.</i>	Britain, &c.
37 <i>hians</i>		gaping	<i>G. t. 90, lower f. A. t.140. M.p.101.</i>	Britain.

IX. DONAX. WEDGE.

1 <i>scortum</i>	3262	beaked	<i>L.t.377, f.220. C.6, t.25, f.242-7. E. M. t.260, f.2.</i>	East Indies.
2 <i>pubescens</i>	3262	spiny	<i>C. 6, t. 25, f. 248. E.M. t.260, f.1.</i>	Amboyna.
3 <i>rugosa</i>	3262	wrinkled	<i>L.t. 375, f. 216. G. t. 39, f.F. C.6, t.25, f.250.</i>	S.Ocean.
4 <i>Serra</i>		crenated	<i>C.6, t. 25, f. 251-2. E.M. t.260, f.3.</i>	Tranquebar.
5 <i>Trunculus</i>	3263	yellow	<i>L.t. 376, f. 217. G. t. 88, f.O. C.6, t.26, f.253-4. E. M. t. 262, f. 1. D. t.91, f.1. M.p.103.</i>	Britain, &c.
6 <i>complanata</i>		single-rayed	<i>L.t.384, f. 227. M.p.106, t.5, f.4.</i>	Britain.
7 <i>striata</i>	3263	striated	<i>L.t.376, f.219. C.6, t.26, f. 255. E. M. t. 261, f.9.</i>	West Indies.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
8 denticulata	3263	toothed	<i>L.t.</i> 376, <i>f.</i> 218-9. <i>C.</i> 6, <i>t.</i> 26, <i>f.</i> 256-7. <i>D.t.</i> 24. <i>M.p.</i> 104.	Mediterranean.
9 plebeia		horn-colour.	<i>L.t.</i> 389, <i>f.</i> 223. <i>M.p.</i> 107, <i>t.</i> 5, <i>f.</i> 2.	Britain.
10 castanea		chesnut	<i>M.p.</i> 573, <i>t.</i> 17, <i>f.</i> 2.	—
11 spinosa	3265	decussated	<i>C.</i> 6, <i>t.</i> 26, <i>f.</i> 253.	Tranquebar.
12 incarnata	3265	flesh-colour.	<i>C.</i> 6, <i>t.</i> 26, <i>f.</i> 259.	—
13 cuneata	3263	compressed	<i>L.t.</i> 392, <i>f.</i> 231. <i>C.</i> 6, <i>t.</i> 26, <i>f.</i> 260. <i>E. M.</i> <i>t.</i> 261, <i>f.</i> 5.	East Indies.
14 lævigata	3265	smooth	<i>C.</i> 6, <i>t.</i> 25, <i>f.</i> 249.	Tranquebar.
15 scripta	3264	lettered	<i>L. t.</i> 379, <i>f.</i> 222 & 380, <i>f.</i> 223. <i>G.t.</i> 38, <i>f.</i> Q. <i>C.</i> 6, <i>t.</i> 26, <i>f.</i> 261-5. <i>E. M.</i> <i>t.</i> 261, <i>f.</i> 2-4.	East Indies.
16 Faba	3264	bean-shaped	<i>C.</i> 6, <i>t.</i> 26, <i>f.</i> 266. <i>E. M.</i> <i>t.</i> 261, <i>f.</i> 7.	Coast of Malabar.
17 radiata	3266	two-rayed	<i>S. Einl.</i> 3, <i>p.</i> 104, <i>t.</i> 3, <i>f.</i> 3.	Tranquebar.
18 muricata	3265	prickly	<i>L.S.N.p.</i> 1128.	Indian Ocean.
19 straminea	3266	straw-col.	<i>S. Einl.</i> 3, <i>p.</i> 105, <i>t.</i> 3, <i>f.</i> 4.	U.
20 candida	3266	white	<i>S. Einl.</i> 3, <i>p.</i> 106, <i>t.</i> 3, <i>f.</i> 5.	Tranquebar.
21 Irus	3265	foliated	<i>G. t.</i> 95, <i>f.</i> A. <i>C.</i> 6, <i>t.</i> 26, <i>f.</i> 263-70. <i>E. M.</i> <i>t.</i> 262, <i>f.</i> 4. <i>D. t.</i> 29, <i>f.</i> 2. <i>M.</i> <i>p.</i> 108 & 573.	Britain, &c.



LOXAZ



<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
X. VENUS.		VENUS.		
1 Dione	3266	prickly-mouthed	<i>L.t.</i> 307, <i>f.</i> 140. <i>G. t.</i> 76, <i>f.</i> D. <i>C.6, t.</i> 27, <i>f.</i> 271-3. <i>E.M.t.</i> 275, <i>f.</i> 1. S. America.	
2 Paphia	3268	wrinkled	<i>L. t.</i> 279, <i>f.</i> 116. <i>G. t.</i> 85, <i>f.</i> A. <i>C.6, t.</i> 27, <i>f.</i> 274-6. <i>E.M.t.</i> 275, <i>f.</i> 4. West Indies.	
3 fasciata		thick-ribbed	<i>L.t.</i> 295, <i>f.</i> 132. <i>C.6, t.</i> 27, <i>f.</i> 277-8. <i>E. M. t.</i> 276, <i>f.</i> 2. <i>D.t.</i> 170. <i>M.p.</i> 110. Britain.	
4 succincta	3282	grooved	<i>L.M.p.</i> 546.	U.
5 Marica	3268	American	<i>C.6, t.</i> 27, <i>f.</i> 282-6. <i>E. M. t.</i> 275, <i>f.</i> 2. American Seas.	
6 cingenda		girdled	<i>L.t.</i> 378, <i>f.</i> 115. <i>C.6, t.</i> 28, <i>f.</i> 287-90. <i>E.M.t.</i> 268, <i>f.</i> 1. <i>M.Suppl.p.</i> 42. W. Indies.	
7 Dysera	3268	ribbed	<i>L.t.</i> 277, <i>f.</i> 114. <i>C.6, t.</i> 28, <i>f.</i> 291-2. <i>E. M. t.</i> 275, <i>f.</i> 5. E. Indies.	
8 Tiara		turban	<i>G. t.</i> 88, <i>f.</i> D. <i>C. 6, t.</i> 27, <i>f.</i> 279-81.	—
9 plicata	3276	plaited	<i>C.6, t.</i> 28, <i>f.</i> 295-7. <i>E. M. t.</i> 275, <i>f.</i> 3.	Levant.
10 excavata	3269	excavated	<i>S.Einl.</i> 3, <i>p.</i> 167, <i>t.</i> 8, <i>f.</i> 10.	U.
11 spinifera		spiny	<i>M.p.</i> 577, <i>t.</i> 17, <i>f.</i> 1.	Britain.
12 verrucosa	3269	warty	<i>L. t.</i> 284, <i>f.</i> 122. <i>G. t.</i> 75, <i>f.</i> H. <i>C. 6, t.</i> 29, <i>f.</i> 299-300. <i>D.t.</i> 44. <i>M.p.</i> 112.	Britain, &c.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
13 rigida		rigid	<i>C.6, t.29, f.303.</i>	W. Indies.
14 casina	3269	broad-ribbed	<i>L.t 286, f.123. C.6, t.29, f.301-2. D.t. 149. M. p.47.</i>	Britain, &c.
15 cancellata	3270	channeled	<i>C.6, t. 29, f.304-7. E.M. t.267, f.7. D.t.115. M. p.574.</i>	Indian Ocean.
16 subcordata		subcordate	<i>M.p.121, t.3, f.1.</i>	Britain?
17 minima		red-streaked	<i>M.p.121, t.3, f.3.</i>	—
18 sulcata		furrowed	<i>M.p.131.</i>	Scotland.
19 Montagui		Montagu's	<i>M.Suppl.p.43, t.26, f. 1.</i>	—
20 Scotica	3285	Scottish	<i>C.7, t.39, f.413. M.p.44. [borealis.] L.T.8, p.81, t.2, f.3.</i>	—
21 Danmonia		Devonshire	<i>M.Suppl.p.45, t.29, f.4.</i>	Britain.
22 reflexa	3290	reflected	<i>G. t. 75, f. O. M. Suppl. p.40 & 168.</i>	—
		[undulata.]		
23 Gallina	3270	hen	<i>L.t.295, f.131. C.6, t.30, f.308-10. D. t.68. M. p.113.</i>	Britain, &c.
24 circinata	3288	compass	<i>C. 6, t. 30, f. 311-12. M. [Guineensis.] Suppl.p.48&168. C. of Guinea.</i>	
25 Caliste	3277	sordid white	<i>S.Einl.3, p.156, t.3, f.8.</i>	Red Sea.
26 compressa	3282	compressed	<i>L.M.p.546.</i>	U.
27 exalbida		whitish	<i>C.11, t.201, f.1974.</i>	Falkland Isl.
28 petulca		clouded	<i>L.S.N.p.1131.</i>	S. of Europe.
29 granulata	3277	grained	<i>C.6, t.30, f.313. D. t.83. M.p.120.</i>	W. Indies. Britain?
30 ovata		oval	<i>M.p. 120. L. T. 8, p. 85, t.2, f.4,</i>	Britain.

<i>Lin. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
31 paupercula		despised	<i>C.11, t.202, f.1977.</i>	Coromandel.
32 flexuosa	3270	flexuous	<i>G. t. 83, f. I. C.6, t. 31, f. 333-4. E.M. t. 266, f.6.</i>	West Indies.
33 Mactroides	3278	Mactra	<i>L.t.251, f.35. C.6, t. 31, f.326. E.M.t.269, f.3.</i>	—
		[<i>Corbicula.</i>]		
34 tripla	3276	triple	<i>L. t. 252, f. 86. G. t. 75, f.Q. C.6, t.31, f.330-2. E.M.t.269, f.4.</i>	Africa.
35 triangularis		triangular	<i>M.p.577, t.17, f.3.</i>	Britain.
36 Malabarica	3277	Malabar	<i>C.6, t.31, f.324-5.</i>	Malabar.
		[<i>Gallus.</i>]		
37 flammea	3278	brown-band.	<i>S.Einl.3, p.200, t.8, f.12.</i>	Red Sea.
38 Erycina	3271	polished	<i>L.t.263, f.104. C.6, t.32, f. 337-9. E. M. t. 364, f.3.</i>	Europe & Asia.
39 costata		ribbed	<i>C.11, t.202, f.1975.</i>	Ceylon.
40 mercenaria	3271	mercenary	<i>L. t. 271, f. 107. C. 10, t.171, f.1659-60. E.M. t.263.</i>	North America.
41 Icelandica		Icelandic	<i>L. t. 272, f. 108. G. t. 53, f.B. C.6, t.32, f.341-2. D.t.77. M.p.114.</i>	Britain, &c.
42 coaxans	3278	Ceylon	<i>C.6, t.32, f.336.</i>	Ceylon.
43 lusoria		sportive	<i>C.6, t.32, f.340.</i>	Amboyna.
44 Chione	3272	smooth-brown	<i>L. t. 269, f. 105. G. t. 86, f.A. C. 6, t. 32, f. 343. E. M. t. 266, f. 1. D. t.17. M.p.115.</i>	Britain, &c.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
45 maculata	3272	spotted	<i>L. t.</i> 270, <i>f.</i> 106. <i>G. t.</i> 86, <i>f.</i> 1. <i>C. 6, t. 33, f.</i> 345. <i>E. M. t.</i> 265, <i>f.</i> 4.	W. Indies.
46 casta	3278	chaste	<i>C. 6, t. 33, f.</i> 346.	E. Indies.
47 Meretrix	3273	lipped	<i>G. t.</i> 76, <i>f.</i> C. <i>C. 6, t. 33,</i> <i>f.</i> 347-52. <i>E. M. t.</i> 268, <i>f.</i> 6.	Indian Sens.
48 paradoxa		doubtful	<i>B. p.</i> 66, <i>t.</i> 4, <i>f.</i> 12, 13.	Peru?
49 læta	3278	globose	<i>G. t.</i> 83, <i>f.</i> V. <i>C. 6, t. 34,</i> <i>[affinis.] f.</i> 353-4.	Mediterranean.
50 opima	3279	plump	<i>C. 6, t. 34, f.</i> 355-7.	E. Indies.
51 triradiata	3279	three-rayed	<i>C. 6, t. 34, f.</i> 356-8.	Tranquebar.
52 nebulosa	3279	clouded	<i>C. 6, t. 34, f.</i> 359-61.	—
53 contemta	3279	shabby	<i>C. 6, t. 34, f.</i> 362-3.	Malabar.
54 recens		fresh	<i>C. 11, t.</i> 202, <i>f.</i> 1979.	Coromandel.
55 Japonica	3279	Japan	<i>C. 6, t. 34, f.</i> 364. <i>E. M.</i> <i>t.</i> 267, <i>f.</i> 6.	Tranquebar.
56 striata	3279	striated	<i>C. 6, t. 34, f.</i> 365-6.	Nicobar Isl.
57 castrensis	3273	eastern	<i>L. t.</i> 262, <i>f.</i> 98. <i>G. t.</i> 82, <i>f.</i> H. <i>C. 6, t. 35, f.</i> 367- 70. <i>E. M. t.</i> 273, <i>f.</i> 1.	Amboyna, &c.
58 Pectunculus	3287	painted	<i>L. t.</i> 254-7. <i>G. t.</i> 82, <i>f.</i> G. <i>C. 11, t.</i> 202, <i>f.</i> 1693-4.	Red Sea, &c.
59 Lorenziana		Lorenzo	<i>C. 11, t.</i> 200, <i>f.</i> 1961-2.	Ceylon.
60 ornata		adorned	<i>L. t.</i> 259, <i>f.</i> 95. <i>C. 6, t. 35,</i> <i>f.</i> 380-1. <i>E. M. t.</i> 273, <i>f.</i> 2.	Tranquebar.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
61 Phryne	3274	Phryne	<i>P.t.</i> 18, <i>f.</i> 4.	Southern Ocean.
62 Meroë	3274	Meroë	<i>L.t.</i> 378, <i>f.</i> 221. <i>C.</i> 6, <i>t.</i> 43, <i>f.</i> 450-4.	East Indies.
63 Callipyga	3282	Arabian	<i>C.</i> 11, <i>t.</i> 201, <i>f.</i> 1968-70.	Red Sea.
64 deflorata	3274	purp.-streak.	<i>L.t.</i> 425, <i>f.</i> 273. <i>G. t.</i> 86, <i>f.</i> B.C. <i>C.</i> 6, <i>t.</i> 9, <i>f.</i> 79-83. <i>E.M. t.</i> 231, <i>f.</i> 3,4.	W. Indies.
65 fimbriata	3275	fringed	<i>L. t.</i> 1056, <i>f.</i> 1. <i>G. t.</i> 75, <i>f.</i> C. <i>C.</i> 7, <i>t.</i> 43, <i>f.</i> 448- 9.	East Indies.
66 reticulata		netted	<i>L. t.</i> 335, <i>f.</i> 172. <i>G. t.</i> 83, <i>f.</i> F. <i>C.</i> 7, <i>t.</i> 36, <i>f.</i> 382-4. <i>E. M.t.</i> 278, <i>f.</i> 1.	Ceylon and New S. Wales.
67 Puerpera	3276	spotted	<i>G.t.</i> 76, <i>f.</i> G. <i>C.</i> 6, <i>t.</i> 36, <i>f.</i> 388-9. <i>E. M. t.</i> 278, <i>f.</i> 2.	E. Indies.
68 crenulata	3279	crenulated	<i>L.t.</i> 283, <i>f.</i> 11. <i>C.</i> 6, <i>t.</i> 36, <i>f.</i> 385.	————
69 radiata	3280	rayed	<i>C.</i> 6, <i>t.</i> 36, <i>f.</i> 386.	v.
70 cincta	3286	girdled	<i>C.</i> 6, <i>t.</i> 36, <i>f.</i> 387.	v.
71 squamosa	3275	scaly	<i>G. t.</i> 83, <i>f.</i> G. <i>C.</i> 6, <i>t.</i> 31, <i>f.</i> 335.	Amboyna.
72 lapicida	3269	rock	<i>C.</i> 10, <i>t.</i> 172, <i>f.</i> 1664-5.	W. Indies.
73 divergens	3269	zig-zag	<i>C.</i> 10, <i>t.</i> 172, <i>f.</i> 1666-7.	————
74 plumbea	3280	leadен	<i>C.</i> 7, <i>t.</i> 69, <i>f.</i> A-D. <i>E. M.</i> <i>t.</i> 259, <i>f.</i> 3.	New Zealand.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
75 <i>tigerina</i>	3283	tiger	<i>L. t.</i> 305, <i>f.</i> 138. <i>G. t.</i> 77, <i>f.</i> 1. <i>C.</i> 6, 37, <i>f.</i> 390-1. <i>E. M. t.</i> 277, <i>f.</i> 4.	W. Indies.
76 <i>Sinensis</i>	3285	China	<i>C.</i> 10, <i>t.</i> 171, <i>f.</i> 1663.	China.
77 <i>prostrata</i>	3283	compressed	<i>C.</i> 6, <i>t.</i> 29, <i>f.</i> 298.	Tranquebar.
78 <i>Pensylvanica</i>	3283	Pensylvania	<i>L. t.</i> 305, <i>f.</i> 138. <i>C.</i> 7, <i>t.</i> 37, <i>f.</i> 394-6. <i>E. M. t.</i> 284, <i>f.</i> 1.	America.
79 <i>Jamaicensis</i>		Jamaica	<i>G. t.</i> 88, <i>f.</i> B. <i>C.</i> 7, <i>t.</i> 39, <i>f.</i> 408. <i>E. M. t.</i> 284, <i>f.</i> 2.	Jamaica.
80 <i>spuria</i>	3284	spurious	<i>L. t.</i> 296, <i>f.</i> 133. <i>C.</i> 7, <i>t.</i> 38, <i>f.</i> 399.	North Seas.
81 <i>punctata</i>	3284	dotted	<i>G. t.</i> 75, <i>f.</i> D. <i>C.</i> 7, <i>t.</i> 37, <i>f.</i> 397-8.	Amboyna.
82 <i>sinuata</i>	3285	sinuated	<i>L. t.</i> 294, <i>f.</i> 130. <i>C.</i> 7, <i>t.</i> 38, <i>f.</i> 400-1. <i>E. M. t.</i> 279, <i>f.</i> 4.	Tranquebar.
83 <i>exoleta</i>	3284	antiquated	<i>L. t.</i> 291, <i>f.</i> 127 & 293, <i>f.</i> 129. <i>E. M. t.</i> 279, <i>f.</i> 5. <i>C.</i> 7, <i>t.</i> 38, <i>f.</i> 402-4. <i>D.</i> <i>t.</i> 42, <i>f.</i> 1. <i>M. p.</i> 116.	Britain, &c.
84 <i>concentrica</i>	3286	concentric	<i>L. t.</i> 288, <i>f.</i> 124. <i>G. t.</i> 76, <i>f.</i> F. <i>C.</i> 7, <i>t.</i> 37, <i>f.</i> 293. <i>E. M. t.</i> 279, <i>f.</i> 2.	Jamaica.
85 <i>juvenilis</i>		young	<i>L. t.</i> 295, <i>f.</i> 131. <i>C.</i> 7, <i>t.</i> 38, <i>f.</i> 405. <i>E. M. t.</i> 280, <i>f.</i> 2.	Indian Seas.
86 <i>Histrio</i>	3287	map	<i>C.</i> 7, <i>t.</i> 38, <i>f.</i> 407. <i>E. M.</i> <i>t.</i> 280, <i>f.</i> 1.	E. Indies.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
87 undata		waved	<i>D.t.</i> 121. <i>L.t.</i> 6, <i>t.</i> 17, <i>f.</i> 17, 18. <i>M.p.</i> 117.	Britain.
88 tumidula	3285	gibbous	<i>L.M.p.</i> 546.	U.
89 aculeata	3293	acuteribbed	<i>S.Einl.</i> 3, <i>p.</i> 200, <i>t.</i> 8, <i>f.</i> 13.	U.
90 pectinata	3285	pectinated	<i>L.t.</i> 313, <i>f.</i> 149. <i>G.t.</i> 72, <i>f.</i> E.F. <i>C.</i> 7, <i>t.</i> 39, <i>f.</i> 415- 16. <i>E.M.t.</i> 271, <i>f.</i> 4.	Amboyna.
91 discors	3292	toothed	<i>L.t.</i> 312, <i>f.</i> 148. <i>C.</i> 7, <i>t.</i> 39, <i>f.</i> 418-19. <i>E.M.t.</i> 271, <i>f.</i> 1.	China.
92 dispar		unequal	<i>C.</i> 11, <i>t.</i> 202, <i>f.</i> 1981-2. <i>E.M.t.</i> 271, <i>f.</i> 2.	South Seas.
93 equivoca		equivocal	<i>C.</i> 11, <i>t.</i> 202, <i>f.</i> 1980. <i>E.M.</i> <i>t.</i> 271, <i>f.</i> 3.	E. Indies.
94 divaricata	3277	divaricated	<i>L.t.</i> 310, <i>f.</i> 146. <i>C.</i> 6, <i>t.</i> 30, <i>f.</i> 316. <i>E.M.t.</i> 271, <i>f.</i> 5.	Ceylon.
95 contraria	3277	contrary	<i>C.</i> 6, <i>t.</i> 30, <i>f.</i> 317-19. <i>E.M.</i> <i>t.</i> 259, <i>f.</i> 2.	W. Indies.
96 corrugata		corrugated	<i>C.</i> 7, <i>t.</i> 39, <i>f.</i> 410-11.	Red Sea.
97 scripta	3286	written	<i>G.t.</i> 77, <i>f.</i> C. <i>C.</i> 7, <i>t.</i> 40, <i>f.</i> 420-6. <i>E.M.t.</i> 274, <i>f.</i> 1.	Amboyna.
98 edentula	3286	toothless	<i>L.t.</i> 260, <i>f.</i> 96. <i>C.</i> 7, <i>t.</i> 40, <i>f.</i> 427-9. <i>E.M.t.</i> 284, <i>f.</i> 3.	Jamaica.
99 globosa	3287	globose	<i>C.</i> 7, <i>t.</i> 40, <i>f.</i> 430-31. <i>E.M.</i> <i>t.</i> 285, <i>f.</i> 1.	Red Sea.

<i>Linn. names.</i>	<i>Gm. Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
100 gigantea	3282 gigantic	<i>C. 10, t. 171, f. 1661. E. M. t. 280, f. 3.</i>	W. Indies.
101 literata	3293 lettered	<i>L. t. 402, f. 246. G. t. 86, f. F. C. 7, t. 41, f. 432-4. E. M. t. 280, f. 4.</i>	Amboyna.
102 geographica	3293 geographic	<i>G. t. 86, f. H. C. 7, t. 45, f. 440.</i>	Mediterranean.
103 rotundata	3294 rounded	<i>C. 7, t. 42, f. 441. E. M. t. 281, f. 3.</i>	Ceylon.
104 Textile	3280 tissue	<i>L. t. 400, f. 239. C. 7, t. 42, f. 442-3. E. M. t. 283, f. 1.</i>	Red Sea.
105 corrugata	3280 wrinkled	<i>C. 7, t. 42, f. 444.</i>	Mediterranean.
106 Senegalensis	3282 Senegal	<i>A. p. 227, t. 17, f. 11.</i>	Senegal.
107 decussata	3294 intersected	<i>L. t. 423, f. 271. G. t. 85, f. L. C. 7, t. 43, f. 455-6. D. t. 67. M. p. 124.</i>	Britain, &c.
108 perforans	boring	<i>M. p. 127, t. 3, f. 6.</i>	Britain.
109 pullastra	Sandwich	<i>M. p. 124. L. T. 6, t. 17, f. 13, 14 & 8, t. 2, f. 7.</i>	——
110 virginea	3294 maidenly	<i>L. t. 403, f. 247 & 404, f. 248. C. 7, t. 43, f. 457. E. M. t. 283, f. 2. M. p. 128. L. T. 8, t. 2, f. 8.</i>	Britain, &c.
111 aurea	3288 golden	<i>L. t. 404, f. 249. G. t. 85, f. I. C. 7, t. 43, f. 458. M. p. 119.</i>	Britain.







<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
112 monstrosa	3280	uneq.-valved	<i>C.7, t.42, f.445-6.</i>	Nicobar Isl.
113 fluminalis	3242	ventricose	<i>C.6, t.30, f.320.</i>	<i>E. M.</i>
		[<i>Tel.</i>]	<i>t.301, f.2.</i>	Euphrates. Fr.w.
114 fluminea	3242	heart-shap.	<i>C.6, t.30, f.322-3.</i>	China. Fr.w.
		[<i>Tel.</i>]		
115 fluviatilis	3243	river	<i>C.6, t.30, f.321.</i>	Canton. Fr.w.
		[<i>Tel.</i>]		
116 hermaphro- dita	3278	triangular	<i>C.6, t.31, f.327-9.</i>	Guinea. Fr.w.

XI. SPONDYLUS. HINGED OYSTER.

1 Gædaropus	3296	red thorny	<i>L. t. 206, f. 40. G. t. 99,</i> <i>f. F. & G. C. 7, t. 44,</i> <i>f.459-62. E. M. t. 190-</i> <i>195.</i>	Amboyna.
2 regius	3298	royal	<i>C.7, t.46, f.471.</i>	India.
3 plicatus	3298	spineless	<i>L. t. 210, f. 44. G. t. 99,</i> <i>f. E. C. 7, t. 47, f. 479-</i> <i>82.</i>	W. Indies.
4 citreus		citron	<i>A. t. 20, f. K.</i>	————

XII. CHAMA. CLAMP.

1 Cor	3299	heart	<i>L. t. 275, f. 111. G. t. 71,</i> <i>f. E. C. 7, t. 48, f. 483.</i> <i>E. M. t. 232, f. 1. D.</i> <i>t. 134. M. p. 134.</i>	Britain, &c.
-------	------	-------	--	--------------

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
2 Gigas	3299	giant	<i>L.t.</i> 351, <i>f.</i> 189. <i>G.t.</i> 92, <i>f.</i> B. F. C. 11, <i>t.</i> 204, <i>f.</i> 1997-8. <i>E.M.t.</i> 235, <i>f.</i> 2-4. & <i>t.</i> 236, <i>f.</i> 1. Amboyna.	
3 Hippopus	3300	spotted	<i>L.t.</i> 350, <i>f.</i> 188. <i>G.t.</i> 93, <i>f.</i> A. C. 7, <i>t.</i> 50, <i>f.</i> 498-9. <i>E.M.t.</i> 236, <i>f.</i> 2. —————	
4 antiquata	3300	antiquated	<i>G.t.</i> 71, <i>f.</i> I. L. C. 7, <i>t.</i> 48, <i>f.</i> 488-91. <i>E.M.t.</i> 233, <i>f.</i> 2. Mediterranean.	
5 Moltkiana	3303	Moltkian	<i>C.</i> 7, <i>t.</i> 48, <i>f.</i> 484-7. <i>E.M.</i> <i>t.</i> 233, <i>f.</i> 1. China.	
6 plumbea		leadén	<i>C.</i> 11, <i>t.</i> 203, <i>f.</i> 1991-2. S. Sea.	
7 Ajar		Ajar	<i>C.</i> 7, <i>t.</i> 48, <i>f.</i> 490-1. <i>E.M.</i> <i>t.</i> 233, <i>f.</i> 3. Mouth of the Niger.	
8 trapezia	3301	trapeziform	<i>L.t.</i> 344, <i>f.</i> 181. <i>C.</i> 11, <i>t.</i> 204, <i>f.</i> 2005-6. <i>E.M.</i> <i>t.</i> 234, <i>f.</i> 7. Norway.	
9 semiorbicu- lata	3301	brown	<i>C.</i> 7, <i>t.</i> 50, <i>f.</i> 502-3. <i>E.M.</i> <i>t.</i> 233, <i>f.</i> 4. Arabia.	
10 calyculata	3301	variegated	<i>L.t.</i> 347, <i>f.</i> 184. <i>G.t.</i> 90, <i>f.</i> F. C. 11, <i>t.</i> 204, <i>f.</i> 1999, 2000. <i>E.M.t.</i> 233, <i>f.</i> 6. Indian Seas.	
11 cordata	3301	heart-shap.	<i>L.S.N.p.</i> 1138. U.	
12 satiata	3301	obsolete	<i>L.S.N.p.</i> 1138. U.	
13 rugosa	3305	rugged	<i>L.M.p.</i> 546. U.	
14 oblonga	3302	oblong	<i>C.</i> 11, <i>t.</i> 203, <i>f.</i> 1993-4. <i>E.M.t.</i> 234, <i>f.</i> 2. Guinea.	

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
15 concamerata	3304	chambered	<i>C. 7, t. 50, f. 506.</i>	<i>E. M.</i>
			<i>t. 234, f. 6.</i>	W. Indies.
16 Pectunculus		pectuncle	<i>L. t. 347, f. 185.</i>	U.
17 coralliophaga	3305	coral-rock	<i>C. 10, t. 172, f. 1673-4.</i>	<i>E. Indies.</i>
18 Lazarus		Lazarus	<i>C. 7, t. 51, f. 507-9.</i>	<i>E. M.</i>
			<i>t. 197, f. 1.</i>	————
19 gryphoides	3302	gryphus	<i>L. t. 212, f. 47. G. t. 101,</i> <i>f. D. E. C. 7, t. 51, f. 510-</i> <i>13. E. M. t. 196, f. 4, 5.</i>	Africa.
20 cornuta	3303	horned	<i>L. t. 214, f. 49. G. t. 101,</i> <i>f. G. C. 7, t. 51, f. 507-</i> <i>9. E. M. t. 196, f. 6.</i>	Mediterranean.
		[<i>bicornis.</i>]		
21 sessilis		scaly	<i>L. t. 213, f. 48. C. 11, t. 203,</i> <i>f. 1995-6. E. M. t. 196,</i> <i>f. 2.</i>	West Indies.
22 foliacea	3304	leafy	<i>L. t. 216, f. 52 & 217, f. 53.</i> <i>G. t. 101, f. C. C. 7, t. 52,</i> <i>f. 521. E. M. t. 197, f. 2.</i>	U.
23 punctata		dotted	<i>E. M. t. 197, f. 3.</i>	Guadaloupe.
24 sinistrorsa		reversed	<i>C. 9, t. 116, f. 992-3. E. M.</i> <i>t. 196, f. 3.</i>	West Indies.
25 Arcinella	3303	hedge-hog	<i>L. t. 355, f. 192. C. 7, t. 52,</i> <i>f. 522-3. E. M. t. 197,</i> <i>f. 4.</i>	East Indies.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
XIII. ARCA.		ARK.		
1 tortuosa	3305	twisted	<i>G.t.</i> 95, <i>f.</i> B. <i>C. 7, t.</i> 53, <i>f.</i> 424-5. <i>E. M. t.</i> 305, <i>f.</i> 1.	Amboyna.
2 Noë	3306	Noah's	<i>L.t.</i> 368, <i>f.</i> 208. <i>G. t.</i> 87, <i>f.</i> H. <i>C. 7, t.</i> 53, <i>f.</i> 529- 31. <i>E.M.t.</i> 305, <i>f.</i> 2.	Red Sea. Britain?
3 barbata	3306	bearded	<i>L. t.</i> 231, <i>f.</i> 65. <i>G. t.</i> 91, <i>f.</i> F. <i>C. 7, t.</i> 54, <i>f.</i> 535. <i>E.M.t.</i> 309, <i>f.</i> 1.	Mediterr.
4 imbricata		imbricated	<i>L.t.</i> 367, <i>f.</i> 207. <i>G. t.</i> 87, <i>f.</i> F.G. <i>C. 7, t.</i> 54, <i>f.</i> 532. <i>E.M.t.</i> 305, <i>f.</i> 3.b.	Africa.
5 navicularis		boat	<i>C. 7, t.</i> 54, <i>f.</i> 533.	St. Domingo.
6 plicata		plaited	<i>C. 11, t.</i> 204, <i>f.</i> 2008.	Red Sea.
7 candida	3311	white	<i>L.t.</i> 229, <i>f.</i> 64. <i>C. 7, t.</i> 55, <i>f.</i> 542. <i>E. M. t.</i> 229, <i>f.</i> 64.	West Indies.
8 complanata		compressed	<i>C. 7, t.</i> 55, <i>f.</i> 544-5.	Guinea.
9 Magellanica	3311	Magellanic	<i>C. 7, t.</i> 53, <i>f.</i> 539.	St. of Magellan.
10 lacerata		hairy	<i>C. 7, t.</i> 54, <i>f.</i> 536-7. <i>E. M.</i> <i>t.</i> 309, <i>f.</i> 2.	E. Indies.
11 bicolorata		2-coloured	<i>C. 11, t.</i> 204, <i>f.</i> 2007.	Red Sea.
12 ovata	3307	oval	<i>C. 7, t.</i> 54, <i>f.</i> 538,	—
13 cancellata	3308	channelled	<i>S. Einl.</i> 3, <i>p.</i> 294, <i>t.</i> 9, <i>f.</i> 2.	Curaçoa.



<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonymis.</i>	<i>Habitat.</i>
14 fusca		brown	<i>D. 5, t. 158, f. 3, 4.</i> <i>M. Suppl. p. 51.</i>	Britain.
15 Modiolus	3307	muscle	<i>L. t. 365, f. 205. C. 8, t. 84,</i> <i>f. 754.</i>	Mediterranean.
16 Cucullus	3311	chambered	<i>C. 7, t. 53, f. 526-8. E. M.</i> <i>t. 304.</i>	Nicobar Islands.
17 antiquata	3409	antiquated	<i>L. t. 230, f. 64. G. t. 87,</i> <i>f. B. C. C. 7, t. 55, f. 548-</i> <i>9.</i>	W. Indies, &c.
18 granosa	3210	grained	<i>L. t. 241, f. 78. G. t. 87,</i> <i>f. E. C. 7, t. 56, f. 557.</i> <i>E. M. t. 307, f. 1.</i>	Tranquebar.
19 rhomboidea	3314	rhomboid	<i>L. t. 244, f. 75. G. t. 87,</i> <i>f. A. C. 7, t. 56, f. 553.</i> <i>E. M. t. 307, f. 3.</i>	E. Indies.
20 senilis	3309	rugose	<i>L. t. 238, f. 72. G. t. 87,</i> <i>f. D. C. 7, t. 56, f. 554-6.</i> <i>E. M. t. 308, f. 1.</i>	Jamaica.
21 Indica	3312	Indian	<i>L. t. 232, f. 66. C. 7, t. 55,</i> <i>f. 543. E. M. t. 305,</i> <i>f. 3. b.</i>	Coromandel.
22 Corbicula	3310	basket	<i>L. t. 234, f. 68. C. 7, t. 56,</i> <i>f. 558. E. M. t. 309,</i> <i>f. 5.</i>	Cape of Good Hope.
23 Senegalensis	3312	Senegal	<i>A. p. 248, t. 18, f. 6.</i>	Mouths of the Niger.
24 lactea	3309	milky	<i>L. t. 235, f. 69. C. 7, t. 55,</i> <i>f. 547. D. t. 135. M.</i> <i>p. 138.</i>	Britain, &c.


<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
25 reticulata	3311	reticulated	<i>L.t.</i> 233, <i>f.</i> 67. <i>C. 7, t. 54, f.</i> 540.	W. Indies.
26 pellucida	3308	transparent	<i>C. 7, t. 54, f.</i> 541. <i>E.M. t.</i> 309, <i>f.</i> 8.	Nicobar Islands.
27 Pella	3307	brittle	<i>C. 7, t. 55, f.</i> 546. <i>E. M. t.</i> 309, <i>f.</i> 9.	Mediterranean.
28 Campechen- sis	3212	Campeachy	<i>L. t.</i> 237, <i>f.</i> 71. <i>E. M. t.</i> 310, <i>f.</i> 1.	Bay of Campeachy.
29 Pectunculus	3313	pectuncle	<i>L. t.</i> 239, <i>f.</i> 73. <i>G. t.</i> 72, <i>f.</i> H. <i>C. 7, t.</i> 58, <i>f.</i> 568-9. <i>E.M.t.</i> 11, <i>f.</i> 5.	S. America.
30 pectinata	3313	comb-like	<i>L.t.</i> 243, <i>f.</i> 74. <i>C. 7, t.</i> 58, <i>f.</i> 571-2. <i>E. M. t.</i> 311, <i>f.</i> 6.	W. Indies.
31 decussata	3310	decussated	<i>C. 7, t.</i> 57, <i>f.</i> 561. <i>E.M. t.</i> 311, <i>f.</i> 1.	E. & W. Indies.
32 æquilatera	3311	equilateral	<i>C. 7, t.</i> 57, <i>f.</i> 562.	W. Indies.
33 pallens	3311	pale	<i>S.Einl.</i> 3, <i>p.</i> 270, <i>t.</i> 9, <i>f.</i> 1. ———	
34 angulosa	3315	angular	<i>L.t.</i> 245, <i>f.</i> 76. <i>C. 7, t.</i> 57, <i>f.</i> 567.	Jamaica.
35 undata	3312	waved	<i>G. t.</i> 72, <i>f.</i> G. <i>C. 7, t.</i> 57, <i>f.</i> 560. ———	
36 Glycymeris		orbicular	<i>L. t.</i> 247, <i>f.</i> 82. <i>G. t.</i> 82, <i>f.</i> C.D. <i>E.M.t.</i> 310, <i>f.</i> 3. <i>C. 7, t.</i> 57, <i>f.</i> 564. <i>L.T.</i> 8, <i>t.</i> 3, <i>f.</i> 3.	Britain, &c.
37 pilosa	3314	downy	<i>L. t.</i> 240, <i>f.</i> 77. <i>G. t.</i> 77, <i>f.</i> A. <i>C. 7, t.</i> 57, <i>f.</i> 565-6. <i>E. M. t.</i> 310, <i>f.</i> 2. <i>M. p.</i> 136. <i>L.T.</i> 8, <i>t.</i> 3, <i>f.</i> 4. ———	

<i>Linn. names.</i>	<i>Gm. Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
38 stellata	3289 starred [<i>V. stellata.</i>]	<i>A.p.</i> 253, <i>t.</i> 18, <i>f.</i> 10.	Africa.
39 scripta	lettered	<i>L.t.</i> 246, <i>f.</i> 80. <i>B.t.</i> 6, <i>f.</i> 1. <i>E.M.t.</i> 311, <i>f.</i> 8.	St. Domingo.
40 nummaria	3314 coin	<i>L.t.</i> 239, <i>f.</i> 81. <i>C.</i> 7, <i>t.</i> 58, <i>f.</i> 572. <i>E. M. t.</i> 311, <i>f.</i> 4.	Mediterranean.
41 striata	3308 thickly striated	<i>C.</i> 7, <i>t.</i> 58, <i>f.</i> 573.	Red Sea.
42 Nucleus	3314 silvery	<i>G.t.</i> 88, <i>f.</i> R. <i>C.</i> 7, <i>t.</i> 58, <i>f.</i> 574. <i>E.M.t.</i> 311, <i>f.</i> 3. <i>D.t.</i> 63. <i>M.p.</i> 141.	Britain, &c.
43 rostrata	3308 beaked	<i>C.</i> 7, <i>t.</i> 55, <i>f.</i> 550-1. <i>E.M.</i> <i>t.</i> 309, <i>f.</i> 7. <i>M. Suppl.</i> <i>p.</i> 55, <i>t.</i> 27, <i>f.</i> 7.	Scotland, &c.
44 minuta	3309 minute	<i>D.t.</i> 78. <i>M.p.</i> 140.	Britain, &c.
45 tenuis	thin	<i>M.Suppl.p.</i> 56, <i>t.</i> 29, <i>f.</i> 1.	Scotland.

XIV. OSTREA. OYSTER.

1 maxima	3315 greatest	<i>L. t.</i> 161, <i>f.</i> 1. <i>G. t.</i> 98, <i>f.</i> A.B. <i>C.</i> 7, <i>t.</i> 60, <i>f.</i> 585. <i>E. M. t.</i> 209, <i>f.</i> 1. <i>D.</i> <i>t.</i> 49. <i>M.p.</i> 143.	Britain, &c.
2 Jacobæa	3316 lesser	<i>L.t.</i> 165, <i>f.</i> 2. <i>G.t.</i> 99, <i>f.</i> B. <i>C.</i> 6, <i>t.</i> 60, <i>f.</i> 588-9. <i>E. M. t.</i> 209, <i>f.</i> 2. <i>D.</i> <i>t.</i> 137. <i>M. p.</i> 144.	Mediterranean. Britain?

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
3 Zic-zac	3316	zig-zag	<i>L.t.</i> 168, <i>f.</i> 5. <i>C.</i> 7, <i>t.</i> 61, <i>f.</i> 590-2. <i>E. M. t.</i> 207, <i>f.</i> 1.	W. Indies.
4 striatula	3316	16-rayed	<i>M. L. U. p.</i> 524, No. 101.	Indian Ocean.
5 minuta	3317	minute	<i>M. L. U. p.</i> 524, No. 102. ———	
6 Pleuronectes	3317	sole	<i>G. t.</i> 73, <i>f.</i> B. <i>C.</i> 7, <i>t.</i> 61, <i>f.</i> 595. <i>E. M. t.</i> 208, <i>f.</i> 3.	Amboyne.
7 Japonica	3317	Japan.	<i>C.</i> 7, <i>t.</i> 62, <i>f.</i> 596. <i>E. M.</i> <i>t.</i> 208, <i>f.</i> 4.	Japan.
8 Laurentii	3317	Lorenzo's	<i>C.</i> 7, <i>t.</i> 61, <i>f.</i> 593.	S. America.
9 Magellanica	3317	Magellanic	<i>C.</i> 7, <i>t.</i> 62, <i>f.</i> 597. <i>E. M.</i> <i>t.</i> 208, <i>f.</i> 5.	Str. of Magellan.
10 hybrida	3318	hybrid	<i>L. t.</i> 173, <i>f.</i> 10. <i>C.</i> 7, <i>t.</i> 63, <i>f.</i> 601-2.	Norway.
11 Radula	3318	rasp	<i>L. t.</i> 175, <i>f.</i> 12. <i>G. t.</i> 74, <i>f.</i> L. <i>C.</i> 7, <i>t.</i> 63, <i>f.</i> 599, 600. <i>E. M. t.</i> 208, <i>f.</i> 2.	Amboyne.
12 imbricata	3318	imbricated	<i>C.</i> 7, <i>t.</i> 69, <i>f.</i> G.	Red Sea.
13 Plica	3318	folded	<i>C.</i> 7, <i>t.</i> 62, <i>f.</i> 598. & 11, <i>t.</i> 57, <i>f.</i> 2041.	Amboyne.
14 Pes-lutra	3339	Otter's-foot	<i>L. t.</i> 171, <i>f.</i> 8. <i>G. t.</i> 74, <i>f.</i> C. C.	U.
15 Pallium		Ducal mantle	<i>L. t.</i> 187, <i>f.</i> 25. <i>G. t.</i> 74, <i>f.</i> F. <i>C.</i> 7, <i>t.</i> 64, <i>f.</i> 607. <i>E. M. t.</i> 210, <i>f.</i> 1.	India.



<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
16 sanguinolenta	3322	red spotted	<i>C.7, t.64, f.608.</i>	Red Sea.
17 palliata	3331	variegated	<i>K.1, t.19, f.2.</i>	Mediterranean.
18 nodosa	3322	knobbed	<i>L. t. 186, f. 24. G. t. 99, f.C.D. C.7, t.64, f.609- 11. E.M.t.210, f.2.</i>	Africa & America.
19 Pes-felis	3323	cat's-foot	<i>C.7, t.64, f. 612 & t.65, 613.</i>	Africa.
20 histrionica	3226	Harlequin	<i>C.7, t. 65, f. 614. E. M. t.210, f.4.</i>	U.
21 Islandica	3326	Iceland	<i>L. t. 1057, f. 4. G. t. 73, f.R. C.7, t.65, f.615-6. E.M.t.212, f.1.</i>	North Seas.
22 senatoria	3327	senator	<i>C.7, t.65, f.617.</i>	Moluccas.
23 citrina	3327	citron	<i>C.7, t.65, f.618.</i>	India.
24 pellucens	3323	pellucid	<i>L.t.184, f. 21. C.7, t.66, f. 625-7. E. M. t. 213, f.6.</i>	W. Indies.
25 oblitterata	3323	worn	<i>C.7, t.66, f. 622-4.</i>	Moluccas.
26 tigerina	3327	tiger	<i>C.11, t.207, f.2031-6.</i>	N. Ocean.
27 Fuci	3327	Fucus	<i>C.11, t.207, f.2039.</i>	
28 exotica		exotic	<i>C.11, t.207, f.2037-8.</i>	Red Sea.
29 sanguinea	3323	scarlet	<i>L.t.185, f.22. C.7, t. 66, f.628.</i>	W. Indies.
30 porphyrea	3328	porphyry	<i>C.7, t.66, f.632.</i>	Red Sea.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat</i>
31 varia		various	<i>L.t.</i> 180, 181, & 189. <i>G.</i> <i>t.</i> 73, <i>f.</i> C. I. N. <i>C.</i> 7, <i>t.</i> 66, <i>f.</i> 633-4. <i>E. M.</i> <i>t.</i> 213, <i>f.</i> 4. <i>D.</i> 1, <i>t.</i> 1, <i>f.</i> 1. <i>M.p.</i> 146.	Britain, &c
32 sauciata	3328	uneq.-rayed	<i>C.</i> 7, <i>t.</i> 69, <i>f.</i> H.	Red Sea
33 Pusio	3324	wrinkled	<i>G.t.</i> 74, <i>f.</i> A. H. <i>C.</i> 7, <i>t.</i> 67, <i>f.</i> 635-6.	Nicobar Islands
34 sinuosa	3319	distorted	<i>L.t.</i> 172, <i>f.</i> 9. <i>D.t.</i> 34. <i>M.</i> <i>p.</i> 148.	Britain
35 miniata	3321	vermilion	<i>B.p.</i> 104, <i>t.</i> 7, <i>f.</i> 1.	U.
36 vitrea	3328	glassy	<i>C.</i> 7, <i>t.</i> 67, <i>f.</i> 637. a.	N. Ocean
37 obsoleta	3328	obsolete	<i>D.t.</i> 1, <i>f.</i> 2. <i>M.p.</i> 149.	Britain
38 lævis		smooth	<i>E.M.t.</i> 214, <i>f.</i> 6. <i>M.p.</i> 150, <i>t.</i> 4, <i>f.</i> 4. <i>L. T.</i> 8, <i>t.</i> 3, <i>f.</i> 5.	—————
39 triradiata	3326	three-rayed	<i>C.</i> 11, <i>t.</i> 207, <i>f.</i> 2043. <i>E.M.</i> <i>t.</i> 212, <i>f.</i> 6.	Denmark.
40 solaris		solar	<i>C.</i> 7, <i>t.</i> 67, <i>f.</i> 638.	Adriatic.
41 glabra	3324	glabrous	<i>G. t.</i> 73, <i>f.</i> H. <i>C.</i> 7, <i>t.</i> 67, <i>f.</i> 641-5. <i>E. M. t.</i> 213, <i>f.</i> 2.	Mediterranean.
42 Proteus		variable	<i>C.</i> 11, <i>t.</i> 207, <i>f.</i> 2042.	—————
43 opercularis	3325	painted	<i>L.t.</i> 182, <i>f.</i> 19. <i>C.</i> 7, <i>t.</i> 67, <i>f.</i> 646. <i>E. M. t.</i> 213, <i>f.</i> 3. <i>D.t.</i> 12. <i>M.p.</i> 145.	Britain, &c.

<i>Linn. names.</i>	<i>Gm. Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
44 lineata	3319 lineated [<i>crenata.</i>]	<i>L. t.</i> 170, <i>f.</i> 7. <i>D. t.</i> 116. <i>M.p.</i> 147.	_____
45 Tranquebarica	3328 Tranquebar	<i>L. t.</i> 179, <i>f.</i> 16. <i>G. t.</i> 73, <i>f.</i> L.M. <i>E.M.t.</i> 212, <i>f.</i> 4.	E. Indies.
46 gibba	3325 gibbous	<i>G.t.</i> 73, <i>f.</i> D.F. <i>C.7, t.</i> 65, <i>f.</i> 619-20. <i>E.M.t.</i> 212, <i>f.</i> 3.	S. America.
47 turgida	3327 turgid	<i>L.t.</i> 169, <i>f.</i> 6. <i>C.7, t.</i> 65, <i>f.</i> 621. a.b.	E. Indies.
48 sulcata	3325 sulcated	<i>C.7, t.</i> 63, <i>f.</i> 603-4.	Malabar.
49 flavicans	3331 yellowish	<i>L.S.N.p.</i> 1147.	S. Ocean.
50 fasciata	3331 banded	<i>L. t.</i> 177, <i>f.</i> 14. <i>G. t.</i> 88, <i>f.</i> F.F. <i>C.7, t.</i> 68, <i>f.</i> 649.a. <i>E.M.t.</i> 206, <i>f.</i> 5.	W. Indies.
51 inflata	3321 inflated	<i>C.7, t.</i> 68, <i>f.</i> 649. b. <i>M.Suppl.p.</i> 63, <i>t.</i> 29, <i>f.</i> 2.	Mediterranean.
52 fragilis	3332 brittle	<i>C.7, t.</i> 68, <i>f.</i> 650.	Nicobar Isl.
53 hians	3332 gaping	<i>S.p.</i> 332, <i>t.</i> 9, <i>f.</i> 4.	Norway.
54 Lima	3332 file	<i>G. t.</i> 88, <i>f.</i> F. <i>C.7, t.</i> 68, <i>f.</i> 651. <i>E.M.t.</i> 206, <i>f.</i> 4.	Mediterranean.
55 scabra	3332 rough [<i>glacialis.</i>]	<i>L.t.</i> 176, <i>f.</i> 13. <i>C.7, t.</i> 68, <i>f.</i> 652. <i>E.M.t.</i> 206, <i>f.</i> 2.	W. Indies.
56 glacialis	3332 β glacial	<i>C.7, t.</i> 68, <i>f.</i> 653. <i>E.M.</i> <i>t.</i> 206, <i>f.</i> 3.	_____
57 excavata	3332 excavated	<i>C.7, t.</i> 68, <i>f.</i> 654.	Norway.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
58 <i>Malleus</i>		hammer	<i>L. t.</i> 219, <i>f.</i> 54. <i>G. t.</i> 96, <i>f.</i> D.E. <i>C.</i> 8, <i>t.</i> 70, <i>f.</i> 655- 6. <i>E.M.t.</i> 177, <i>f.</i> 12, 13.	Amboyna.
59 <i>anatina</i>	3333	duck	<i>C.</i> 8, <i>t.</i> 70, <i>f.</i> 658 & 71, <i>f.</i> 659. <i>E.M.t.</i> 177, <i>f.</i> 14.	Nicobar Islands.
60 <i>fornicata</i>	3335	vaulted	<i>C.</i> 8, <i>t.</i> 71, <i>f.</i> 667. <i>E.M.</i> <i>t.</i> 178, <i>f.</i> 6, 7.	Red Sea.
61 <i>orientalis</i>		eastern	<i>C.</i> 8, <i>t.</i> 71, <i>f.</i> 660. <i>E.M.</i> <i>t.</i> 184, <i>f.</i> 4.	E. Indies.
62 <i>Folium</i>	3334	corrugated	<i>C.</i> 8, <i>t.</i> 71, <i>f.</i> 662. <i>E.M.</i> <i>t.</i> 184, <i>f.</i> 10-14.	Amboyna.
63 <i>plicatula</i>	3336	plaited	<i>G.t.</i> 104, <i>f.</i> A. <i>C.</i> 8, <i>t.</i> 73, <i>f.</i> 674.	W. Indies.
64 <i>Sinensis</i>	3335	China	<i>C.</i> 8, <i>t.</i> 72, <i>f.</i> 668. <i>E. M.</i> <i>t.</i> 184, <i>f.</i> 1.	China.
65 <i>cristata</i>	3337	crested	<i>B.p.</i> 112, <i>t.</i> 7, <i>f.</i> 3.	u.
66 <i>Forskälii</i>	3336	Forskael's	<i>C.</i> 8, <i>t.</i> 72, <i>f.</i> 671. <i>E. M.</i> <i>t.</i> 181, <i>f.</i> 5.	Egypt.
67 <i>rostrata</i>	3336	beaked	<i>G.t.</i> 102, <i>f.</i> D. <i>C.</i> 8, <i>t.</i> 73, <i>f.</i> 676.	Mediterranean.
68 <i>Virginica</i>	3336	Virginian	<i>L.t.</i> 200, <i>f.</i> 34. <i>C.</i> 8, <i>t.</i> 73, <i>f.</i> 677. <i>E. M.</i> <i>t.</i> 180, <i>f.</i> 1-3.	Virginia.
69 <i>Cornucopiæ</i>	3336	cornucopia	<i>C.</i> 8, <i>t.</i> 74, <i>f.</i> 679. <i>E. M.</i> <i>t.</i> 182, <i>f.</i> 1, 2.	Africa.
70 <i>orbicularis</i>	3334	orbicular	<i>G.t.</i> 104, <i>f.</i> G. <i>C.</i> 8, <i>t.</i> 74, <i>f.</i> 680.	East Indies.

<i>Linn. names.</i>	<i>Gm. Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
71 arborea	3336 tree	<i>C. 8, t. 74, f. 681.</i>	<i>E. M.</i>
	[<i>parasitica.</i>]	<i>t. 185, f. 1-3.</i>	East Indies.
72 Senegalensis	3337 Senegal	<i>A. p. 202, t. 14, f. 5.</i>	Senegal.
73 denticulata	toothed	<i>C. 8, t. 73, f. 672-3.</i>	<i>E. M.</i>
		<i>t. 183, f. 1-4.</i>	C. of G. Hope.
74 edulis	3334 eatable	<i>L. t. 193-4 & 202-3.</i>	<i>G.</i>
		<i>t. 202, f. A. B. C. 8, t. 74,</i>	
		<i>f. 682.</i>	Ocean.
75 spondyloidea	3335 spondyloid	<i>C. 8, t. 72, f. 669-70.</i>	<i>E. M.</i>
		<i>t. 178, f. 1.</i>	Indian Seas.
76 ovalis	3337 oval	<i>S. Einl. 3, p. 378, t. 9, f. 8.</i>	<i>U.</i>
77 semiaurata	3335 half-eared	<i>S. Einl. 3, p. 365, t. 9, f. 6.</i>	Mediterr.
78 Perna	3338 oblong	<i>L. t. 199, f. 33 & t. 228,</i>	
		<i>f. 63. C. 7, t. 59, f. 597-</i>	
		<i>80. E. M. t. 175, f. 1.</i>	
			W. Indies.
79 Isognomon	3338 long-hinged	<i>C. 7, t. 59, f. 584.</i>	<i>E. M.</i>
		<i>t. 176, f. 1.</i>	Amboyna.
80 Ephippium	3338 saddle	<i>L. t. 227, f. 62. C. 7, t. 58,</i>	
		<i>f. 576. E. M. t. 176,</i>	
		<i>f. 2.</i>	Tranquebar.
81 alata	3339 winged	<i>C. 7, t. 59, f. 581.</i>	West Indies.
82 picta	3339 muscle-shap.	<i>C. 7, t. 58, f. 575.</i>	Red Sea.
83 Legumen	3339 pod-shaped	<i>C. 7, t. 59, f. 578.</i>	<i>E. M.</i>
		<i>t. 175, f. 2, 3.</i>	Nicobar Islands.
84 Vulsella	3219 tongue-shap.	<i>L. t. 1055, f. 10. G. t. 90,</i>	
		<i>f. H. E. M. t. 178, f. 4, 5.</i>	
		<i>C. 6, t. 2, f. 8-11.</i>	Amboyna.

Linn. names. *Gm.* *Engl. names.* *Synonyms.* *Habitat.*

XV. ANOMIA. ANOMIA.

- | | | | | |
|----|---------------|------|--------------------|--|
| 1 | craniolaris | 3340 | cranium | <i>C. 8, t. 76, f. 687. a-f. E. M.</i>
<i>t. 171, f. 1-7. Philippine Isl.</i> |
| 2 | turbinata | 3721 | top-shaped | <i>M. Z. D. 1, p. 14, t. 5. Norway.</i>
[<i>Patella anomala.</i>] |
| 3 | Ephippium | 3340 | orbicular | <i>L. t. 204, f. 38. G. t. 97,</i>
<i>f. B. E. M. t. 169, f. 6, 7.</i>
<i>C. 8, t. 76, f. 692-3. D.</i>
<i>t. 26. M. p. 155. Britain, &c.</i> |
| 4 | Cepa | 3341 | onion | <i>C. 8, t. 76, f. 694-5. E. M.</i>
<i>t. 171, f. 1, 2.</i> |
| 5 | electrica | 3341 | small amber | <i>L. t. 205, f. 39. C. 8, t. 76,</i>
<i>f. 691. E. M. t. 171,</i>
<i>f. 3, 4. Mediterranean.</i> |
| 6 | punctata | 3346 | dotted | <i>C. 8, t. 77, f. 698. E. M.</i>
<i>t. 171, f. 8, 9. Ferroe Isl.</i> |
| 7 | aculeata | 3346 | prickly-
valved | <i>C. 8, t. 77, f. 702. E. M.</i>
<i>t. 171, f. 10. M. p. 157, 4</i>
<i>t. 4, f. 5. Britain, &c.</i> |
| 8 | muricata | 3346 | muricated | <i>C. 8, p. 65, f. A. D. E. M.</i>
<i>t. 171, f. 12-15. Guinea.</i> |
| 9 | undulata | 3346 | striated | <i>L. t. 202, f. 36. C. 8, t. 77,</i>
<i>f. 699. E. M. t. 171,</i>
<i>f. 16, 17. D. t. 45. M.</i>
<i>p. 153 & 157, t. 4, f. 6.</i>
<i>Britain, &c.</i> |
| 10 | patelliformis | 3342 | limpet-shap. | <i>C. 8, t. 77, f. 700. E. M.</i>
<i>t. 171, f. 18, 19. Norway.</i> |



IVOMLE.



<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
11 Squama	3346	scaly	<i>C. 8, t. 77, f. 697. E. M.</i> <i>t. 171, f. 22-3.</i>	Norway.
12 pectinata	3340	comb-like	<i>C. 8, t. 76, f. 689-90. E. M.</i> <i>t. 171, f. 20, 21.</i>	Mediterranean.
13 cylindrica	3349	cylindric	<i>M. Suppl. p. 64. L. T. 8, t. 3,</i> <i>f. 6.</i>	Britain, &c.
14 scobinata	3342	rough	<i>C. 8, t. 78, f. 704. E. M.</i> <i>t. 243, f. 9.</i>	Mediterranean.
15 aurita	3342	eared	<i>G. t. 96, f. B.</i>	U.
16 retusa	3342	blunt	<i>L. S. N. p. 1151.</i>	Norway.
17 truncata	3343	truncated	<i>C. 8, t. 77, f. 701.</i>	Mediterranean.
18 Capensis	3347	Cape	<i>C. 8, t. 77, f. 703.</i>	C. of G. Hope.
19 detruncata	3347	semicircular	<i>C. 8, t. 78, f. 705. E. M.</i> <i>t. 243, f. 10.</i>	Mediterranean.
20 pubescens	3344	downy	<i>G. t. 96, f. C. E. M. t. 246,</i> <i>f. 3.</i>	Norway Seas.
21 sanguinolenta	3347	scarlet-ray.	<i>C. 8, t. 78, f. 706.</i>	E. Indies.
22 Caput-ser- pentis	3344	snake's-head	<i>C. 8, t. 78, f. 712 & 11,</i> <i>t. 203, f. 2013-4. E. M.</i> <i>t. 241, f. 2.</i>	Norway Seas.
23 Terebratula	3344	Terebratula	<i>KL. ost. t. 11, f. 74. E. M.</i> <i>t. 239, f. 1.</i>	Mediterranean.
24 vitrea	3347	brittle	<i>C. 8, t. 78, f. 707-9.</i>	Norway.
25 cruenta		blood-red	<i>L. Z. M. 1, p. 76, t. 33.</i>	S. Seas.
26 dorsata	3348	keeled	<i>C. 8, t. 78, f. 710-11. E. M.</i> <i>t. 242, f. 1.</i>	Str. of Magellan.
27 psittacea	3348	parrot-beak.	<i>L. t. 211, f. 46. C. 8, t. 78,</i> <i>f. 713. E. M. t. 244, f. 3.</i>	N. Seas.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
28 tridentata	3348	3-toothed	<i>C. 8, t. p. 65, f. F. G.</i>	Mediterr.
29 Placenta	3345	cake	<i>L. t. 225, f. 60 & 261, f. 61.</i> <i>C. 8, t. 79, f. 716. E. M.</i> <i>t. 173, f. 1-3.</i>	Tranquebar.
30 Sella	3345	saddle	<i>G. t. 104, f. B. C. 8, t. 79,</i> <i>f. 714. E. M. t. 174, f. 1.</i>	Amboyna.
31 flexuosa	3349	flexuous	<i>S. Einl. 3, p. 418, t. 9, f. 11.</i>	Norway Seas.
32 spondylodes	3348	spondylus	<i>L. t. 211, f. 45.</i>	U.

XVI. MYTILUS. MUSCLE.

1 Crista-galli	3350	cock's-comb	<i>G. t. 204, f. E. C. 8, t. 75,</i> <i>f. 683-4.</i>	Red Sea.
2 Hyotis	3350	horned	<i>G. t. 103, f. A. C. 8, t. 75,</i> <i>f. 685. E. M. t. 186,</i> <i>f. 1, 2.</i>	Amboyna.
3 Frons	3350	leaf	<i>L. t. 197, f. 32 & 198, 32. a.</i> <i>G. t. 104, f. C. C. 8, t. 75,</i> <i>f. 686. E. M. t. 186, f. 4-</i> <i>6.</i>	W. Indies.
4 margaritifera	3351	pearly	<i>L. t. 221, f. 56. G. t. 84,</i> <i>f. E. F. G. C. 8, t. 80,</i> <i>f. 717. E. M. t. 177, f. 1,</i> <i>2 & 4.</i>	Amboyna.
5 radiatus		rayed	<i>L. Z. M. 1, p. 98, t. 43. E. M.</i> <i>t. 177, f. 3.</i>	Tranquebar.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
6 Unguis	3351	nail	<i>M.L.U.</i> 539. No. 131.	Mediterr.
7 lithophagus	3351	burrowing	<i>L.t.</i> 427, <i>f.</i> 268. <i>G. t.</i> 90, <i>f.D.</i> C. 8, <i>t.</i> 82, <i>f.</i> 729- 30. <i>E.M.t.</i> 221, <i>f.</i> 6, 7.	E. & W. Indies.
8 aristatus		cross-beak.	<i>A.p.</i> 267, <i>t.</i> 19, <i>f.</i> 2.	Senegal.
9 rugosus	3352	rugged	<i>C. 8, t. 82, f. 735. D.t.</i> 141. <i>M.p.</i> 164.	Britain, &c.
10 coralliophagus	3359	coral-boring	<i>C. 8, t. 84, f. 752. E. M.</i> <i>t.</i> 219, <i>f.</i> 4.	E. & W. Indies.
11 præcisus		truncated	<i>M.p.</i> 165, <i>t.</i> 4, <i>f.</i> 2.	Britain.
12 fuscus	3359	brown	<i>L.t.</i> 359, <i>f.</i> 197.	E. Indies.
13 arborescens		dendritical	<i>C. 11, t. 198, f. 2016-17.</i> <i>E.M.t.</i> 221, <i>f.</i> 2.	W. Indies.
14 plicatus	3358	plaited	<i>C. 8, t. 82, f. 733.</i>	Nicobar Isl.
15 vulgaris	3358	small	<i>C. 8, t. 82, f. 732. E. M.</i> 218, <i>f.</i> 4.	W. Indies.
16 niveus	3358	snow-white	<i>C. 8, t. 82, f. 734.</i>	Nicobar Isl.
17 bilocularis	3352	two-celled	<i>C. 8, t. 82, f. 736-7.</i>	Indian Ocean.
18 exustus		rose-colour.	<i>L.t.</i> 366, <i>f.</i> 206. <i>C. 8, t. 83,</i> <i>f.</i> 744.	Tranquebar.
19 striatulus	3358	striated	<i>S. Einl.</i> 3, <i>p.</i> 449, <i>t.</i> 9, <i>f.</i> 16.	Northern Ocean.
20 niger	3362	black	<i>A.p.</i> 211, <i>t.</i> 15, <i>f.</i> 3.	Africa.
21 edulis	3353	eatable	<i>L.t.</i> 362, <i>f.</i> 200. <i>C. 8, t. 84,</i> <i>f.</i> 750-1. <i>D.t.</i> 128. <i>M.</i> <i>p.</i> 159.	Britain, &c.
22 pellucidus		pellucid	<i>D.t.</i> 81. <i>M.p.</i> 160.	Britain.
23 ungulatus	3354	ox-hoof	<i>C. 8, t. 84, f. 756.</i>	West Indies.



<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
24 latus		broad	<i>C. 8, t. 84, f. 747. E. M.</i> <i>t. 218, f. 2.</i>	New Holland.
25 elongatus	3361	lengthened	<i>C. 8, t. 83, f. 738.</i>	Str. of Magellan.
		[<i>testaceus.</i>]		
26 smaragdinus	3359	green-coat.	<i>C. 8, t. 83, f. 745.</i>	Tranquebar.
27 lineatus	3359	wedge-shap.	<i>C. 8, t. 84, f. 753.</i>	U.
28 bidens	3354	double-toothed	<i>L. t. 356, f. 193.</i>	W. Indies.
29 puniceus	3362	ventricose	<i>A. p. 210, t. 15, f. 2.</i>	Goree.
30 demissus		silvery	<i>L. t. 358, f. 196.</i>	America.
31 Modiolus	3354	great	<i>L. t. 359, f. 198 & 1057,</i> <i>f. 5. G. t. 91, f. H. C.</i> <i>8, t. 85, f. 557-9. E. M.</i> <i>t. 219, f. 1. D. t. 23. M.</i> <i>p. 163.</i>	Britain, &c.
32 Cygneus	3355	swan	<i>L. t. 156, f. 11. G. t. 7, f. F.</i> <i>C. 8, t. 85, f. 762. E. M.</i> <i>t. 201, t. 1. D. t. 55. M.</i> <i>p. 170.</i>	Britain, &c. Fr. w.
33 Anatinus	3355	duck	<i>L. t. 153, f. 8. G. t. 7, f. E.</i> <i>C. 8, t. 86, f. 763. E. M.</i> <i>t. 202, f. 1. D. t. 113. M.</i> <i>p. 171.</i>	————
34 Avonensis		Avon	<i>M. p. 172. L. T. 8, t. 3. A.</i> <i>f. 4.</i>	Britain, Fr. w.
35 fluviatilis	3359	river	<i>L. t. 157, f. 12.</i>	N. America.
36 dubius	3363	doubtful	<i>A. p. 234, t. 17, f. 21.</i>	Senegal.
37 ruber	3356	red	<i>L. S. N. p. 1158.</i>	Southern Ocean.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
38 discrepans		compartment	C.8, t.86, f.766-7. <i>E.M.</i> t.204, f.4. <i>M.p.</i> 169. & <i>Suppl.p.</i> 65, t.26, f.4. Britain.	
39 discors		discordant	C. 8, t. 86, f. 764-5. <i>D.</i> t.25. <i>M.p.</i> 167. Britain, &c.	
40 impactus		wool-coated	C. 8, t. 86, f. 768. <i>E.M.</i> t.204, f.5. New Zealand.	
41 Faba	3359	bean	C.8, t.85, f.761.	Greenland.
42 Hirundo	3357	swallow	<i>L.t.</i> 220, f. 55. <i>G.t.</i> 94, f.B. C. 8, t. 81, f. 722. <i>E.M.t.</i> 179, f.9. W. Indies.	
43 Morio		mulberry	C.11, t.205, f.2018-9.	Red Sea.
44 Ala-corvi	3357	crow's-wing	C. 8, t. 81, f. 727. <i>E. M.</i> t.177, f.6. S. Sea Islands.	
45 Lingua		tongue	C. 10, t. 172, f. 1675-6. <i>E. M.t.</i> 250, f.1. Amboyna.	
46 Camellii		Camelli's	<i>Sh.N.M.</i> 9, t.315.	Japan.
47 Canaliculus	3363	channelled	<i>M.U.C.</i> 2, t.78.	New Zealand.
48 incurvatus		incurved	<i>M.p.</i> 160. <i>L.T.</i> 3, t.3, f.7.	Britain.
49 umbilicatus		umbilicated	<i>D. 2, t. 40. M. p. 164. &</i> <i>Suppl.p.</i> 71.	—

XVII. PINNA. WING-SHELL.

1 rudis	3363	rough	<i>L.t.</i> 373, f.214. <i>G.t.</i> 79, f.C. C. 8, t. 88, f. 773. <i>E.M.t.</i> 199, f.3. W. Indies.
---------	------	-------	--

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
2 nigra		black	<i>G.t.</i> 81, <i>f.</i> A. C. 8, <i>t.</i> 88, <i>f.</i> 774. <i>E.M.t.</i> 199, <i>f.</i> 1.	Red Sea.
3 ingens		great	<i>M.p.</i> 180. <i>Suppl.p.</i> 72.	Scotland.
4 pectinata	3363	spiny-ribbed	<i>G.t.</i> 90, <i>f.</i> A. <i>E.M.t.</i> 200, <i>f.</i> 5. C. 8. <i>t.</i> 87, <i>f.</i> 770. <i>D.</i> 1, <i>t.</i> 10. <i>M.p.</i> 178.	Britain, &c.
5 inflata		inflated	C. 8, <i>t.</i> 87, <i>f.</i> 771.	Nicobar Isl.
6 carnea	3365	flesh-colour.	C. 8, <i>t.</i> 92, <i>f.</i> 785. <i>M.p.</i> 183, <i>t.</i> 5, <i>f.</i> 3.	Britain, &c.
7 rigida		rigid	C. 8, <i>t.</i> 89, <i>f.</i> 775.	Curaçoa.
8 nobilis	3364	sharp-scaled	<i>G.t.</i> 78, <i>f.</i> B. C. 8, <i>t.</i> 99, <i>f.</i> 776-7.	Mediterranean.
9 muricata	3364	prickly	<i>L.t.</i> 370, <i>f.</i> 210. <i>G.t.</i> 79, <i>f.</i> D. C. 8, <i>t.</i> 91, <i>f.</i> 781. <i>E.</i> Indies.	
10 exusta	3366	pear-shaped	C. 8, <i>t.</i> 91, <i>f.</i> 782.	New Zealand.
11 Vexillum	3366	banner	C. 8, <i>t.</i> 91, <i>f.</i> 783.	Indian Seas.
12 squamosa	3365	scaly	<i>L.t.</i> 374, <i>f.</i> 215. <i>G.t.</i> 78, <i>f.</i> A. C. 8, <i>t.</i> 92, <i>f.</i> 784. <i>E.M.t.</i> 200, <i>f.</i> 1.	Mediterranean.
13 rotundata	3365	giant	<i>G.t.</i> 80, <i>f.</i> A. C. 8, <i>t.</i> 93, <i>f.</i> 787. <i>E.M.t.</i> 200, <i>f.</i> 2.	———
14 bicolor	3366	two-colour.	C. 8, <i>t.</i> 90, <i>f.</i> 780.	Red Sea.
15 incurva	3366	incurved	C. 8, <i>t.</i> 90, <i>f.</i> 778. <i>E.M.</i> <i>t.</i> 200, <i>f.</i> 3.	Amboyna.
16 vitrea	3366	brittle	<i>G.t.</i> 78, <i>f.</i> C. C. 8, <i>t.</i> 87, <i>f.</i> 772.	Indian Seas.



MYTILUS.





<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
17 papyracea	3367	paper	<i>C.8, t.93, f.786.</i>	Indian Seas.
18 saccata	3365	satchel- shaped	<i>L.t.371, f.212. C.8, t.90, f.779.</i>	Mediterranean.
19 digitiformis	3365	finger-shap.	<i>L.S.N.p.1160.</i>	Indian Ocean.
20 bullata	3367	studded	<i>G.t.79, f.C.</i>	u.
21 lobata	3366	lobed	<i>L.S.N.p.1160.</i>	Indian Ocean.

UNIVALVES.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
---------------------	------------	---------------------	------------------	-----------------

XVIII. ARGONAUTA. PAPER SAILOR.

1	Argo	3367	oriental	<i>L.t.</i> 556, <i>f.</i> 7. <i>G.t.</i> 12, <i>f.</i> A. <i>C.</i> 1, <i>t.</i> 17, <i>f.</i> 157.	Mediterr.
2	tuberculata		tuberculated	<i>G.t.</i> 12, <i>f.</i> B. <i>C.</i> 1, <i>t.</i> 17, <i>f.</i> 156.	Amboyna.
3	hians		gaping	<i>G.t.</i> 12, <i>f.</i> C. <i>C.</i> 1, <i>t.</i> 17, <i>f.</i> 158-9.	China.
4	Gondola		boat	<i>C.</i> 1, <i>t.</i> 18, <i>f.</i> 160.	Mozambique.
5	Haustrum		bucket	<i>C.</i> 1, <i>p.</i> 221, <i>f.</i> 2.	E. Indies.
6	vitrea	3368	brittle	<i>C.</i> 1, <i>t.</i> 18, <i>f.</i> 163.	Amboyna.
7	Cymbium	3368	minute	<i>G.t.</i> 12, <i>f.</i> D.	—
8	Cornu	3368	horn	<i>C.</i> 10, <i>t.</i> 137, <i>f.</i> 1271-3. C. of Good Hope.	
9	arctica	3368	arctic	<i>Fab.F.G.p.</i> 386.	Greenland.
10	bullata		studded	<i>G.t.</i> 79, <i>f.</i> C.	U.
11	Cornu		horn-shaped	<i>F.T.M.t.</i> 1. C. of Good Hope.	

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
---------------------	------------	---------------------	------------------	-----------------


XIX. NAUTILUS. SAILOR.

1	Pompilius	3369	great-chambered	<i>L.t.</i> 550, <i>f.</i> 1-3. <i>G.t.</i> 17 & 18. <i>C.</i> 1, <i>t.</i> 18, <i>f.</i> 164 & 19, <i>f.</i> 165-7. <i>E. M.</i> <i>t.</i> 471, <i>f.</i> 3.	Amboyna.
2	scrobiculatus		sunk-spire	<i>L.t.</i> 552, <i>f.</i> 4. <i>C.</i> 10, <i>t.</i> 137, <i>f.</i> 1274-5.	New Guinea.
3	lacustris	3624	lake [<i>H. nitida.</i>]	<i>M.p.</i> 191, <i>t.</i> 6, <i>f.</i> 3.	Britain.
4	Calcar	3370	spur	<i>G. t.</i> 19, <i>f.</i> C. <i>C.</i> 1, <i>t.</i> 19, <i>f.</i> 168-9. <i>F.T.M.</i> <i>t.</i> 11, 12 & 13.	Adriatic.
5	rotatus		wheel	<i>C.</i> 1, <i>t.</i> 19, <i>f.</i> 180-1. <i>M.</i> <i>p.</i> 189, <i>t.</i> 15, <i>f.</i> 4.	Britain, &c.
6	lævigatulus		smooth	<i>M.Suppl.p.</i> 75, <i>t.</i> 18, <i>f.</i> 7, 8.	Britain.
7	depressulus		compressed	<i>M Suppl.p.</i> 78, <i>t.</i> 18, <i>f.</i> 9.	———
8	crispus		keel-edged	<i>G.t.</i> 19, <i>f.</i> A.D. <i>C.</i> 1, <i>t.</i> 20, <i>f.</i> 172-4. <i>F. T. M.</i> <i>t.</i> 4, <i>f.</i> a-c. <i>M.</i> <i>p.</i> 187, <i>t.</i> 18, <i>f.</i> 5.	Britain, &c.
9	Beccarii	3370	Beccaria's	<i>C.</i> 1, <i>t.</i> 20, <i>f.</i> 175-7. <i>M.</i> <i>p.</i> 186. <i>Suppl.p.</i> 74, <i>t.</i> 18, <i>f.</i> 4.	———
10	Balthicus	3370	Baltic	<i>S.Einl.</i> 1, <i>p.</i> 20, <i>t.</i> 1, <i>f.</i> 2.	Baltic.
11	crassulus		strong	<i>M. p.</i> 191. <i>Suppl. t.</i> 18, <i>f.</i> 2.	Britain.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat</i>
12 umbilicatus		umbilicated	<i>M. p.</i> 191. <i>Suppl. p.</i> 78, <i>t.</i> 18, <i>f.</i> 1.	Britain.
13 lobatus		lobed	<i>L.T.</i> 8, <i>p.</i> 117.	—
14 rugosus	3371	rugged	<i>S.Einl.</i> 1, <i>p.</i> 12.	Southern Ocean.
15 umbilicatus	3371	oblique- jointed	<i>S.Einl.</i> 1, <i>p.</i> 12.	Croatia.
16 Spirula	3371	ram's-horn [<i>Spicula.</i>]	<i>L.t.</i> 550, <i>f.</i> 2. <i>G.t.</i> 19, <i>f.</i> E. <i>C.</i> 1, <i>t.</i> 20, <i>f.</i> 184-5. <i>E.M.t.</i> 465, <i>f.</i> 5.	W. Indies.
17 Spengleri	3371	Spengler's	<i>F.T.M.t.</i> 14, <i>f.</i> d-i, & 15, <i>f.</i> a-h. <i>E. M. t.</i> 470, <i>f.</i> 4.	Sands in India.
18 unguiculatus	3372	nail-shaped		—
19 semilitus	3372	half-crozier	<i>C.</i> 1, <i>t.</i> 20, <i>f.</i> 186-7. <i>M.</i> <i>p.</i> 196. <i>Suppl.t.</i> 19, <i>f.</i> 1.	Britain.
20 Litus	3372	crozier		Red Sea.
21 carinatus		keeled	<i>M.p.</i> 195. <i>L.T.</i> 8, <i>p.</i> 118.	Britain.
22 obliquus	3372	obliquely- striated	<i>G.t.</i> 19, <i>f.</i> N. <i>M. p. t.</i> 14, <i>f.</i> 4. <i>jugosus.</i>	—
23 Raphani- strum	3372	12-striated	<i>S.Einl.</i> 1, <i>p.</i> 15.	Mediterranean.
24 Raphanus	3372	17-striated	<i>G. t.</i> 9, <i>f.</i> L.M. <i>C.</i> 1, <i>p.</i> 1, <i>f.</i> A.B.	—
25 costatus		ribbed	<i>M.p.</i> 199, <i>t.</i> 14, <i>f.</i> 5. <i>Suppl.</i> <i>p.</i> 83, <i>t.</i> 19, <i>f.</i> 2.	Britain.
26 Granum	3372	8-striated	<i>S.Einl.</i> 1, <i>p.</i> 16.	Mediterranean.
27 Radicula	3373	bulbous- jointed	<i>C.</i> 1, <i>p.</i> 1, <i>f.</i> G.g. <i>M.p.</i> 197, <i>t.</i> 6, <i>f.</i> 4. & <i>t.</i> 14, <i>f.</i> 6.	Britain.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
28 spinulosus		spinous-jointed	<i>M. Suppl.</i> p. 86, t. 19, f. 5.	Britain.
29 subarcuatus		sub-arcuated	<i>M.</i> p. 198, t. 6, f. 5.	————
30 bicarinatus		two-keeled	<i>M. Suppl.</i> p. 86.	————
31 Fascia	3373	banded	<i>G. t.</i> 19, f. O. <i>C.</i> 1, p. 1, f. D. d.	Adriatic.
32 inæqualis	3373	unequal		Red Sea.
33 siphunculus	3373	ringed	<i>G. t.</i> 19, f. R. S. <i>C.</i> 1, p. 1, f. F. ff. f.	Sicily.
34 Legumen	3373	Pod	<i>G. t.</i> 19, f. P. <i>C.</i> 1, p. 1, f. E. e. <i>M. Suppl.</i> p. 82, t. 19, f. 6.	Britain, &c.
35 linearis		linear	<i>M. Suppl.</i> p. 87, t. 30, f. 9.	Scotland.
36 rectus		straight	<i>M.</i> p. 197. <i>Suppl.</i> p. 82, t. 19, f. 4 & 7.	Britain,
37 Pompilioides		thick-smooth	<i>F. T. M.</i> t. 2, f. a-c.	Mediterranean,
38 repandus		wheel-shap.	<i>F. T. M.</i> t. 3, f. a-c. <i>E. M.</i> t. 466, f. 9.	————
39 asterizans		starred	<i>F. T. M.</i> t. 3, f. e-h. <i>E. M.</i> t. 466, f. 10.	————
40 incrassatus		thickened	<i>F. T. M.</i> t. 4, f. a-c.	C. of Elba.
41 strigilatus		white-rayed	<i>F. T. M.</i> t. 5, f. c-g. <i>E. M.</i> t. 470, f. 3.	Adriatic Sea.
42 craticulatus		sharp-keeled	<i>F. T. M.</i> t. 5, f. h-k. <i>E. M.</i> t. 470, f. 1.	Arabian Shore.
43 striato-punctatus		dotted	<i>F. T. M.</i> t. 9, f. a-c.	————
44 ambiguus		doubtful	<i>F. T. M.</i> t. 9, f. d-f.	————

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
45 macellus		23-ribbed	<i>F.T.M.t.10, f.e-k.</i>	Mediterr.
46 papillosus		pimpled	<i>F.T.M.t.14, f.a-c.</i>	Adriatic.
47 planatus		flat	<i>F.T.M.t.16, f.a-i.</i> <i>E.M.</i> <i>t.467, f.1,2.</i>	_____
48 Cassis		lobster's-tail	<i>F.T.M.t.17 & 18, f.a-c.</i> <i>E.M.t.467, f.3-5.</i>	_____
49 Galea		Helmet	<i>F.T.M.t.18, f.d-f.</i> <i>E.M.</i> <i>t.467, f.6.</i>	Etruria.
50 acutauricularis		sharp-eared	<i>F.T.M.t.18, f.g-i.</i> <i>E.M.</i> <i>t.467, f.7.</i>	Mediterranean.
51 Faba		bean-shaped	<i>F.T.M.t.19, f.a-c.</i>	Rimini.
52 Scapha		boat-shaped	<i>F.T.M.t.19, f.d-f.</i>	Adriatic.
53 Crepidula		Slipper	<i>F.T.M.t.19, f.g-i.</i>	Etruria.
54 Auricula		ear-shaped	<i>F.T.M.t.20, f.d-f.</i>	Mediterr.
55 tuberosus		punctured	<i>F.T.M.t.20, f.g-k.</i>	Etruria.
56 orbiculus		orbicular	<i>F.T.M.t.21.</i> <i>E.M.t.468,</i> <i>f.1.</i>	_____
57 angulatus		angular	<i>F.T.M.t.22.</i> <i>E.M.t.468,</i> <i>f.3.</i>	Arabian Gulf.
58 aduncus		crooked	<i>F.T.M.t.23.</i> <i>E.M.t.468,</i> <i>f.2.</i>	_____



ARGONAUT. 1.



NITILUS.





[illegible]

XX. CONUS. CONE.

1	marmoreus	3374	marbled	<i>L. t.</i> 787, <i>f.</i> 39. <i>G. t.</i> 22, <i>f.</i> D. <i>C.</i> 2, <i>t.</i> 62, <i>f.</i> 685-6. <i>E. M. t.</i> 317, <i>f.</i> 5, 6. E. & W. Indies.
2	Nicobaricus		yellow-throated	<i>C.</i> 10, <i>t.</i> 139, <i>f.</i> 1292. <i>E. M.</i> <i>t.</i> 318, <i>f.</i> 9. E. Indies.
3	arachnoideus	3383	spider-web	<i>C.</i> 2, <i>t.</i> 61, <i>f.</i> 676. <i>E. M.</i> <i>t.</i> 318, <i>f.</i> 7, 8. Tranquebar.
4	zonatus		zoned	<i>C.</i> 10, <i>t.</i> 139, <i>f.</i> 1286-8. <i>E. M. t.</i> 318, <i>f.</i> 4. Asiatic Ocean.
5	imperialis	3374	imperial	<i>L. t.</i> 766, <i>f.</i> 15. <i>G. t.</i> 22, <i>f.</i> A. <i>C.</i> 2, <i>t.</i> 62, <i>f.</i> 690-2. <i>E. M. t.</i> 319, <i>f.</i> 1, 2. Amboyna.
6	fuscatus		brownish	<i>C.</i> 2, <i>t.</i> 62, <i>f.</i> 692-3. <i>E. M.</i> <i>t.</i> 319, <i>f.</i> 3. New Zealand.
7	litteratus	3375	lettered	<i>G. t.</i> 20, <i>f.</i> O. <i>L. t.</i> 770, <i>f.</i> 17. <i>C.</i> 2, <i>t.</i> 60, <i>f.</i> 668. <i>E. M. t.</i> 323, <i>f.</i> 1. Amboyna.
8	cburneus		square-spotted	<i>G. t.</i> 22, <i>f.</i> F. <i>C.</i> 2, <i>t.</i> 61, <i>f.</i> 674. <i>E. M. t.</i> 324, <i>f.</i> 1, 2. East Indies.
9	tessellatus		mosaic	<i>L. t.</i> 767, <i>f.</i> 17. <i>G. t.</i> 21, <i>f.</i> H. <i>C.</i> 2, <i>t.</i> 59, <i>f.</i> 653-4. <i>E. M. t.</i> 326, <i>f.</i> 7 & 9. African Ocean.

<i>Linn. names.</i>	<i>Gm. Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
10 <i>generalis</i>	3375 general	<i>L. t.</i> 786, <i>f.</i> 35. <i>G. t.</i> 20, <i>f.</i> <i>G. C.</i> 2, <i>t.</i> 58, <i>f.</i> 645-52. <i>E.M. t.</i> 325, <i>f.</i> 1-6.	Amboyna.
11 <i>canaliculatus</i>	grooved	<i>C. 11, t.</i> 181, <i>f.</i> 1748-9. <i>E.M.t.</i> 325, <i>f.</i> 9.	Ceylon.
12 <i>radiatus</i>	3386 radiated	<i>C. 2, t.</i> 53, <i>f.</i> 584 & 587. <i>E.M.t.</i> 327, <i>f.</i> 3.	W. Indies.
13 <i>Virgo</i>	3376 Virgin	<i>L. t.</i> 754, <i>f.</i> 2. & 758, <i>f.</i> 3. <i>G.t.</i> 20, <i>f.</i> B. <i>C. 2, t.</i> 53, <i>f.</i> 585-6. <i>E.M. t.</i> 326, <i>f.</i> 5.	Africa.
14 <i>niveus</i>	3392 white	<i>B.p.</i> 150, <i>t.</i> 7, <i>f.</i> 9.	u.
15 <i>Capitaneus</i>	3376 Captain	<i>L.t.</i> 78, <i>f.</i> 27. <i>G.t.</i> 22, <i>f.</i> M. <i>C. 2, t.</i> 59, <i>f.</i> 660-2. <i>E.M.t.</i> 327, <i>f.</i> 1, 2.	Amboyna.
16 <i>Chemnitzii</i>	Chemnitz's	<i>C. 11, t.</i> 182, <i>f.</i> 1764-5.	Ceylon.
17 <i>mustelinus</i>	weasel	<i>C. 10, t.</i> 138, <i>f.</i> 1280. <i>E.M.t.</i> 327, <i>f.</i> 6.	Batavia.
18 <i>Hyæna</i>	Hycna	<i>C. 11, t.</i> 181, <i>f.</i> 1750-1. <i>E.M.t.</i> 327, <i>f.</i> 5 & 7.	New Zealand.
19 <i>Miles</i>	3377 Soldier	<i>L. t.</i> 786, <i>f.</i> 34. <i>G. t.</i> 20, <i>f.</i> N. <i>C. 2, t.</i> 59, <i>f.</i> 663-4. <i>E.M.t.</i> 329, <i>f.</i> 7.	Amboyna.
20 <i>Tribunus</i>	3377 Tribune	<i>C. 2, t.</i> 59, <i>f.</i> 655.	West Indies.
21 <i>spurius</i>	3396 spurious	<i>G. t.</i> 22, <i>f.</i> E. <i>C. 2, t.</i> 56, <i>f.</i> 626-8. <i>E. M. t.</i> 334, <i>f.</i> 1, 2.	_____

<i>Lin. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
22 leoninus	3386	Lion	<i>L. t.</i> 772, <i>f.</i> 18. <i>G. t.</i> 21, <i>f.</i> D. <i>C.</i> 2, <i>t.</i> 55, <i>f.</i> 607. <i>E. M. t.</i> 335, <i>f.</i> 5.	Amboyne.
23 characteri- sticus		character-spotted	<i>C.</i> 11, <i>t.</i> 182, <i>f.</i> 1760-1.	W. Indies.
24 cærulescens		blueish	<i>C.</i> 11, <i>t.</i> 182, <i>f.</i> 1762-3.	————
25 Princeps	3378	Persian robe	<i>C.</i> 10, <i>t.</i> 158, <i>f.</i> 1276. <i>E. M.</i> <i>t.</i> 318, <i>f.</i> 3.	Asiatic Ocean.
26 Janus		Janus	<i>L. t.</i> 782, <i>f.</i> 29. <i>G. t.</i> 25, <i>f.</i> T. <i>C.</i> 2, <i>t.</i> 52, <i>f.</i> 581. <i>E. M. t.</i> 336, <i>f.</i> 5.	————
27 Guinaicus		Guinea	<i>F. t.</i> 16, <i>f.</i> F 1. & F 2. <i>E. M. t.</i> 337, <i>f.</i> 4 & 6.	Guinea.
28 fulmineus	3388	lightning	<i>C.</i> 2, <i>t.</i> 58, <i>f.</i> 644. <i>E. M.</i> <i>t.</i> 337, <i>f.</i> 3.	Africa.
29 Lorenzianus		Lorenzo's	<i>C.</i> 11, <i>t.</i> 181, <i>f.</i> 1754-5. <i>E. M. t.</i> 336, <i>f.</i> 1.	E. Indies.
30 Amadis	3388	Amadis	<i>C.</i> 10, <i>t.</i> 142, <i>f.</i> 1322-3. <i>E. M. t.</i> 335, <i>f.</i> 1, 2.	Java.
31 acuminatus		sharp-pointed	<i>F. t.</i> 17, <i>f.</i> N 1. <i>E. M.</i> <i>t.</i> 336, <i>f.</i> 3, 4.	Amboyne.
32 Thomæ	3394	St. Thomas's	<i>C.</i> 10, <i>t.</i> 143, <i>f.</i> 1331. <i>E. M.</i> <i>t.</i> 339, <i>f.</i> 3.	Asiatic Ocean.
33 Ammiralis	3378	Admiral	<i>L. t.</i> 759, <i>f.</i> 4. <i>G. t.</i> 21, <i>f.</i> L. <i>C.</i> 2, <i>t.</i> 61, <i>f.</i> 678. <i>E. M.</i> <i>t.</i> 328, <i>f.</i> 1, 2, 7, 8 & 9.	Amboyne.
34 Archithalas- sus		granulated	<i>C.</i> 2, <i>p.</i> 26, <i>f.</i> 1. <i>E. M. t.</i> 328, <i>f.</i> 3, 4.	————

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
35 Cedonulli	3378	Cedonulli	<i>C. 2, t. 57, f. 633. E. M. t. 316, f. 1-9.</i>	Caraccas.
36 aurantius		orange	<i>L. t. 775, f. 21. G. t. 20, f. L. C. 2, t. 61, f. 679. E. M. t. 317, f. 7.</i>	Philippine Islands.
37 leucosticus	3388	marbled	<i>G. t. 21, f. L. C. 2, t. 61, f. 678. E. M. t. 317, f. 1, 4 & 9.</i>	W. Indies.
38 vitulinus		spotted	<i>F. t. 15, f. R. E. M. t. 326, f. 3.</i>	Martinique.
39 polyzonias	3392	depressed- spire	<i>B. t. 7, f. 13. E. M. t. 326, f. 4 & 8.</i>	Guinea.
40 Senator	3381	Senator	<i>C. 2, t. 59, f. 659. E. M. t. 326, f. 6.</i>	_____
41 Catus		Cat	<i>C. 2, t. 55, f. 609-10. E. M. t. 332, f. 3, 4 & 7. C. of G. Hope.</i>	
42 nobilis	3381	notable	<i>C. 2, t. 62, f. 639 & 10, t. 141, f. 1312. E. M. t. 339, f. 7, 8.</i>	Amboyna.
3 Siamensis		Siam	<i>F. t. 16, f. B.</i>	China.
44 genuanus	3381	butterfly- winged	<i>L. t. 767, f. 16. G. t. 22, - f. II. C. 2, t. 56, f. 624-5. E. M. t. 329, f. 5, 6.</i>	E. Indies.
45 papilionaceus		Papilio	<i>L. t. 773, f. 19. G. t. 22, f. C. C. 2, t. 60, f. 660. E. M. t. 330, f. 1, 2, 5 & 8.</i>	W. Indies.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
46 Prometheus		Prometheus	<i>L. t.</i> 771, <i>f.</i> 17. <i>G. t.</i> 22, <i>f.</i> B. <i>E.M.t.</i> 331, <i>f.</i> 5.	Java.
47 tæniatus		American- flag	<i>L.t.</i> 763, <i>f.</i> 12. <i>C.</i> 2, <i>t.</i> 57, <i>f.</i> 632 & 10, <i>t.</i> 144, <i>f.</i> m & n. <i>E.M.t.</i> 319, <i>f.</i> 5.	Africa.
48 Musicus		Music	<i>E.M.t.</i> 322, <i>f.</i> 4.	China.
49 miliaris		millet	<i>E.M.t.</i> 319, <i>f.</i> 6.	————
50 glaucus	3382	little bluish	<i>C.</i> 10, <i>t.</i> 138, <i>f.</i> 1277-8. <i>E.M.t.</i> 329, <i>f.</i> 3.	Amboyna.
51 Suratensis		Surat	<i>C.</i> 11, <i>t.</i> 181, <i>f.</i> 1752-3. <i>E.M.t.</i> 329, <i>f.</i> 4.	East Indies.
52 Monachus	3387	Agate [nebulosus.]	<i>C.</i> 2, <i>t.</i> 55, <i>f.</i> 614. <i>E. M.</i> <i>t.</i> 329, <i>f.</i> 1, 2.	China.
53 Ranunculus		Ranunculus	<i>E.M.t.</i> 331, <i>f.</i> 1.	Amer. Ocean.
54 achatinus		Tulip	<i>C.</i> 10, <i>t.</i> 142, <i>f.</i> 1317. <i>E.M.</i> <i>t.</i> 330, <i>f.</i> 6 & 9.	Batavia.
55 Luzonicus		spotted velvet	<i>F.</i> 2, <i>p.</i> 678, <i>t.</i> 17, <i>f.</i> C. <i>E.M.t.</i> 333, <i>f.</i> 6.	Philippine Isl.
56 Rusticus	3383	rustic	<i>L.t.</i> 765, <i>f.</i> 14. <i>C.</i> 2, <i>t.</i> 52, <i>f.</i> 578 & 11, <i>t.</i> 183, <i>f.</i> 1776-7. <i>E.M. t.</i> 331, <i>f.</i> 7.	Amboyna.
57 Nisus		brown- throated	<i>C.</i> 11, <i>t.</i> 183, <i>f.</i> 1784-5.	E. Indies.
58 lividus		livid	<i>C.</i> 2, <i>t.</i> 63, <i>f.</i> 694-5. <i>E.M.</i> <i>t.</i> 321, <i>f.</i> 5.	C. of G. Hope.
59 Mus		Mouse	<i>L.t.</i> 784, <i>f.</i> 31. <i>E.M.t.</i> 320, <i>f.</i> 9.	Guadaloupe.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
60 <i>distans</i>		wide-lined	<i>C.10,t.138, f.1281. E.M.</i> <i>t.321, f.11.</i>	<i>S. Seas.</i>
61 <i>Caledonicus</i>		Caledonian	<i>E.M.t.321, f.10.</i>	New Caledonia.
62 <i>Coffeæ</i>	3388	Coffee	<i>C. 2, t. 56, f. 613. E. M.</i> <i>t.336, f.7.</i>	American Seas.
63 <i>vittatus</i>		ribbon	<i>E.M.t.335, f.3.</i>	Asiatic Ocean.
64 <i>Classarius</i>		Sailor	<i>G.t.21, f.C. C. 11, t.183,</i> <i>f.1786-7. E.M. t. 335,</i> <i>f.7.</i>	_____
65 <i>Mercator</i>	3383	net-work	<i>L.t.788, f. 41. C.2, t. 56,</i> <i>f. 619-20. E.M.t.333,</i> <i>f.7.</i>	C. of G. Hope.
66 <i>betulinus</i>	3383	birch-bark	<i>L. t. 762, f. 11. G. t. 21,</i> <i>f. B. C.2, t. 40, f. 665.</i> <i>E.M.t.333, f.5 & 8.</i>	Amboyna.
67 <i>figulinus</i>	3384	brown-band	<i>L. t. 785, f. 32. G. t. 20,</i> <i>f. E. C. 2, t. 59, f. 656.</i> <i>E.M.t.332, f.1,2.</i>	Malabar.
68 <i>Quercinus</i>	3378	Oak	<i>C. 2, t. 69, f. 657. E. M.</i> <i>t.332, f.6.</i>	C. of G. Hope.
		[<i>Cingulum.</i>]		
69 <i>lineatus</i>		lined	<i>C.10,t.138, f.1285. E.M.</i> <i>t.326, f.2.</i>	Philippine Isl.
70 <i>Eques</i>		Chevalier	<i>F. 2, p. 606, t. 14, f. F1.</i> <i>E.M.t.335, f.9.</i>	New Zealand.
71 <i>ermineus</i>		ermine	<i>C. 2, t. 57, f. 630-1 & 10,</i> <i>t. 140, f. 1298. E. M.</i> <i>t.338, f.8.</i>	E. Indies.
72 <i>Vexillum</i>	3397	Banner	<i>G.t.20, f. M. & t.21, f.E.</i> <i>C.11, t.182, f.1758-9</i>	Batavia.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
73 testudinarius		Turtle	<i>C. 2, t. 55, f. 605. E. M.</i> <i>t. 335, f. 6.</i>	W. Indies.
74 venulatus		veined	<i>F. 2, p. 604, t. 14, f. D. 1 &</i> <i>2. E. M. t. 337, f. 9.</i>	American Seas.
75 Namocanus		Ash-wood	<i>E. M. t. 338, f. 5.</i>	S. Sea.
76 costatus		ribbed	<i>C. 11, t. 181, f. 1745-7.</i>	S. Sea & China.
77 ebræus	3384	Hebrew	<i>L. t. 779. G. t. 25, f. T.</i> <i>C. 2, t. 56, f. 617. E. M.</i> <i>t. 321, f. 8, 9.</i>	E. Indies, &c.
78 Stercus mus- carum	3385	black-and- white dotted	<i>L. t. 757, f. 9. G. t. 25, f. O.</i> <i>C. 2, t. 64, f. 711-12.</i> <i>E. M. t. 341, f. 6.</i>	Amboyna.
79 arenatus		sandy	<i>L. t. 761, f. 10. G. t. 25,</i> <i>f. P. C. 2, t. 63, f. 696.</i> <i>E. M. t. 320, f. 3, 6 & 7.</i>	Batavia.
80 pulicarius		flea-bitten	<i>L. t. 774, f. 20. G. t. 21,</i> <i>f. G. C. 2, t. 63, f. 698.a.</i> <i>E. M. t. 320, f. 1, 2.</i>	Friendly Islands.
81 Zeylanicus	3389	Ceylon	<i>C. 10, t. 142, f. 1318. E. M.</i> <i>t. 320, f. 8.</i>	Ceylon.
82 punctatus		fawn-co- loured	<i>C. 10, t. 139, f. 1294. E. M.</i> <i>t. 319, f. 8.</i>	E. Indies.
83 cancellatus		trellised	<i>E. M. t. 338, f. 1.</i>	Owyhee.
84 varius	3386	Chagrin	<i>C. 10, t. 138, f. 1284. E. M.</i> <i>t. 321, f. 3, 4.</i>	W. Indies.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
85 Portoricanus		granulated	<i>E. M. t. 338, f. 4.</i>	Porto Rico.
86 Tinianus		red, clouded	<i>E. M. t. 338, f. 2.</i>	Isle of Tinian.
87 coronatus	3389	crowned	<i>C. 2, t. 63, f. 703-5. E. M. t. 322, f. 2.</i>	East Indies.
88 Barbadosensis		white-band.	<i>E. M. t. 322, f. 8.</i>	Barbadoes.
89 roseus		rose-colour.	<i>C. 2, t. 63, f. 707. E. M. t. 322, f. 7.</i>	Antilles.
90 coccineus	3390	scarlet	<i>C. 2, t. 61, f. 680. E. M. t. 322, f. 6.</i>	W. Indies.
91 citrinus	3389	citron-col.	<i>C. 2, t. 61, f. 681.</i>	Curaçoa.
92 sponsalis		pink spotted	<i>C. 11, t. 182, f. 1766-7. E. M. t. 322, f. 1.</i>	S. Seas.
93 Taitensis		blackish violet	<i>E. M. t. 336, f. 9.</i>	Otaheite.
94 scabriusculus		roughish	<i>C. 11, t. 182, f. 1768-9.</i>	Coast of Guinea.
95 puncturatus		groove-punctured	<i>E. M. t. 322, f. 9.</i>	Botany Bay.
96 Ceylonensis		zig-zag	<i>E. M. t. 322, f. 10.</i>	Ceylon.
97 pusillus		dwarf	<i>C. 11, t. 183, f. 1788-9. E. M. t. 331, f. 8.</i>	C. of Guinea.
98 lamellosus		plaited-spire	<i>E. M. t. 322, f. 5.</i>	Ceylon.
99 Rattus		Rat-skin	<i>E. M. t. 338, f. 7.</i>	America.
100 Jamaicensis		three-band.	<i>E. M. t. 335, f. 4.</i>	Jamaica.
101 Mediterraneus		olive-clouded	<i>E. M. t. 330, f. 4.</i>	Mediterranean.
102 Monachus	3382	red dotted	<i>G. t. 22, f. no. 2. C. 2, t. 55, f. 612, b. & 10, t. 140, f. 1305. E. M. t. 331, f. 2.</i>	West Indies.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
103 Mauritianus		Mauritian	<i>E.M.t.</i> 330, <i>f.</i> 9.	Africa.
104 sulcatus		grooved	<i>E.M.t.</i> 321, <i>f.</i> 6.	W. Indies.
105 verrucosus		warty	<i>L.t.</i> 756, <i>f.</i> 8. <i>C. 2, t.</i> 55, <i>f.</i> 612.c.d. <i>E.M.t.</i> 333, <i>f.</i> 4.	Africa.
106 Columba		rose dove	<i>F. 2, p.</i> 572, <i>t.</i> 18, <i>f.</i> K.1. <i>E.M.t.</i> 334, <i>f.</i> 3.	I. of France.
107 Madurensis		green cross	<i>F. 2, p.</i> 617, <i>t.</i> 15, <i>f.</i> E.1. <i>E.M. t.</i> 333, <i>f.</i> 3.	Asiatic Ocean.
108 Jaspideus	3387	Jasper	<i>C. 2, t.</i> 55, <i>f.</i> 612. <i>E.M.</i> <i>t.</i> 334, <i>f.</i> 4.	W. Indies.
109 Japonicus		orange-mottled	<i>E.M.t.</i> 330, <i>f.</i> 3.	Japan.
110 Mindanus		white-mottled	<i>E.M.t.</i> 330, <i>f.</i> 7.	Philippine Isl.
111 festivus		festive	<i>C.11, t.</i> 182, <i>f.</i> 1770-1.	Moluccas.
112 Clavus	3390	yel.-veined	<i>L.t.</i> 744, <i>f.</i> 34. <i>C. 2, t.</i> 52, <i>f.</i> 570 & 10, <i>t.</i> 143, <i>f.</i> 1327. <i>E. M. t.</i> 346, <i>f.</i> 3.	East Indies.
113 aureus		golden	<i>E.M.t.</i> 346, <i>f.</i> 4.	China.
114 affinis	3391	Comman- dant	<i>C. 2, t.</i> 52, <i>f.</i> 571. <i>E.M.</i> <i>t.</i> 342, <i>f.</i> 4,5.	E. Indies.
115 tendineus		chocolate	<i>L.t.</i> 745, <i>f.</i> 36. <i>C.10, t.</i> 143, <i>f.</i> 1330. <i>E. M. t.</i> 342, <i>f.</i> 6.	Africa.
116 australis		Southern	<i>C.11, t.</i> 183, <i>f.</i> 1774-5.	New South Wales.
117 lævis	3391	smooth	<i>C.2, t.</i> 52, <i>f.</i> 572.	Africa.

<i>Lin. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
118 ochroleucus		yellowish	<i>C. 2, t. 52, f. 573. E. M.</i> <i>t. 343, f. 6.</i>	America.
119 strigatus		pale violet	<i>E. M. t. 342, f. 1.</i>	Indian Seas.
120 mitratus		Mitre	<i>E. M. t. 342, f. 3.</i>	————
121 Glans		Acorn	<i>C. 10, t. 143, f. 1331. E. M.</i> <i>t. 342, f. 7 & 9.</i>	Africa.
122 tenellus		delicate	<i>C. 11, t. 183, f. 1782-3.</i>	Moluccas.
123 Nussatella	3390	clouded wh. & yellow	<i>C. 2, t. 51, f. 567. E. M.</i> <i>t. 342, f. 2 & 8.</i>	Island of Nussatella.
124 granulatus	3391	grained	<i>L. t. 760, f. 5. C. 2, t. 52,</i> <i>f. 574-5. E. M. t. 339,</i> <i>f. 9.</i>	S. America.
125 Fusus	3390	Spindle	<i>L. t. 768, f. 17. A. C. 2, t. 52,</i> <i>f. 576. E. M. t. 341,</i> <i>f. 7.</i>	W. Indies.
126 aurisiacus	3392	Orange	<i>C. 2, t. 57, f. 636-7. E. M.</i> <i>t. 339, f. 4.</i>	Amboyna.
127 Terebellum	3390	Wimble	<i>F. 2, p. 662, t. 17, f. K. 2.</i> <i>C. 2, t. 52, f. 577. E. M.</i> <i>t. 339, f. 1, 2.</i>	Batavia.
128 Raphanus		Radish	<i>E. M. t. 341, f. 1, 2.</i>	Asiatic Ocean.
129 Adansonii		Adanson's	<i>A. p. 95, t. 6, f. 6. E. M.</i> <i>t. 433, f. 7.</i>	Senegal.
130 Augur		Augur	<i>L. t. 755, f. 7. C. 2, t. 58,</i> <i>f. 641. E. M. t. 333,</i> <i>f. 6.</i>	Ceylon.
131 Magus		great	<i>C. 2, t. 52, f. 579-80. E. M.</i> <i>t. 341, f. 8.</i>	Amboyna.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
132 striatus	3393	striated	<i>L.t.</i> 760, <i>f.</i> 6. <i>G.t.</i> 26, <i>f.</i> D. <i>C.</i> 2, <i>t.</i> 64, <i>f.</i> 714-16. <i>E.M.t.</i> 340, <i>f.</i> 1-3.	Moluccas.
133 Gubernator		Governor	<i>E.M.t.</i> 340, <i>f.</i> 4, 5, 6.	Asiatic Ocean.
134 Gloria maris		Glory of the sea	<i>C.</i> 10, <i>t.</i> 143, <i>f.</i> 1324-5. <i>E.M.t.</i> 347, <i>f.</i> 7.	E. Ind. Ocean.
135 pyramidalis		pyramidal	<i>F.</i> 2, <i>p.</i> 645, <i>t.</i> 18, <i>f.</i> C. 1. <i>E.M.t.</i> 347, <i>f.</i> 5.	Torrid zone.
136 Textile	3373	Gold brocade	<i>L. t.</i> 788, <i>f.</i> 40. <i>G. t.</i> 25, <i>f.</i> A. A. <i>C.</i> 2, <i>t.</i> 54, <i>f.</i> 598, 600. <i>E.M.t.</i> 344, <i>f.</i> 5.	E. & W. Indies.
137 Abbas		Abbot	<i>C.</i> 10, <i>t.</i> 143, <i>f.</i> 1326. b.c. <i>E.M.t.</i> 345, <i>f.</i> 3.	I. of France.
138 Archiepiscopus		Archbishop	<i>C.</i> 2, <i>t.</i> 54, <i>f.</i> 602. <i>E. M.</i> <i>t.</i> 346, <i>f.</i> 1 & 7.	E. Indies.
139 canonicus		canonical	<i>E.M.t.</i> 345, <i>f.</i> 1.	Indian Seas.
140 Episcopus		Bishop	<i>L.t.</i> 790, <i>f.</i> 43. <i>C.</i> 2, <i>t.</i> 53, <i>f.</i> 591. <i>E. M. t.</i> 345, <i>f.</i> 2 & 6.	—————
141 Prælatius		Prelate	<i>F.</i> 2, <i>p.</i> 639, <i>t.</i> 18, <i>f.</i> B 7. <i>C.</i> 2, <i>t.</i> 54, <i>f.</i> 601. <i>E. M.</i> <i>t.</i> 345, <i>f.</i> 4.	—————
142 pennaceus		plumous	<i>B.t.</i> 7, <i>f.</i> 14. <i>E.M. t.</i> 344, <i>f.</i> 4.	Amboyna.
143 rubiginosus		orange-brown	<i>F.</i> 2, <i>p.</i> 644, <i>t.</i> 18, <i>f.</i> C. 4. <i>C.</i> 2, <i>t.</i> 54, <i>f.</i> 593-4. <i>E.M.t.</i> 344, <i>f.</i> 2.	—————

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
144 Omaria		pearl-brown	<i>F. 2, p. 652, t. 18, f. C. 5.</i> <i>C. 2, t. 54, f. 596. E. M.</i> <i>t. 344, f. 3.</i>	New Guinea.
145 Aulicus}	3394 Brunette		<i>G. t. 25, f. Z. C. 2, t. 53,</i> <i>f. 592, E. M. t. 343, f. 3</i> <i>& 4.</i>	Amboyna.
146 elongatus		lengthened	<i>C. 10, t. 144. A. f. i & k.</i> <i>E. M. t. 337, f. 2.</i>	Guinea.
147 Spectrum	3395 Spectre		<i>L. t. 783, f. 30. C. 2, t. 53,</i> <i>f. 582-3. E. M. t. 341,</i> <i>f. 9.</i>	Amboyna.
148 informis		misshapen	<i>F. 2, p. 700, t. 79 upper</i> <i>f. N. C. 10, t. 144, A.</i> <i>f. g. h. E. M. t. 337, f. 8.</i>	New Zealand.
149 ventricosus	3397 ventricose		<i>E. M. t. 337, f. 5.</i>	Africa.
150 bullatus		bubble	<i>G. t. 26, f. C. C. 10, t. 142,</i> <i>f. 1315-16. E. M. t. 339,</i> <i>f. 6.</i>	Moluccas.
151 Timorensis		Timor	<i>E. M. t. 341, f. 3.</i>	E. Ind. Ocean.
152 nimbosus		rainy	<i>E. M. t. 341, f. 5.</i>	————
153 rosaceus		Aurora	<i>C. 11, t. 181, f. 1756-7.</i>	————
154 Tulipa	3395 Tulip		<i>L. t. 764, f. 13. G. t. 26,</i> <i>f. G. C. 2, t. 64, f. 718-</i> <i>19 & t. 65, f. 720-1.</i> <i>E. M. t. 322, f. 11.</i>	Madagascar.
155 geographicus	3396 geographic		<i>L. t. 747, f. 41. G. t. 26,</i> <i>f. E. C. 2, t. 64, f. 717.</i> <i>E. M. t. 322, f. 12.</i>	Amboyna.



CONT.





Plat.

CONUS.



CYPREA.



Linn. names. *Gm.* *Engl. names.* *Synonyms.* *Habitat.*

XXI. CYPRÆA. COWRY.

- | | | | | |
|---|--------------|------|--------------------|---|
| 1 | Exanthema | 3397 | spotted | <i>L. t.</i> 697, <i>f.</i> 44 to 699,
<i>f.</i> 46. <i>G. t.</i> 16, <i>f.</i> O. <i>C.</i> 1,
<i>t.</i> 28, <i>f.</i> 239, <i>t.</i> 29, <i>f.</i> 298-
300. <i>E. M. t.</i> 349 & 353,
<i>f.</i> 3. American Ocean. |
| 2 | Mappa | 3397 | Map | <i>F. t.</i> 29, <i>f.</i> A. 3. <i>C.</i> 1, <i>t.</i> 25,
<i>f.</i> 245-6. <i>E. M. t.</i> 352,
<i>f.</i> 4. Amboyne. |
| 3 | Arabica | | Arabic | <i>L. t.</i> 658, <i>f.</i> 3. <i>G. t.</i> 16, <i>f.</i> V.
<i>C. t.</i> 31, <i>f.</i> 328-30. <i>E. M.</i>
<i>t.</i> 352, <i>f.</i> 2 & 5. Madagascar. |
| 4 | Histrio | 3403 | Harlequin | <i>L. t.</i> 659, <i>f.</i> 3. a. <i>C.</i> 10,
<i>t.</i> 145, <i>f.</i> 1346-7. Amboyne. |
| 5 | Argus | 3398 | Argus | <i>L. t.</i> 705, <i>f.</i> 54. <i>G. t.</i> 16,
<i>f.</i> T. <i>C.</i> 1, <i>t.</i> 28, <i>f.</i> 285-6
& 10, <i>t.</i> 145, <i>f.</i> 1344-5.
<i>E. M. t.</i> 350, <i>f.</i> 1. ——— |
| 6 | testudinaria | 3399 | Tortoise-
shell | <i>L. t.</i> 689, <i>f.</i> 36. <i>C.</i> 1, <i>t.</i> 27,
<i>f.</i> 271-2. <i>E. M. t.</i> 351,
<i>f.</i> 2. Ceylon. |
| 7 | stercoraria | 3399 | livid, speckl. | <i>L. t.</i> 687, <i>f.</i> 34. <i>C.</i> 11, <i>t.</i> 180,
<i>f.</i> 1739-40. <i>E. M. t.</i> 354,
<i>f.</i> 5. Guinea. |
| 8 | Aurantium | 3403 | Orange | <i>F. t.</i> 30, <i>f.</i> S. <i>C.</i> 11, <i>t.</i> 180,
<i>f.</i> 1737-8. Friendly Islands. |
| 9 | carneola | 3400 | flesh-colour. | <i>L. t.</i> 664, <i>f.</i> 3. <i>G. t.</i> 30, <i>f.</i> H.
<i>C.</i> 1, <i>t.</i> 28, <i>f.</i> 287-8.
<i>E. M. t.</i> 354, <i>f.</i> 3. Amboyne. |

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
10 Talpa	3400	Mole	<i>L. t.</i> 668, <i>f.</i> 14. <i>G. t.</i> 16, <i>f.</i> N. <i>C.</i> 1, <i>t.</i> 27, <i>f.</i> 273-4. <i>E. M. t.</i> 353, <i>f.</i> 4.	Asia.
11 lurida	3401	lurid	<i>L. t.</i> 671, <i>f.</i> 17 & 673, <i>f.</i> 19. <i>G. t.</i> 13, <i>f.</i> E. T. <i>C.</i> 1, <i>t.</i> 30, <i>f.</i> 315. <i>E. M. t.</i> 354, <i>f.</i> 2.	South America.
12 Vanelli	3402	saffron-throated	<i>L. t.</i> 684, <i>f.</i> 31. <i>C.</i> 1, <i>t.</i> 25, <i>f.</i> 250-1.	Barbadoes.
13 Iota	3402	white	<i>G. t.</i> 16, <i>f.</i> C. <i>C.</i> 1, <i>t.</i> 30, <i>f.</i> 322.	Sicily.
14 guttata	3402	dotted	<i>L. t.</i> 676, <i>f.</i> 23. <i>G. t.</i> 16, <i>f.</i> 1. <i>C.</i> 1, <i>t.</i> 25, <i>f.</i> 252-3.	U.
15 sanguinolenta	3406	sanguine	<i>C.</i> 1, <i>t.</i> 26, <i>f.</i> 265-6. <i>E. M. t.</i> 356, <i>f.</i> 12.	U.
16 undulata	3406	waved	<i>C.</i> 10, <i>t.</i> 144, <i>f.</i> 1337.	Mauritius.
17 teres	3405	long	<i>S. Einl.</i> 1, <i>p.</i> 161, <i>t.</i> 1, <i>f.</i> 7.	U.
18 achatina		Agate	<i>M. U. C.</i> 1, <i>t.</i> 14.	Otaheite.
19 Caput serpentis	3406	Snake's-head	<i>L. t.</i> 702, <i>f.</i> 50 & 704, <i>f.</i> 53. <i>G. t.</i> 15, <i>f.</i> I. O. <i>C.</i> 1, <i>t.</i> 30, <i>f.</i> 316. <i>E. M. t.</i> 354, <i>f.</i> 4, a. b.	_____
20 Mauritiania	3407	blackish-brown	<i>L. t.</i> 703, <i>f.</i> 52. <i>G. t.</i> 15, <i>f.</i> S. T. <i>C.</i> 1, <i>t.</i> 30, <i>f.</i> 317. <i>E. M. t.</i> 350, <i>f.</i> 2. a. b.	Mauritius, Amboyna.
21 Vitellus	3407	white-spotted	<i>L. t.</i> 693, <i>f.</i> 40. <i>G. t.</i> 13, <i>f.</i> T. V. <i>C.</i> 1, <i>t.</i> 23, <i>f.</i> 228. <i>E. M. t.</i> 354, <i>f.</i> 6.	Amboyna.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
22 Mus	3407	Mouse	<i>F. t.</i> 30, <i>f.</i> A. <i>C. 1, t.</i> 23, <i>f.</i> 222-3. <i>E. M. t.</i> 354, <i>f.</i> 1.	Amboyna.
23 Tigris	3408	Tiger	<i>L. t.</i> 682, <i>f.</i> 29. <i>G. t.</i> 14, <i>f.</i> G. I. L. <i>C. 1, t.</i> 24, <i>f.</i> 232-4. <i>E. M. t.</i> 353, <i>f.</i> 3.	_____
24 pantherina		Panther	<i>L. t.</i> 681, <i>f.</i> 28. <i>G. t.</i> 14, <i>f.</i> II. <i>C. 1, t.</i> 24, <i>f.</i> 235-6.	Mediterranean.
25 Lynx	3409	Lynx	<i>L.</i> 683, <i>f.</i> 30. <i>G. t.</i> 13, <i>f.</i> Z. <i>C. 1, t.</i> 23, <i>f.</i> 230-1. <i>E. M. t.</i> 355, <i>f.</i> 8.	Mauritius.
26 felina	3412	feline	<i>L. t.</i> 680, <i>f.</i> 7. <i>C. 1, t.</i> 28, <i>f.</i> 283-4.	Maldives.
27 cinerea	3402	ash-coloured	<i>L. t.</i> 667, <i>f.</i> 11 & 670, <i>f.</i> 16. <i>G. t.</i> 16, <i>f.</i> M. <i>C. 1, t.</i> 25, <i>f.</i> 254-5.	W. Indies.
28 Isabella	3409	yellow	<i>L. t.</i> 660, <i>f.</i> 4. <i>C. 1, t.</i> 27, <i>f.</i> 275. <i>E. M. t.</i> 355, <i>f.</i> 6.	Amboyna.
29 cylindrica	3405	cylindrical	<i>B. t.</i> 8, <i>f.</i> 10.	U.
30 Scurra	3409	green-spot.	<i>C. 10, t.</i> 144, <i>f.</i> 1338. a. b. <i>E. M. t.</i> 352, <i>f.</i> 3.	Eastern Ocean.
31 Onyx	3410	Onyx	<i>L. t.</i> 657, <i>f.</i> 2. <i>G. t.</i> 15, <i>f.</i> N, <i>C. 1, t.</i> 26, <i>f.</i> 269-70.	Asia.
32 subflava	3413	yellowish	<i>G. t.</i> 13, <i>f.</i> D.	U.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
33 zic-zac	3410	zig-zag	<i>L. t.</i> 661, <i>f.</i> 5. <i>C.</i> 1, <i>t.</i> 22, <i>f.</i> 224-7. <i>E. M. t.</i> 356, <i>f.</i> 11. E. Indian Ocean.	
34 zonaria	3414	zoned	<i>C.</i> 10, <i>t.</i> 145, <i>f.</i> 1342.	Guinea.
35 Hirundo	3411	Swallow	<i>L. t.</i> 674, <i>f.</i> 20. <i>C.</i> 1, <i>t.</i> 23, <i>f.</i> 283. <i>E. M. t.</i> 356, <i>f.</i> 6.	Maldives.
36 Ursellus	3411	brown-spot.	<i>G. t.</i> 15, <i>f.</i> L. <i>C.</i> 1, <i>t.</i> 24, <i>f.</i> 241.	U.
37 lutea	3414	yellow	<i>G. Z. t.</i> 19, <i>f.</i> 17. <i>S. Einl.</i> 1, <i>p.</i> 168.	U.
38 Asellus	3411	3-banded	<i>L. t.</i> 666, <i>f.</i> 10. <i>G. t.</i> 15, <i>f.</i> M. <i>C.</i> 1, <i>t.</i> 27, <i>f.</i> 280. <i>E. M. t.</i> 356, <i>f.</i> 5.	Amboyna.
39 Errones	3411	olive-mot- tled	<i>C.</i> 1, <i>t.</i> 27, <i>f.</i> 278-9.	E. Indies.
40 Pyrum	3411	Pear	<i>G. t.</i> 14, <i>f.</i> E. <i>C.</i> 1, <i>f.</i> 267-8.	Mediterranean.
41 punctata	3414	dotted	<i>C.</i> 1, <i>t.</i> 28, <i>f.</i> 290-1. <i>E. M.</i> <i>t.</i> 355, <i>f.</i> 10.	U.
42 cribraria	3414	umbilicated	<i>L. t.</i> 695, <i>f.</i> 42. <i>C.</i> 1, <i>t.</i> 31, <i>f.</i> 336. <i>E. M. t.</i> 355, <i>f.</i> 5.	China.
43 Moneta	3414	Money	<i>L. t.</i> 709, <i>f.</i> 59. <i>G. t.</i> 14, <i>f.</i> 3-5. <i>C.</i> 1, <i>t.</i> 31, <i>f.</i> 337- 40. <i>E. M. t.</i> 356, <i>f.</i> 3.	E. Indies.
44 Annulus	3415	ringed	<i>G. t.</i> 14, <i>f.</i> 1, 2. <i>C.</i> 1, <i>t.</i> 24, <i>f.</i> 239-40. <i>E. M. t.</i> 356, <i>f.</i> 7.	Amboyna.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
45 Caurica	3415	thick-edged	<i>L. t.</i> 677, <i>f.</i> 24. <i>G. t.</i> 15, <i>f.</i> A.A. <i>C. t.</i> 29, <i>f.</i> 301-2. <i>E. M. t.</i> 356, <i>f.</i> 10. Madagascar.	
46 stolidia	3416	angular- marked	<i>B. t.</i> 8, <i>f.</i> 12. <i>C. 1, t.</i> 28, <i>f.</i> 292-3.	Amboyna.
47 cruenta	3420	ferruginous	<i>G. t.</i> 15, <i>f.</i> E. <i>C. 1, t.</i> 29, <i>f.</i> 303. <i>E. M. t.</i> 353, <i>f.</i> 2. —	
48 erosa	3415	bordered	<i>L. t.</i> 692, <i>f.</i> 39. <i>G. t.</i> 15, <i>f.</i> H. <i>C. 1, t.</i> 30, <i>f.</i> 320-1. <i>E. M. t.</i> 355, <i>f.</i> 4.	Mauritius.
49 spurca	3416	narrow- margined	<i>C. 1, t.</i> 31, <i>f.</i> 335.	Mediterranean.
50 rubiginosa	3420	square-spot.	<i>F. t.</i> 29, <i>f.</i> S. <i>C. 1, t.</i> 29, <i>f.</i> 305 & 11, <i>t.</i> 180, <i>f.</i> 1743-4.	Eastern Ocean.
51 tabescens		glaucous	<i>L. t.</i> 678, <i>f.</i> 25. <i>C. 1, t.</i> 28, <i>f.</i> 294-5.	Amboyna.
52 angustata	3421	narrow	<i>G. t.</i> 13, <i>f.</i> Q.Q.	U.
53 helvola	3417	star	<i>L. t.</i> 691, <i>f.</i> 38. <i>G. t.</i> 15, <i>f.</i> B.B. <i>C. 1, t.</i> 30, <i>f.</i> 326- 7. <i>E. M. t.</i> 356, <i>f.</i> 13.	Amboyna.
54 ocellata	3417	eyed	<i>L. t.</i> 696, <i>f.</i> 43. <i>F. t.</i> 29, <i>f.</i> B.5. <i>C. 1, t.</i> 31. <i>f.</i> 333- 4. <i>E. M. t.</i> 355, <i>f.</i> 7.	Indian Ocean.
55 poraria	3417	white-spot.	<i>L. t.</i> 694, <i>f.</i> 41. <i>C. 1, t.</i> 24, <i>f.</i> 237-8. <i>E. M. t.</i> 356, <i>f.</i> 4.	Jamaica.
56 gangrenosa	3417	gangrene [<i>poraria</i> α.]	<i>C. 1, t.</i> 30, <i>f.</i> 324-5.	China.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
57 fimbriata	3420	fimbriated	<i>C.t.</i> 26, <i>f.</i> 263-4.	u.
58 Oniscus		Wood-louse	<i>L. t.</i> 706, <i>f.</i> 35. <i>F. t.</i> 29, <i>f.</i> H.3. <i>C.1, t.</i> 29, <i>f.</i> 306- 8.	Adriatic.
59 sulcata	3418	sulcated	<i>L. t.</i> 706, <i>f.</i> 56. <i>G. t.</i> 15, <i>f.</i> R. <i>C.1, t.</i> 29, <i>f.</i> 310-11. <i>E. M. t.</i> 356, <i>f.</i> 1.a.	W. Indies.
60 Pediculus	3418	Sea-louse	<i>L. t.</i> 707, <i>f.</i> 57. <i>C.1, t.</i> 29, <i>f.</i> 309. <i>D. 2, t.</i> 43. <i>M.</i> <i>p.</i> 200. <i>E. M. t.</i> 356, <i>f.</i> 1.b.	Britain.
61 Madagasca- riensis	3419	Madagascar	<i>L. t.</i> 710, <i>f.</i> 61.	Madagascar.
62 Nucleus	3418	wrinkled	<i>G. t.</i> 14, <i>f.</i> Q. R. S. <i>C. 1,</i> <i>t.</i> 29, <i>f.</i> 312. <i>E. M.</i> <i>t.</i> 355, <i>f.</i> 3.	Isl. of Nussatella.
63 pustulata		Pustule	<i>L. t.</i> 710, <i>f.</i> 62.	China.
64 staphylea	3419	groove- backed	<i>L. t.</i> 78, <i>f.</i> 58. <i>G. t.</i> 14, <i>f.</i> T. <i>C. 1, t.</i> 29, <i>f.</i> 313-14. <i>E. M. t.</i> 356, <i>f.</i> 9.	E. Indies.
65 Cicercula	3419	Vetch	<i>L. t.</i> 710, <i>f.</i> 60. <i>C. 1, t.</i> 24, <i>f.</i> 243-4. <i>E. M. t.</i> 355, <i>f.</i> 1.	Amboyna.
66 Margarita		Pearl	<i>G. t.</i> 14, <i>f.</i> M. <i>C. 1, t.</i> 24, <i>f.</i> 242. <i>E. M. t.</i> 356, <i>f.</i> 2.	_____
67 Globulus	3419	globular	<i>G. t.</i> 14, <i>f.</i> N. <i>C.10, t.</i> 145, <i>f.</i> 1339-40.	_____
68 minuta	3406	minute	<i>S. Einl.</i> 1, <i>p.</i> 65, no. 121.	u.





Linn. names. *Gm. Engl. names.* *Synonyms.* *Habitat.*

XXII. BULLA. DIPPER.

- | | | |
|--------------|---------------------------|---|
| 1 Ovum | 3422 Egg | <i>L.t.</i> 711, <i>f.</i> 65. <i>G. t.</i> 15,
<i>f.</i> A.B. <i>C.1, t.</i> 22, <i>f.</i> 205-
6. <i>E.M.t.</i> 358, <i>f.</i> 1. Amboyna. |
| 2 imperialis | crumpled | <i>M.U.C.t.</i> 60. Friendly Islands. |
| 3 Volva | 3422 Weaver's-
shuttle | <i>L. t.</i> 711, <i>f.</i> 63. <i>F. t.</i> 30,
<i>f.</i> K.2. <i>C.1, t.</i> 23, <i>f.</i> 218-
19. <i>E.M.t.</i> 357, <i>f.</i> 3. Japan. |
| 4 carnea | 3434 flesh-colour. | <i>E.M.t.</i> 357, <i>f.</i> 2. Africa. |
| 5 lepida | orange-coloured | <i>P.G.t.</i> 66, <i>f.</i> 2, 3. Leghorn. |
| 6 birostris | 3423 lesser-shut-
tle | <i>F.t.</i> 30, <i>f.</i> K.1. <i>C. 1, t.</i> 24,
<i>f.</i> 217.a.b. <i>E.M. t.</i> 357,
<i>f.</i> 1.a.b. China. |
| 7 Secale | Rye-shaped | <i>L.t.</i> 711, <i>f.</i> 66. West Indies. |
| 8 patula | patulous | <i>D. 4, t.</i> 142. <i>M.p.</i> 207. Britain. |
| 9 Spelta | 3423 oblong | <i>L.t.</i> 712, <i>f.</i> 63. <i>G.t.</i> 15, <i>f.</i> 4.
<i>C.t.</i> 23, <i>f.</i> 215-16. Mediter. |
| 10 verrucosa | 3423 warty | <i>L. t.</i> 712, <i>f.</i> 67. <i>G. t.</i> 16,
<i>f.</i> F. <i>C. t.</i> 32, <i>f.</i> 220-1.
<i>E.M.t.</i> 357, <i>f.</i> 5. Amboyna. |
| 11 gibbosa | 3423 belted | <i>L. t.</i> 711, <i>f.</i> 64. <i>G. t.</i> 15,
<i>f.</i> 3. <i>C.1, t.</i> 22, <i>f.</i> 211-14.
<i>E.M.t.</i> 357, <i>f.</i> 4. Brazil. |
| 12 Naucum | 3424 Sea-nut | <i>L. t.</i> 714, <i>f.</i> 73. <i>G. t.</i> 13,
<i>f.</i> G.G. <i>C.1, t.</i> 22, <i>f.</i> 200-
1. <i>E.M.t.</i> 359, <i>f.</i> 5. a.b.
Amboyna. |

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
13 ferruginosa	3432	rust-spotted	<i>C. 1, t. 22, f. 209-10.</i>	<i>v.</i>
14 aperta	3424	wide	<i>C. 10, t. 146, f. 1354-5.</i> <i>D. 4, t. 120. M.p. 208.</i> <i>Vign. 2, f. 1-4.</i>	Britain, &c.
15 Catena		Chain	<i>M.p. 215, t. 7, f. 7.</i>	————
16 Plumula		Feather	<i>M. p. 214, t. 15, f. 9. &</i> <i>Vign. 2, f. 5.</i>	Britain.
17 Hydatis	3424	Paper	<i>G.t. 13, f. D.D. C. 1, t. 21,</i> <i>f. 119. & 11, t. 118,</i> <i>f. 1019.</i>	
18 Ampulla	3425	Pewit's egg	<i>L. t. 713, f. 69 & t. 1056,</i> <i>f. 3. G.t. 12, f. E. C. 1,</i> <i>t. 21, f. 183-93. E. M.</i> <i>t. 358, f. 3.a.b.</i>	Amboyna.
19 Amygdalus	3425 β	Almond	<i>L. t. 714, f. 72. G. t. 12,</i> <i>f. F.I. C. 1, t. 22, f. 202-4.</i> <i>E. M. t. 358, f. 2.a.b. M.</i> <i>p. 206, t. 7, f. 1. Ampulla.</i>	W. Indies.
20 lignaria	3425	brown- striated	<i>L. t. 714, f. 71. C. 1, t. 21,</i> <i>f. 194-5. E. M. t. 359,</i> <i>f. 3. M.p. 205.</i>	Britain, &c.
21 pectinata		pectinated	<i>M. Z. D. 2, p. 41, t. 71, f. 10.</i> <i>E. M. t. 360, f. 3.a.b.c.</i>	C. of Denmark.
22 soluta	3434	unsealed	<i>C. 10, t. 46, f. 1359-61.</i>	Ceylon.
23 Akera	3434	elastic	<i>C. 10, t. 146, f. 1358. D.</i> <i>t. 79. M.p. 219.</i>	Britain, &c.
24 Physis	3425	striped	<i>G.t. 13, f. F.F. C. 1, t. 21,</i> <i>f. 196-7. E. M. t. 359,</i> <i>f. 4.</i>	E. Indies.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
25 nitidula		brittle	<i>L.t.</i> 715, <i>f.</i> 74. <i>C.</i> 1, <i>p.</i> 274, <i>f.</i> 4, 5.	W. Indies,
26 Amplustre	3426	banded	<i>C.</i> 10, <i>t.</i> 146, <i>f.</i> 1350-1. <i>E.M.t.</i> 359, <i>f.</i> 2.	China,
27 Velum	3433	zoned	<i>C.</i> 10, <i>t.</i> 146, <i>f.</i> 1348-9. <i>E.M.t.</i> 359, <i>f.</i> 1.a.b.	Tranquebar,
28 scabra	3434	rough	<i>C.</i> 10, <i>t.</i> 146, <i>f.</i> 1352-3.	Java.
29 Ficus	3426	Fig	<i>L. t.</i> 750 & 751. <i>G. t.</i> 26, <i>f.</i> M. <i>C.</i> 3, <i>t.</i> 66, <i>f.</i> 733-5. <i>E.M.t.</i> 432, <i>f.</i> 1, 2.	Amboyna,
30 Pyrum		Pear	<i>L. t.</i> 877, <i>f.</i> 1. <i>C.</i> 3, <i>t.</i> 66, <i>f.</i> 736-7.	U.
31 Rapa	3426	turnip-shap.	<i>C.</i> 3, <i>t.</i> 68, <i>f.</i> 747-9.	China.
32 canaliculata	3427	channelled	<i>L.S.N.p.</i> 1185.	U.
33 conoidea	3427	conoidal	<i>L.S.N.p.</i> 1185.	U.
34 Voluta	3433	volute	<i>C.</i> 9, <i>t.</i> 117, <i>f.</i> 1009-10.	U.
35 Dominicensis	3433	nine-whirled	<i>C.</i> 9, <i>t.</i> 117, <i>f.</i> 1011.	St. Domingo,
36 crassula		reversed	<i>L.t.</i> 135, <i>f.</i> 35. <i>C.</i> 9, <i>t.</i> 103, <i>f.</i> 879-80.	W. Indies,
37 fontinalis	3427	fresh-water	<i>L. t.</i> 134, <i>f.</i> 34. <i>G. t.</i> 5, <i>f.</i> C.C. <i>D.</i> 5, <i>t.</i> 168, <i>f.</i> 2. <i>M.p.</i> 226. Rivers in Britain, &c;	
38 rivalis		river	<i>F.t.</i> 61, <i>f.</i> E. 6. <i>C.</i> 9, <i>t.</i> 103, <i>f.</i> 877-8, <i>M.Suppl.p.</i> 97.	Britain, &c.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
39 Hypnorum	3665	slender	<i>L.t.</i> 1059, <i>f.</i> 5. <i>C.9</i> , <i>t.</i> 103, <i>f.</i> 382-3. <i>a. b. c. M.</i> <i>p.</i> 228. <i>L.T.</i> 3, <i>t.</i> 4, <i>f.</i> 3.	Britain, &c. Fr.w.
40 gelatinosa	3428	gelatinous	<i>S.Fluss.p.</i> 293	Denmark. Fr.w.
41 Terebellum	3428	awl-shaped	<i>L.t.</i> 736, <i>f.</i> 30-1. <i>G.t.</i> 23, <i>f.</i> O. <i>C.2</i> , <i>t.</i> 51, <i>f.</i> 568-9 & 10, <i>t.</i> 146, <i>f.</i> 1362-3. <i>E.M.t.</i> 360, <i>f.</i> 1.a.b.c.	Amboyana.
42 Cypræa		cowry-form	<i>C.2</i> , <i>t.</i> 65, <i>f.</i> 731.	Mediterranean.
43 ventricosa		ventricose	<i>L.t.</i> 746, <i>f.</i> 40.	U.
44 ampla	3467	wide-mouth	<i>C.2</i> , <i>t.</i> 65, <i>f.</i> 722.	U.
45 virginea	3429	ribbon	<i>L.t.</i> 15, <i>f.</i> 10. <i>G.t.</i> 6, <i>f.</i> A. <i>C.9</i> , <i>t.</i> 117, <i>f.</i> 1000-3.	W.Indies.
46 fasciata	3430	banded	<i>L.t.</i> 12, <i>f.</i> 7. <i>G.t.</i> 6, <i>f.</i> C.D. <i>C.9</i> , <i>t.</i> 117, <i>f.</i> 1004-6.	E. & W. Indies.
47 strigata	3430	yel.-streaked	<i>M.V.</i> 2, <i>p.</i> 148.	U.
48 striatula	3430	striated	<i>Br.E.M.p.</i> 329.	U.
49 exarata	3431	wrinkled	<i>C.9</i> , <i>t.</i> 120, <i>f.</i> 1031-2.	Guinea.
50 truncata	3434	truncated	<i>C.9</i> , <i>t.</i> 120, <i>f.</i> 1028-30.	U.
51 Priamus		Priam	<i>Br. E. M. p.</i> 360. <i>C. 9</i> , <i>t.</i> 120, <i>f.</i> 1026-7.	W. Indies.
52 Zebra	3431	Zebra	<i>L.t.</i> 580, <i>f.</i> 34. <i>C.9</i> , <i>t.</i> 118, <i>f.</i> 1015-16.	Guinea.





<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
53 achatina	3432	broad-strip.	<i>L. t.</i> 579, <i>f.</i> 34. <i>G. t.</i> 45, <i>f.</i> B. C. 9, <i>t.</i> 118, <i>f.</i> 1012- 13.	E. Indies.
54 purpurea	3433	purple- mouthed	<i>L. t.</i> 581, <i>f.</i> 35. <i>C. 9, t.</i> 118, <i>f.</i> 1017-18.	Africa.
55 bicarinata		double-keeled	<i>L. t.</i> 37, <i>f.</i> 36. <i>C. 9, t.</i> 103, <i>f.</i> 875-6.	U.
56 cylindrica	3433	cylindric	<i>F. t.</i> 27, <i>f.</i> F. 5. <i>C. 10, t.</i> 146, <i>f.</i> 1356-7. <i>E. M. t.</i> 360, <i>f.</i> 2.	S. Sea.
57 cylindracea		cylindrical	<i>L. t.</i> 714, <i>f.</i> 70. <i>D. 4, t.</i> 120, <i>f.</i> 2. <i>M. p.</i> 221, <i>t.</i> 7, <i>f.</i> 2.	Britain.
58 umbilicata		umbilicated	<i>M. p.</i> 222, <i>t.</i> 7, <i>f.</i> 4.	—
59 retusa		blunt	<i>M. t.</i> 7, <i>f.</i> 5. <i>L. T.</i> 8, <i>p.</i> 128 & 5, <i>t.</i> 1, <i>f.</i> 1, 2.	—
60 obtusa		obtuse	<i>M. p.</i> 223, <i>t.</i> 7, <i>f.</i> 3.	—
61 haliotoidea		Venus' ear	<i>C. 1, t.</i> 16, <i>f.</i> 151-3. <i>M.</i> <i>p.</i> 211, <i>t.</i> 7, <i>f.</i> 6. <i>L. T.</i> 8, <i>p.</i> 123.	—

XXIII. VOLUTA.

VOLUTE.

- 1 Auris Midæ 3435 Midas' ear *L. t.* 1058, *f.* 6. *G. t.* 55,
f. G. C. 2, *t.* 43, *f.* 436-8.
E. M. t. 460, *f.* 6. E. Indies.
- 2 Auris Judæ 3437 Judas' ear *L. t.* 32, *f.* 30. *C. 2, t.* 44,
f. 449-51. Malacca.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
3 <i>Australis</i>		Southern	<i>C.9, t.121, f.1039-40.</i>	New Holland.
4 <i>Auris Malchi</i>	3437	Malchus' ear	<i>C.9, t.121, f.1037-8.</i>	U.
5 <i>glabra</i>	3436	smooth	<i>C.2, t.43, f.447-8.</i>	U.
6 <i>Auris Sileni</i>	3436	Silenus' ear	<i>B.t.9, f.3.4. C.9, t.176, f.1701-2. E.M. t.460, f.4.</i>	U.
7 <i>fasciata</i>		banded	<i>C.9, t.121, f.1041.</i>	Australasia.
8 <i>Auris virginis</i>		Virgin's ear	<i>L.t.24, f.22. C.9, t.121, f.1042.</i>	E. Indies.
9 <i>Auris vulpina</i>		Fox's ear	<i>C.9, t.210, f.2086-7.</i>	St. Helena.
10 <i>Auris cati</i>		Cat's ear	<i>C.9, t.177, f.1711-12.</i>	U.
11 <i>tornatilis</i>	3437	double-band.	<i>L.t.835, f.58. C.2, t.43, f.442-3. E. M. t.452, f.3.D.2, t.57. M.p.231.</i>	Britain.
12 <i>flammen</i>	3435	variegated	<i>L.t.814, f.24. C.2, t.43, f.439. E.M.t.452, f.1.</i>	U.
13 <i>solidula</i>	3437	strong	<i>C.2, t.43, f.440-1.</i>	China.
14 <i>livida</i>	3438	livid	<i>G.t.25, f.B.</i>	Africa.
15 <i>Coffeæ</i>	3438	coffee-col.	<i>L. t. 834, f. 59. F. t. 65, f. H. 7. C. 9, t. 121, f. 1043. E. M. t. 460, f.5.</i>	Barbadoes.
16 <i>minuta</i>	3436	minute	<i>L. t. 834, f. 60. F. t. 65, f.H.8. C.2, t.43, f.445.</i>	——
17 <i>flava</i>	3436	yellow	<i>C.2, t.43, f.444.</i>	E. Indies.
18 <i>denticulata</i>		toothed	<i>M.p.234, t.20, f.5.</i>	Britain.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
19 triplicata		3-toothed	<i>D. 4, t. 138. M. Suppl.</i> <i>p.99.</i>	Guernsey.
20 pusilla	3436	small oval	<i>F.t.65, f.H.4. C. 2, t. 43,</i> <i>f.446.</i>	U.
21 bidentata		double-toothed	<i>M.Suppl.p.100, t.30, f.2.</i>	Britain.
22 alba		white	<i>W.M.S.f.61. M.p.225.</i>	—
23 pellucida		pellucid	<i>W.M.S.f.46. M.t.12, f.6.</i>	—
24 unidentata		single-toothed	<i>L.T.8, p.131.</i>	—
25 interstincta		divided	<i>L. T. 3, t. 13, f. 23-4. M.</i> <i>t.12, f.10.</i>	—
26 insculpta		engraved	<i>M.Suppl.p.129.</i>	—
27 plicata		plaited	<i>M.t.21, f.2. L.T.8, p.131.</i>	—
28 ambigua		doubtful	<i>M.Suppl.t.21, f.4. L.T.8,</i> <i>p.132.</i>	—
29 Porphyrea	3438	Porphyry	<i>G. t. 24, f. P. C. 2, t. 46,</i> <i>f. 485-6. E. M. t. 361,</i> <i>f.4.</i>	W. Indies.
30 erythrostoma		orange-marbled	<i>L.t.727, f.14. G.t.24, f.O.</i> <i>C. 2, t. 45, f. 476-7.</i> <i>E.M.t.361, f.2.</i>	Amboyna.
31 oliva	3439	olive	<i>L. t. 728, f. 15. G. t. 24,</i> <i>f. F. C. 2, t. 51, f. 559.</i> <i>E. M.t.362, f.5.</i>	—
32 cruenta		orange throated	<i>L. t. 720, f. 4, 5. G. t. 23,</i> <i>f.Q. C.2, t.46, f.491-2.</i> <i>E.M.t.368, f.2.</i>	—
33 annulata	3441	ringed	<i>L. t. 717, f. 1. C. 2, t. 51,</i> <i>f.564. E.M.t.363, f.2.</i>	Isle of France.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
34 <i>ventricosa</i>		ventricose	<i>L. t.</i> 735, <i>f.</i> 25. <i>F. t.</i> 19, <i>f.</i> E. 2. <i>C. 2, t.</i> 47, <i>f.</i> 507-8 & 10, <i>i.</i> 147, <i>f.</i> 1373. <i>E. M. t.</i> 364, <i>f.</i> 7.	Moluccas.
35 <i>incrassata</i>		thickened	<i>C. 2, t.</i> 47, <i>f.</i> 499, 500. <i>E. M. t.</i> 363, <i>f.</i> 6.	_____
36 <i>pinguis</i>		Quaker olive	<i>C. 10, t.</i> 147, <i>f.</i> 1367-8.	Brasil.
37 <i>Utriculus</i>	3441	gibbous	<i>L. t.</i> 723, <i>f.</i> 10 & 730, <i>f.</i> 19. <i>G. t.</i> 24, <i>f.</i> G. <i>C. 2, t.</i> 49, <i>f.</i> 539-40. <i>E. M. t.</i> 365, <i>f.</i> 6.	Coromandel.
38 <i>Ispidula</i>		enamelled	<i>L. t.</i> 722, <i>f.</i> 9. <i>F. t.</i> 19, <i>f.</i> A. <i>C. 2, t.</i> 50, <i>f.</i> 551-3. <i>E. M. t.</i> 368, <i>f.</i> 3 & 6.	Moluccas.
39 <i>hiatula</i>	3442	gaping	<i>L. t.</i> 729, <i>f.</i> 17. <i>C. 2, t.</i> 50, <i>f.</i> 555. <i>E. M. t.</i> 368, <i>f.</i> 5.	Africa.
40 <i>nivea</i>	3442	snowy	<i>F. 2, p.</i> 836, <i>t.</i> 19, <i>f.</i> I. 2. <i>C. 2, t.</i> 50, <i>f.</i> 557-8.	W. Indies.
41 <i>Jaspidca</i>	3442	Jasper	<i>L. t.</i> 725, <i>f.</i> 13. <i>F. 2, p.</i> 835, <i>f.</i> I. 2. <i>C. 2, t.</i> 50, <i>f.</i> 556.	Philippines.
42 <i>tigrina</i>		Tiger	<i>L. t.</i> 721, <i>f.</i> 6. <i>C. 2, t.</i> 46, <i>f.</i> 493-4. <i>E. M. t.</i> 368, <i>f.</i> 1.	Eastern Ocean.
43 <i>Carneola</i>	3443	Cornelian	<i>F. 2, p.</i> 829, <i>t.</i> 19, <i>f.</i> H. 2. <i>C. 2, t.</i> 46, <i>f.</i> 495. <i>E. M. t.</i> 365, <i>f.</i> 5.	Moluccas.
44 <i>micans</i>		little	<i>L. t.</i> 733, <i>f.</i> 22. <i>F. 2, p.</i> 837, <i>t.</i> 19, <i>f.</i> H. 1. <i>C. 2, t.</i> 50, <i>f.</i> 543-4. <i>E. M. t.</i> 363, <i>f.</i> 3.	_____

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
45 nitidula		delicate	<i>C.2, t.50, f. 545-7. E.M.</i> <i>t.363, f.4.</i>	Moluccas.
46 Oryza		Rice	<i>C.2, t.50, f.548.</i>	U.
47 Dactylus	3443	six-plaited	<i>L.t.813, f.23. C.10, t.150,</i> <i>f.1411-12. E.M.t.372,</i> <i>f.5.</i>	India.
48 fenestrata		eight-plaited	<i>G.t.28, f. P. E.M.t.372,</i> <i>f.3.</i>	—
49 crenulata	3452	crenulated	<i>L. t. 813, f. 23. a. C. 10,</i> <i>t.150, f.1413-14. E.M.</i> <i>t.372, f.4.a.b.</i>	E. Indies.
50 texturata		four-plaited	<i>L. t. 819, f. 36. G. t. 28,</i> <i>f.O. E.M.372, f.2.</i>	U.
51 Conus	3349	cone-shaped	<i>L. t. 814, f. 23. b. C. 10,</i> <i>t.150, f.1415-16. E.M.</i> <i>t.382, f.2.</i>	U.
52 Miliaria	3443	Millet	<i>C.2, t.42, f.428.</i>	Mediterranean.
53 Monilis	3443	Necklace	<i>C.2, t.42, f.426.</i>	China.
54 exilis	3444	brown-band.	<i>C.2, t.42, f.427.</i>	Senegal.
55 Persicula	3444	red spotted	<i>L. t. 803, f. 10. G. t. 28,</i> <i>f. C. D. E. C. 2, t. 42,</i> <i>f.421. E.M.t.377, f.3.</i>	Africa.
56 cingulata		red lined	<i>L.t.803, f.9. G.t.25, f.C.</i> <i>C. 2, t. 42, f. 419-20.</i> <i>E.M. t. 377, f.4.a.b.</i>	Cape Verde.
57 guttata		dotted	<i>C.2, t.42, f.417-18.</i>	Jamaica.
58 Porcellana	3449	Porcelain	<i>C. 10, t. 150, f. 1419-20.</i> <i>E. M.t.377, f.5.</i>	Ind. Ocean.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
59 pallida	3444	pallid	<i>L. t.</i> 714, <i>f.</i> 70. <i>E. M.</i> <i>t.</i> 384, <i>f.</i> 4. <i>D. t.</i> 66. <i>M.</i> <i>p.</i> 232.	Britain, &c
60 catenata		chain-spotted	<i>M. p.</i> 236, <i>t.</i> 6, <i>f.</i> 2 & <i>Suppl.</i> <i>p.</i> 104.	_____
61 laevis		smooth	<i>D.</i> 5, <i>t.</i> 165. <i>M. t.</i> 6, <i>f.</i> 7.	_____
62 marginata	3449	marginated	<i>F. t.</i> 29, <i>f.</i> E. <i>C.</i> 10, <i>t.</i> 150, <i>f.</i> 1421. <i>E. M. t.</i> 376, <i>f.</i> 9.	Guinea.
63 Faba	3445	Bean	<i>L. t.</i> 812, <i>f.</i> 22. <i>G. t.</i> 28, <i>f.</i> Q. <i>C.</i> 2, <i>t.</i> 42, <i>f.</i> 432-3. <i>E. M. t.</i> 377, <i>f.</i> 8.	Bombay.
64 glabella	3445	polished	<i>L. t.</i> 818, <i>f.</i> 29. <i>C.</i> 2, <i>t.</i> 42, <i>f.</i> 429. <i>E. M. t.</i> 377, <i>f.</i> 6. a. b.	Guinea.
65 picta		painted	<i>C.</i> 2, <i>t.</i> 42, <i>f.</i> 434-5. <i>E. M.</i> <i>t.</i> 377, <i>f.</i> 2.	Brasil.
66 Castanea		Chesnut	<i>C.</i> 2, <i>t.</i> 42, <i>f.</i> 430.	_____
67 strigata		wave-striped	<i>C.</i> 10, <i>t.</i> 150, <i>f.</i> 1423-4. <i>E. M. t.</i> 377, <i>f.</i> 7.	Guinea.
68 Prunum	3446	blueish grey	<i>C.</i> 2, <i>t.</i> 42, <i>f.</i> 422-3. <i>E. M.</i> <i>t.</i> 376, <i>f.</i> 8.	Island of Goree.
69 elegans	3448	elegant	<i>C.</i> 2, <i>t.</i> 42, <i>f.</i> 424-5.	U.
70 bullata	3452	bubble	<i>L. t.</i> 803, <i>f.</i> 11. <i>C.</i> 10, <i>t.</i> 150, <i>f.</i> 1409-10. <i>E. M. t.</i> 376, <i>f.</i> 5.	E. Indies.
71 reticulata	3446	reticulated	<i>L. t.</i> 830, <i>f.</i> 52. <i>C.</i> 3, <i>t.</i> 121, <i>f.</i> 1107-8. <i>E. M. t.</i> 375, <i>f.</i> 3.	W. Indies.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
72 Ziervogelii	3457	thick-lipped	<i>C. 10, t. 149, f. 1406. E. M.</i> <i>t. 375, f. 9.</i>	U.
73 mercatoria	3446	clouded	<i>L. t. 824, f. 43. G. t. 43,</i> <i>f. I. L. C. 2, t. 44, f. 452-8.</i> <i>E. M. t. 375, f. 4.</i>	Mediterr.
74 rustica	3447	rustic	<i>L. t. 824, f. 44. G. t. 43,</i> <i>f. C. E. G. H. C. 2, t. 44,</i> <i>f. 462-468-471. E. M.</i> <i>t. 375, f. 2.</i>	_____
75 paupercula	3448	Zebra	<i>L. t. 819, f. 35. G. t. 15,</i> <i>f. L. C. 4, t. 149, f. 1386-</i> <i>7 & 10, t. 150, f. 1417-</i> <i>18. E. M. t. 372, f. 8.</i>	_____
76 Pica		Magpie	<i>C. 11, t. 178, f. 1721-2.</i> <i>E. M. t. 372, f. 7.</i> Island of St. Bartholomew.	
77 ferrugata		bellied	<i>C. 4, t. 150, f. 1398-9.</i> <i>E. M. t. 375, f. 1.</i>	U.
78 patriarchalis	3460	Patriarch	<i>C. 10, t. 150, f. 1425-6.</i> <i>E. M. t. 374, f. 1.</i>	East Indies.
79 mendicaria	3448	black and white	<i>L. t. 826, f. 47. G. t. 52,</i> <i>f. E. C. 2, t. 44, f. 460-1.</i> <i>E. M. t. 375, f. 10.a.b.</i>	Mediterranean.
80 nana		dwarf	<i>C. 2, t. 44, f. 459.</i>	_____
81 microzonias		white-banded	<i>E. M. t. 374, f. 8.</i>	Indian Ocean.
82 cancellata	3448	latticed	<i>L. t. 830, f. 53-4. G. t. 48,</i> <i>f. D. E. C. 11, t. 179,</i> <i>f. 1727-8.</i>	Mediterranean.

<i>Linn. names.</i>	<i>Gm. Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
83 Nassa	3464 ribbed	<i>G.t.</i> 48, <i>f.</i> B.C. <i>C.</i> 4, <i>t.</i> 124, <i>f.</i> 1172-3.	Guinea
84 nucea	3449 nut	<i>G.Z.t.</i> 18, <i>f.</i> 11.	U.
85 Tringa	3449 decorticated	<i>L.t.</i> 825, <i>f.</i> 45. <i>G.t.</i> 45, <i>f.</i> B. <i>E.M.t.</i> 374, <i>f.</i> 10.	Mediterranean
86 Cornicula	3449 horn-colour.	<i>G.t.</i> 48, <i>f.</i> N. <i>C.</i> 11, <i>t.</i> 179, <i>f.</i> 1731-2.	_____
87 Schroeteri	Schroeter's	<i>C.</i> 11, <i>t.</i> 179, <i>f.</i> 1735-6. <i>E.M.t.</i> 371, <i>f.</i> 2.	Guinea
88 acuminata	3454 sharp-point.	<i>C.</i> 4, <i>t.</i> 150, <i>f.</i> 403-4.	Tranquebar
89 Virgo	3450 Virgin	<i>L.S.N.p.</i> 1192.	Hayman
90 filaris	3457 narrow	<i>L.Mant.p.</i> 548.	U.
91 filosa	3465 threaded	<i>G.t.</i> 53, <i>f.</i> H. <i>F.t.</i> 31, <i>f.</i> C.7. <i>C.</i> 4, <i>t.</i> 149, <i>f.</i> 1388-9 & 1391.	E. Indies
92 fissurata	straw-coloured	<i>E.M.t.</i> 371, <i>f.</i> 1.	U.
93 Barbadosensis	3455 striped	<i>L.t.</i> 819, <i>f.</i> 33. <i>E.M.t.</i> 372, <i>f.</i> 6.	Barbadoes
94 Clathrus	3457 cancellated	<i>S.Einl.</i> 1, <i>p.</i> 296. <i>K.</i> 3, <i>t.</i> 27, <i>f.</i> 3.	China
95 crenifera	crenulated	<i>E.M.t.</i> 370, <i>f.</i> 3.	Indian Seas
96 scabricula	roughly striated	<i>G.t.</i> 53, <i>f.</i> D. <i>C.</i> 11, <i>t.</i> 179, <i>f.</i> 1729-30. <i>E.M.t.</i> 371, <i>f.</i> 4,5.	China
97 exasperata	3453 granulous	<i>C.</i> 10, <i>t.</i> 151, <i>f.</i> 1440-1.	E. Indies
98 costata	3458 ribbed	<i>S.Einl.</i> 1, <i>p.</i> 302, <i>t.</i> 1, <i>f.</i> 7.	U.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
99 <i>granosa</i>	3453	grained	<i>C.10, t.151, f.1442-3.</i>	E. Indian Ocean.
100 <i>nodulosa</i>	3453	nodulous	<i>G.t.52, f.F.G. C.4, t.149, f.1385 & 1390.</i>	W. Indies.
101 <i>spadicea</i>	3454	five-plaited	<i>C.4, t.150, f.1392.</i>	U.
102 <i>decussata</i>	3454	decussated	<i>C.4, t.150, f.1395.</i>	U.
103 <i>Ruffina</i>	3450	reddish-yel.	<i>L. t. 822, f. 40. G. t. 54, f.G. C.4, t.147, f.1361. E.M.t.369, f.5.</i>	E. Ocean.
104 <i>variegata</i>	3457	variegated	<i>K.5, t.18, f.6.</i>	U.
105 <i>Sanguisuga</i>	3450	Leech	<i>L. t. 821, f. 38. G. t. 53, f.F. C.4, t.148, f.1373-4. E.M.t.373, f.10.</i>	Amboyra.
106 <i>Caffra</i>	3451	Caffre	<i>G.t.53, f. E. E.M.t.373, f.4. C.4, t.148, f.1369-70.</i>	Africa.
107 <i>Leucozonias</i>	3453	wh.-striped	<i>C.4, t.148, f.1371-2.</i>	U.
108 <i>Morio</i>	3451	tawny	<i>L.S.N.p.1193.</i>	West Indies.
109 <i>Vulpecula</i>	3451	foxy	<i>G. t. 54, f. B. C. E. M. t.373, f. 5. C. 4, t.148, f.1364-6.</i>	Amboyra.
110 <i>costellaris</i>		chequered	<i>G.t.54, f.D. E.M.t.373, f. 3. C. 10, t. 151, f.1436-7.</i>	E. Indian Ocean.
111 <i>subdivisa</i>	3453	subdivided	<i>E. M. t. 373, f. 1. C. 10, t.151, f. 1434-5.</i>	-----
112 <i>melongena</i>		fine-ribbed	<i>E.M.t.373, f.9.</i>	-----
113 <i>polygona</i>	3454	polygonal	<i>C.4, t.150, f.1401-2.</i>	-----

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
114 <i>tæniata</i>		Tænia	<i>C. 10, t. 151, f. 1444-5.</i> <i>E.M.t.373, f.7.</i>	Bombay.
115 <i>plicaria</i>	3452	folded	<i>L. t. 820, f. 37. G. t. 54,</i> <i>f. F. C. t. 148, f. 1362-</i> <i>3. E.M.t.373, f.6.</i>	China.
116 <i>rugosa</i>	3456	rugose	<i>G. t. 54, f. A & E. E.M.</i> <i>t.373, f.8.</i>	Indian Ocean.
117 <i>cruentata</i>	3453	knottyribbed	<i>C.10, t.151, f.1438-9.</i>	E. Indies.
118 <i>turrita</i>	3456	turreted	<i>L.t.836, f.62. C.4,t.141,</i> <i>f.1317-18.</i>	U.
119 <i>spiralis</i>	3464	spiral	<i>R.Mus.t.29, f.X.</i>	Indian Seas.
120 <i>aurantia</i>	3454	orange	<i>E. M. t. 375, f. 5. C. 4,</i> <i>t.150, f.1393-4.</i>	U.
121 <i>vitulina</i>		white-banded	<i>C.4,t.149, f.1380-1.</i>	Ind. Seas.
122 <i>scutulata</i>	3452	scutcheon	<i>C.10,t.151, f.1428-9.</i>	—
123 <i>nigra</i>	3452	black	<i>C.10,t.151, f.1430-1.</i>	Guinea.
124 <i>casta</i>	3453	brown-band.	<i>C. 10, p. 174, f.C.D.</i>	Amboyna.
125 <i>Acus</i>	3451	Needle	<i>C.4, t.157, f.1493-4.</i>	U.
126 <i>maculosa</i>	3453	spotted	<i>C.4, t.149, f.1377.</i>	U.
127 <i>biplicata</i>	3454	two-plaited	<i>C.4, t.149, f.1375.</i>	U.
128 <i>turricula</i>	3454	tower	<i>C.4, t.149, f.1376.</i>	U.
129 <i>lineata</i>	3454	white lined	<i>C.4, t.149, f.1378-9.</i>	Tarentum.
130 <i>sulcata</i>	3455	sulcated	<i>C.4, t.150, f.1407.</i>	Tranquebar.
131 <i>discors</i>	3455	discordant	<i>C.4, t.15, f.400.</i>	W. Indies.
132 <i>striata</i>	3455	striated	<i>C.4, t.15, f.1405-6.</i>	Minorca.
133 <i>lævigata</i>	3455	smooth	<i>C.4, t.150, f.1408.</i>	W. Indies.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
134 ocellata	3455	eyed	C.4, t.15, f.1409.	Mediterranean.
135 nasuta	3455	black-spot.	C.4, t.15, f.1410.	————
136 marmorea	3455	marbled	C.4, t.150, f.1411.	————
137 Abbatis	/	Abbot	C.11, t.177, f.1709-10.	E.Indies.
138 serpentina		serpentine	E.M.t.370, f.4.	————
139 olivaria		two-banded	E.M.t.371, f.3.	U.
140 nubila	3450	clouded	C.11, t.177, f.1705-6.	
				Friendly Islands.
141 pertusa	3458	punctured	L.t.838, f.65. E.M.t.369,	
	[Cardinalis.]		f.1. C.4, t.147, f.1358-9.	E.Indies.
142 digitalis		digital	E.t.31, f.D.3. E.M.t.370, f.5. C.10, t.151, f.1432-3.	————
143 episcopalis	3459	Mitre	L. t. 839, f. 66. G. t. 55, f.G. C.4, t.147, f.1360. E.M.t.369, f.2-4.	
				Asiatic Ocean.
144 papalis	3459	Papal Mitre	L. t. 839, f. 67. G. t. 53, f.I. C.4, t.147, f.1353-4. E.M.t.370, f.1.	Amboyna.
145 Thiara		Thiara	L. t. 840, f. 68. G. t. 53, f.I. C.4, t.147, f. 1355-6. E.M.t.370, f.2.	
				Madagascar.
146 coronata		Crown	E.M. t. 371, f. 6. C. 11, t.178, f.1719-20.	W. Indies.
147 Musica	3460	Music	L. t. 805, f. 14. G. t. 28, f.Z. C.3, t.96, f.927-9. E.M.t.380, f.1 & 3.	————

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
148 virescens		greenish	<i>E. M. t. 379, f. 1 & 382, f. 3. C. 3, t. 79, f. 932-3.</i>	Guinea.
149 plicata		plaited	<i>C. 10, t. 149, f. 1403-4.</i>	E. Indies.
150 Vexillum	3464	Banner	<i>F. t. 33, f. O. 1. E. M. t. 381, f. 1. C. 10, p. 152. f. A. B.</i>	Amboyna.
151 Vespertilio	3461	Bat	<i>L. t. 807, f. 16 & 808, f. 17. G. t. 28, f. F. G. I. M. C. 10, t. 149, f. 1397-1400. E. M. t. 382, f. 2.</i>	W. Indies.
152 imperialis		imperial	<i>C. 3, t. 97, f. 934-5. E. M. t. 382, f. 1.</i>	Str. of Malacca.
153 Pacifica	3461	nodulous	<i>C. 11, t. 173, f. 173-4.</i>	
		[<i>Arabica.</i>]		Pacific Ocean.
154 Ebræa	3461	Hebrew character	<i>L. t. 809, f. 18. E. M. t. 380, f. 2. C. 3, t. 96, f. 924-6.</i>	Jamaica.
155 Turbinellus	3462	turbinated	<i>L. t. 811, f. 20. F. t. 24, f. C. 2. C. 3, t. 99, f. 944.</i>	Amboyna.
156 Capitellum	3462	ridged	<i>G. t. 37, f. A. F. t. 24, f. C. 3. C. 3, t. 99, f. 947-8 & 11, t. 179, f. 1723-4.</i>	Indian Ocean.
157 Rhinoceros	3458	Rhinoceros	<i>C. 10, t. 150, f. 1407-8.</i>	New Guinea.
158 muricata		prickly	<i>L. t. 810, f. 19. C. 3, t. 99, f. 949-50.</i>	W. Indies.
159 Ceramica	3462	horned	<i>L. t. 829, f. 51. G. t. 55, f. D. C. 3, t. 99, f. 943.</i>	Moluccas.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
160 Pyrum	3403	pear-shaped	<i>L. t.</i> 315, <i>f.</i> 25. <i>G. t.</i> 46, <i>f.</i> C. C. 3, <i>t.</i> 95, <i>f.</i> 916. <i>E. M. t.</i> 390, <i>f.</i> 2. a. b. c.	Ceylon.
161 gravis		solid	<i>C. 3, t.</i> 95, <i>f.</i> 917. <i>E. M.</i> <i>t.</i> 390, <i>f.</i> 1.	Str. of Malacca.
162 globosa		globose	<i>C. 11, t.</i> 178, <i>f.</i> 17 15-16.	U.
163 Lapponica	3463	wave-lined	<i>F. t.</i> 33, <i>f.</i> P. <i>C. 3, t.</i> 95, <i>f.</i> 920-21. <i>E. M. t.</i> 381, <i>f.</i> 3 & <i>t.</i> 431. bis <i>f.</i> 1.	American Ocean.
164 Zebra		Zebra	<i>L. Z. M. 1, t.</i> 12, <i>f.</i> 1.	N. Holland.
165 flavicans	3464	yellowish	<i>C. 3, t.</i> 95, <i>f.</i> 922-3.	E. Indies.
166 undulata		undulated	<i>S. N. M. 17, t.</i> 702.	Australasia.
167 rupestris	3464	rock	<i>E. M. t.</i> 381, <i>f.</i> 2. <i>C. 3, t.</i> 98, <i>f.</i> 941-2.	Japan.
168 Magellanica	3465	Magellanic	<i>F. t.</i> 28, <i>f.</i> E. <i>C. 10, t.</i> 148, <i>f.</i> 1383-4. <i>E. M. t.</i> 381, <i>f.</i> 1 & 3.	Str. of Magellan.
169 Volva	3457	whitish	<i>C. 10, t.</i> 148, <i>f.</i> 1389-90.	Guinea.
170 Junonia		square-spotted	<i>F. t.</i> 79, <i>f.</i> A. <i>C. 11, t.</i> 177, <i>f.</i> 1703-4.	S. Pacific Ocean.
171 nivosa		snow-spotted	<i>S. N. M. 21, t.</i> 912.	New Holland.
172 Scapha	3468	Lightning	<i>L. t.</i> 799, <i>f.</i> 6. <i>G. 28, f.</i> S. <i>C. 3, t.</i> 72, <i>f.</i> 774 & 73, <i>f.</i> 775-6. <i>E. M. t.</i> 391.	C. of Good Hope.
173 magnifica		magnific	<i>C. 11, t.</i> 174-5.	New Holland.
174 Colocynthis		Coloquint	<i>C. 11, t.</i> 176, <i>f.</i> 1695-6.	Brazil.

<i>Lin. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
175 <i>Æthiopica</i>	3465	<i>Æthiopic</i>	<i>L. t.</i> 797, <i>f.</i> 4. <i>C. 3, t.</i> 74, <i>f.</i> 781. <i>E. M. t.</i> 387, <i>f.</i> 1, 2 & 388, <i>f.</i> 1-3.	Amboyna.
176 <i>Corona</i>		ducal crown	<i>C. 10, t.</i> 148, <i>f.</i> 1387-8.	<i>E. Indies.</i>
177 <i>Cymbiola</i>	3468	lesser Cym- bal	<i>C. 10, t.</i> 148, <i>f.</i> 1385-6.	————
178 <i>Cymbium</i>	3466	Cymbal	<i>L. t.</i> 796, <i>f.</i> 3. <i>G. t.</i> 29, <i>f.</i> B. <i>C. 3, t.</i> 70, <i>f.</i> 762-3. <i>E. M. t.</i> 386, <i>f.</i> 3.	Guinea.
179 <i>porcina</i>		keel-margin	<i>E. M. t.</i> 386, <i>f.</i> 2. <i>C. 3, t.</i> 70, <i>f.</i> 764-5.	————
180 <i>Olla</i>	3466	Melon	<i>L. t.</i> 794, <i>f.</i> 1. <i>G. t.</i> 29, <i>f.</i> A. <i>C. 3, t.</i> 71, <i>f.</i> 766. <i>E. M. t.</i> 385, <i>f.</i> 2.	<i>W. Indies.</i>
181 <i>Neptuni</i>	3467	Neptune's	<i>L. t.</i> 802, <i>f.</i> 8. <i>G. t.</i> 27, <i>f.</i> A. A. <i>C. 3, t.</i> 71, <i>f.</i> 767. <i>E. M. t.</i> 386, <i>f.</i> 1.	Persian Gulf.
182 <i>Navicula</i>	3467	Gondola	<i>L. t.</i> 795, <i>f.</i> 2. <i>C. 3, t.</i> 71, <i>f.</i> 768-71.	Guinea.
183 <i>Glans</i>	3468	reddish-yel.	<i>C. 10, t.</i> 148, <i>f.</i> 1393-4.	Africa.
184 <i>Præputium</i>	3468	Nipple	<i>L. t.</i> 798, <i>f.</i> 5. <i>C. 10, t.</i> 148, <i>f.</i> 1391-4.	Coromandel.
185 <i>Indica</i>	3467	Indian	<i>C. 3, t.</i> 72, <i>f.</i> 772-3. <i>E. M. t.</i> 389, <i>f.</i> 1.	China.
186 <i>clathrata</i>	3445	worn	<i>L. t.</i> 819, <i>f.</i> 34.	Barbadoes.







63 +



64 b



65 a



66 +



67 a



68 a



69 a



70 b +



71 b



72 a



73 a



74 +



75 a



76 a



77 a



78 +



79 +



80 +



81 +



82 a



83 +



84 a



85 +



86 a



87 a



88 b



89 a +



92 a +



98 a



94 a



95 a



96 b



97 a



98 a



99 a +



100 a



101 a



102 a



103 a



104 a +



105 a +



106 b



107 b



109 a +



110 b



111 b



112 a +



113 a



114 a +



115 b



116 a +



117 a



118 b



119 a



120 a



121 a +



122 a +




123 a +



124 b



125 +







<i>Linn. names.</i>	<i>Gm. Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
---------------------	-------------------------	------------------	-----------------

XXIV. BUCCINUM. WHELK.

- | | | | |
|---------------------|--------------------------|--|--------------|
| 1 Olearium | 3469 Tun | <i>G.t.</i> 44, <i>f.</i> T. <i>C.</i> 3, <i>t.</i> 117,
<i>f.</i> 1076-7. <i>E.M.t.</i> 403,
<i>f.</i> 1. | E. Indies. |
| 2 Galea | 3469 brown Tun | <i>L. t.</i> 898, <i>f.</i> 18. <i>G. t.</i> 42.
<i>C. 3, t. 116, f. 1070.</i>
<i>E.M.t.</i> 403, <i>f.</i> 1. | Mediterr. |
| 3 Perdix | 3470 Partridge
Tun | <i>L. t.</i> 984, <i>f.</i> 43. <i>G. t.</i> 51;
<i>f.</i> F. <i>C.</i> 3, <i>t.</i> 117, <i>f.</i> 1078-
80. <i>M.p.</i> 244, <i>t.</i> 8, <i>f.</i> 5. | Britain, &c. |
| 4 Pomum | 3470 thick-lipped
Tun | <i>L. t.</i> 792, <i>f.</i> 45. <i>G. t.</i> 51,
<i>f.</i> C. <i>C.</i> 2, <i>t.</i> 36, <i>f.</i> 370-1.
<i>E.M.t.</i> 403, <i>f.</i> 2. | Amboyna. |
| sul cosum | flat-ribbed | <i>F.t.</i> 27, <i>f.</i> B. <i>C.</i> 3, <i>t.</i> 118,
<i>f.</i> 1081. | Coromandel. |
| 6 Dolium | 3470 spotted Tun | <i>L. t.</i> 899, <i>f.</i> 19. <i>G. t.</i> 39,
<i>f.</i> E. <i>C.</i> 3, <i>t.</i> 117, <i>f.</i> 1073-
4. <i>E.M.t.</i> 403, <i>f.</i> 3. | Amboyna. |
| 7 Chinense | Chinese Tun | <i>C.</i> 11, <i>t.</i> 188, <i>f.</i> 1804-5. | China. |
| 8 caudatum | 3471 beaked Tun | <i>C.</i> 3, <i>t.</i> 118, <i>f.</i> 1083-4. | U. |
| 9 Echinophor-
um | 3471 tuberculated | <i>L.t.</i> 1003, <i>f.</i> 68. <i>G. t.</i> 43,
<i>f.</i> 3. <i>C.</i> 2, <i>t.</i> 41, <i>f.</i> 407-8.
<i>E.M.t.</i> 405, <i>f.</i> 3. | Mediterr. |
| 10 nodosum | belted | <i>L.t.</i> 1011, <i>f.</i> 71. | U. |

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
11 Tyrrhenum	3473	rugged	<i>L.t.</i> 1011, <i>f.</i> 71.e. <i>G.t.</i> 43, <i>f.</i> 2. <i>C.</i> 10, <i>t.</i> 153, <i>f.</i> 1461- 2. <i>E.M.t.</i> 405, <i>f.</i> 1.	Tuscany
12 abbreviatum	3468	short-beaked	<i>C.</i> 10, <i>t.</i> 153, <i>f.</i> 1463-4.	Ind. Ocean.
13 plicatum	3472	plaited	<i>L.t.</i> 1002, <i>f.</i> 67. <i>G.t.</i> 40, <i>f.</i> C. 2, <i>t.</i> 37, <i>f.</i> 379- 80.	Jamaica.
14 cornutum	3472	horned	<i>L. t.</i> 1006, <i>f.</i> 70 & 1008, <i>f.</i> 71. <i>G.t.</i> 40, <i>f.</i> D. C. 2, <i>t.</i> 35, <i>f.</i> 362.	Amboyna.
15 rufum	3473	red	<i>G. t.</i> 40, <i>f.</i> F. <i>F. t.</i> 26, <i>f.</i> D. 2. <i>C. 2, t. 32, f.</i> 341 & <i>t.</i> 33, <i>f.</i> 346-7.	Madagascar.
16 tuberosum	3473	Casket	<i>G. t.</i> 41. <i>F. t.</i> 25, <i>f.</i> B. 2. <i>C. 2, t. 33, f.</i> 381-2. <i>E. M. t.</i> 406, <i>f.</i> 1-3, & <i>t.</i> 407, <i>f.</i> 2.	West Indies.
17 flammeum	3473	triangular Casket	<i>L. t.</i> 1004, <i>f.</i> 69. <i>F. t.</i> 25, <i>f.</i> E. <i>C. 2, t. 34, f.</i> 353-4.	———
18 Testiculus	3474	Bonnet Casket	<i>L. t.</i> 1001, <i>f.</i> 6. <i>G. t.</i> 39, <i>f.</i> C. <i>C. 2, t. 37, f.</i> 375-6.	Jamaica.
19 decussatum	3474	decussated	<i>L. t.</i> 1000, <i>f.</i> 65. <i>G. t.</i> 40, <i>f.</i> B. <i>C. 2, t. 35, f.</i> 360-1.	Mediterranean.
20 Areola	3475	small dice	<i>L. t.</i> 1012, <i>f.</i> 76. <i>G. t.</i> 29, <i>f.</i> H. <i>C. 2, t. 34, f.</i> 355-6. <i>E. M. t.</i> 407, <i>f.</i> 3.	Amboyna.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
21 strigatum	3477	yellow-striped	<i>L. t.</i> 1014, <i>f.</i> 78. <i>F. t.</i> 24, <i>f.</i> D. C. 10, <i>t.</i> 153, <i>f.</i> 1457-8.	Indian Seas.
22 achatinum		agate	<i>E. M. t.</i> 407, <i>f.</i> 1.	New Holland.
23 saburon		gray casket	<i>L. t.</i> 1012, <i>f.</i> 76. <i>G. t.</i> 39, <i>f.</i> G.	Mediterranean.
24 granulatum		granulated	<i>L. t.</i> 1056, <i>f.</i> g. <i>F. t.</i> 25, <i>f.</i> A. 4. C. 2, <i>t.</i> 32, <i>f.</i> 344- 5. & 34, <i>f.</i> 350-2.	W. Indies.
25 undulatum	3475	undulated	<i>L. t.</i> 996, <i>f.</i> 61. <i>G. t.</i> 39, <i>f.</i> B. C. 11, <i>t.</i> 186, <i>f.</i> 1794-5.	Mediterranean.
26 inflatum		inflated	<i>S. N. M.</i> 22, <i>t.</i> 959. C. 11, <i>t.</i> 186, <i>f.</i> 1792-3.	Indian Seas.
27 tessellatum	3476	tessellated	<i>L. t.</i> 997, <i>f.</i> 62. <i>F. t.</i> 26, <i>f.</i> B. 1. C. 2, <i>t.</i> 36, <i>f.</i> 369.	Amboyna.
28 bilineatum	3476	smooth, Hel- met	<i>L. t.</i> 998, <i>f.</i> 63. <i>M. p.</i> 244.	Britain.
29 cicatricosum	3475	cicatrix	<i>G. Z. t.</i> 19, <i>f.</i> 1, 2.	Indian Ocean.
30 recurvi- rostrum	3477	recurved- beak	<i>L. t.</i> 1016, <i>f.</i> 75.	Barbadoes.
31 Cassis	3477	Helmet	C. 10, <i>t.</i> 152, <i>f.</i> 1456.	B. of Naples.
32 Erinaceus	3478	Hedgehog	<i>L. t.</i> 1015, <i>f.</i> 73. <i>G. t.</i> 39, <i>f.</i> D. & I. C. 2, <i>t.</i> 35, <i>f.</i> 363.	Amboyna.
33 nodulosum	3479	knobbed	<i>S. Einl.</i> 1, <i>p.</i> 383, <i>t.</i> 2, <i>f.</i> 9.	U.
34 Fimbria	3479	bordered	<i>F. t.</i> 25, <i>f.</i> D. 4. C. 10, <i>t.</i> 153, <i>f.</i> 1459-60.	E. Indies.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
35 glaucum	3478	glaucous	<i>L. t.</i> 996, <i>f.</i> 60. <i>G. t.</i> 40, <i>f.</i> A. C. 2, <i>t.</i> 32, <i>f.</i> 342-3.	Amboyna.
36 Vibex	3479	agate casket	<i>G. t.</i> 39, <i>f.</i> F. <i>F. t.</i> 25, <i>f.</i> H. 1. C. 2, <i>t.</i> 35, <i>f.</i> 364- 6.	_____
37 papillosum	3479	prickly-lip.	<i>L. t.</i> 969, <i>f.</i> 23. <i>G. t.</i> 44, <i>f.</i> G. C. 4, <i>t.</i> 125, <i>f.</i> 1204- 5. <i>E. M. t.</i> 400, <i>f.</i> 2.	Java.
38 Glans	3480	thread-girded	<i>L. t.</i> 981, <i>f.</i> 40. <i>F. t.</i> 33, <i>f.</i> L. C. 4, <i>t.</i> 125, <i>f.</i> 1196- 8. <i>E. M. t.</i> 400, <i>f.</i> 5.	Asiatic Ocean.
39 foliosum	3493	leafy	<i>L. t.</i> 975, <i>f.</i> 30. <i>G. t.</i> 44, <i>f.</i> B. C. 2, <i>t.</i> 38, <i>f.</i> 387-8.	Amboyna.
40 Arcularia	3480	broad-lipped	<i>L. t.</i> 970, <i>f.</i> 24. <i>G. t.</i> 44, <i>f.</i> O. Q & R. C. 2, <i>t.</i> 41, <i>f.</i> 409-12. <i>E. M. t.</i> 394, <i>f.</i> 1, 2.	China.
41 coronatum		crowned	<i>S. Einl.</i> 1, <i>p.</i> 329, <i>t.</i> 2, <i>f.</i> 4. <i>Br. E. M. p.</i> 277.	Madagascar.
42 hepaticum		small-knobbed	<i>M. p.</i> 243, <i>t.</i> 8, <i>f.</i> 1. <i>L. T.</i> 8, <i>p.</i> 135.	Britain.
43 Pullus	3481	small koffer	<i>L. t.</i> 970, <i>f.</i> 25. <i>G. t.</i> 44, <i>f.</i> N.	Str. of Malacca.
44 Thersites		pale olive	<i>L. t.</i> 971, <i>f.</i> 26. C. 2, <i>t.</i> 41, <i>f.</i> 413. <i>E. M. t.</i> 394, <i>f.</i> 8.	Asiatic Ocean.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
45 verrucosum		warty	<i>L.t.</i> 972, <i>f.</i> 27.	E. Indies.
46 gibbosulum	3481	hunchback.	<i>L.t.</i> 973, <i>f.</i> 28. <i>C.</i> 2, <i>t.</i> 41, <i>f.</i> 414-15.	Mediterranean.
47 mutabile	3497	changeable	<i>G.t.</i> 44, <i>f.</i> R. <i>F.t.</i> 33, <i>f.</i> S. 1. [<i>nitidulum.</i>] <i>C.</i> 4, <i>t.</i> 125, <i>f.</i> 1194. <i>E.M.t.</i> 394, <i>f.</i> 4.	Senegal.
48 neriteum	3481	nerite-shap.	<i>G.t.</i> 65, <i>f.</i> C. I. <i>C.</i> 5, <i>t.</i> 166, <i>f.</i> 1602. <i>E. M. t.</i> 394, <i>f.</i> 9.	Mediterranean.
49 Harpa	3482	Harp	<i>L. t.</i> 994, <i>f.</i> 57. <i>G. t.</i> 29, <i>f.</i> C. E & G. <i>C.</i> 3, <i>t.</i> 119, <i>f.</i> 1090. <i>E. M. t.</i> 404, <i>f.</i> 1-4.	E. Indies.
50 cancellatum	3482	latticed	<i>C.</i> 10, <i>t.</i> 152, <i>f.</i> 1453.	Tranquebar.
51 costatum	3482	ribbed	<i>F.t.</i> 28, <i>f.</i> A. 4. <i>C.</i> 3, <i>t.</i> 119, <i>f.</i> 1093.	Philippines.
52 Persicum	3482	Persian	<i>L. t.</i> 987, <i>f.</i> 46. <i>G. t.</i> 51, <i>f.</i> H. L. <i>C.</i> 3, <i>t.</i> 69, <i>f.</i> 760. <i>E.M.t.</i> 397, <i>f.</i> 1.	Persian Gulf.
53 patulum	3483	widemouth	<i>L. t.</i> 989, <i>f.</i> 49. <i>G. t.</i> 51, <i>f.</i> E. <i>C.</i> 3, <i>t.</i> 69, <i>f.</i> 758-9.	W. Indies.
54 Monodon	3483	spine-lipped	<i>F.t.</i> 27, <i>f.</i> D. 1. <i>C.</i> 3, <i>t.</i> 69, <i>f.</i> 761 & 10, <i>t.</i> 154, <i>f.</i> 1469-70. <i>E.M.t.</i> 396, <i>f.</i> 3.	Cape Horn.
55 Haustorium	3498	Scoop	<i>C.</i> 10, <i>t.</i> 152, <i>f.</i> 1449-50.	New Zealand

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
56 Concholepas	3697	limpet-shap.	<i>F.</i> 1, <i>p.</i> 543, <i>t.</i> 4, <i>H.</i> 2. [<i>P. Lepas.</i>]	<i>C.</i> 10, <i>p.</i> 320, <i>f.</i> A.B. Str. of Magellan.
57 Hæmastoma	3483	red-lipped	<i>L. t.</i> 988, <i>f.</i> 48. <i>G. t.</i> 51, <i>f.</i> A. <i>C.</i> 11, <i>t.</i> 187, <i>f.</i> 1796-7.	Mediterranean.
58 armigerum		armed	<i>C.</i> 11, <i>t.</i> 187, <i>f.</i> 1798-9.	S. Seas.
59 luteostomum		pallid	<i>C.</i> 11, <i>t.</i> 187, <i>f.</i> 1800-1.	China.
60 lamellosum	3498	lamellar	<i>C.</i> 10, <i>p.</i> 179, <i>f.</i> A.B.	N. Zealand.
61 crispatum		wrinkled	<i>C.</i> 11, <i>t.</i> 187, <i>f.</i> 1802-3.	————
62 Lapillus	3484	purple- staining	<i>L. t.</i> 965, <i>f.</i> 18, 19. <i>C.</i> 3, <i>t.</i> 121, <i>f.</i> 1111-2. <i>D.</i> 1, <i>t.</i> 11. <i>M.</i> <i>p.</i> 239.	Britain, &c.
63 filosum	3486	threaded	<i>C.</i> 3, <i>t.</i> 121, <i>f.</i> 1113-4.	U.
64 sulcatum	3491	grooved	<i>L. t.</i> 976, <i>f.</i> 31. <i>C.</i> 4, <i>t.</i> 124, <i>f.</i> 1170-1.	Tranquebar.
65 sertum		chesnut-stained	<i>L. t.</i> 986, <i>f.</i> 45. <i>C.</i> 3, <i>t.</i> 121, <i>f.</i> 1115-6. <i>E. M. t.</i> 397, <i>f.</i> 2.	————
66 Smaragdulus	3484	Emerald	<i>L. t.</i> 831, <i>f.</i> 55. <i>G. t.</i> 43, <i>f.</i> X. <i>C.</i> 3, <i>t.</i> 120, <i>f.</i> 1104- 5.	————
67 varium	3486	varied	<i>K.</i> 6, <i>t.</i> 23, <i>f.</i> 3. <i>C.</i> 3, <i>t.</i> 121, <i>f.</i> 1106.	U.
68 Tuba	3484	lengthened	<i>C.</i> 3, <i>t.</i> 94, <i>f.</i> 908.	Indian Ocean.
69 Pyrum	3484	pear-shaped	<i>C.</i> 3, <i>t.</i> 94, <i>f.</i> 909-10.	Red Sea.
70 plumbeum		double-grooved	<i>C.</i> 11, <i>t.</i> 183, <i>f.</i> 1806-7.	California.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
71 spadiceum	3485	chesnut	<i>C.3, t.94, f.911.</i>	W. Indies.
72 umbilicatum	3485	umbilicated	<i>C.3, t.94, f.915.</i>	U.
73 candidum	3485	white	<i>C.3, p.191, f.3.</i>	U.
74 crassum	3485	thick	<i>C.3, t.120, f.1099, 1100.</i>	U.
75 Orbita	3490	globose	<i>C. 10, t. 154, f. 1471-3.</i> <i>E.M.t.398, f.1.</i>	N. Zealand.
76 Scala	3486	broad-belted	<i>L.t.1059, f.2. C.3, t.118,</i> <i>f. 1039. E. M. t. 422,</i> <i>f.4.</i>	E. Indies.
77 spiratum	3487	acute-spined	<i>L. t. 983, f. 42. c. P.G.</i> <i>t.101, f.13. C.4, t.122,</i> <i>f. 1118. E. M. t. 401,</i> <i>f.2.</i>	_____
78 Zeylanicum	3489	Ceylon	<i>L. t. 982, f. 42. G. t. 51,</i> <i>f.B. C.4, t.122, f.1119.</i> <i>E.M.t.401, f.3.</i>	Ceylon.
		[<i>glabratum</i> β.]		
79 glabratum	3489	glossy	<i>L. t. 974, f. 29. G. t. 43,</i> <i>f.T. C.4, t.122, f.1117.</i> <i>E.M.t.401, f.1.</i>	Tranquebar.
80 turgitum	3490	red spotted	<i>C.10, t.154, f.1475-6.</i>	New Zealand.
81 scutulatum	3498	streaked	<i>M. U. C. 2, t. 55. C. 10,</i> <i>p.179, f.C.D.</i>	_____
82 testudineum	3498	tortoise-shell	<i>C.10, t.152, f.1454. E.M.</i> <i>t.399, f.2.</i>	_____
83 Cataracta	3498	long-striped	<i>C.10, t.152, f.1455.</i>	C. of Good Hope.
84 lævissimum	3494	polished	<i>C.4, t.127, f.1215-16.</i>	Indian Seas.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
85 cyaneum		blueish	<i>C.10,t.152,f.1448.</i>	Greenland.
86 læve	3488	smooth	<i>C.4,t.124,f.1150.</i>	E. Indies.
87 igneum	3494	red streaked	<i>C.4,t.127,f.1217.</i>	U.
88 plumatum	3494	painted	<i>L. t. 322, f. 41.b. t.127,f.1218-20.</i>	<i>C. 4,</i> Jamaica.
89 ocellatum	3488	white-eyed	<i>C.4,t.124,f.1160-1.</i>	E. Indies.
90 glaberri- mum	3488	little, smooth	<i>C.4,t.125,f.1177.</i>	U.
91 Nucleus		small	<i>L.t.976,f.32.</i>	New Zealand.
92 lineatum		small, lineated	<i>C.4,t.125,f.1118. D.1, t.15. M.p.245.</i>	Britain.
93 exile	3497	small, slender	<i>C.4,t.125,f.1190-1.</i>	U.
94 prærosum	3489	carious	<i>C.9,t.121,f.1035-6.</i>	Aqueduct at Seville.
95 Cochlidium		indented spire	<i>C.11,t.209,f.2053-4.</i>	Islands in the S. Seas: L.
96 australe	3490	southern	<i>B. t. 13, f. 18, 19. C. 9, t.120,f.1033-4. E.M. t.449, f. 1.</i>	New Zealand. Fr.w.
97 undosum	3490	undulated	<i>L.t.938,f.33. C.4,t.122, f. 1126-7. E.M. t.422, f.5.</i>	Amboyna.
98 affine	3490	brown-strip	<i>K.2,t.14,f.4,5. C.4,t.123, f.1135.</i>	S. Seas.
99 fumosum		smoky	<i>C.4,t.123, upper f.1145- 6.</i>	U.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
100 Indicum	3495	Indian	<i>C.4, t.123, f.1138-9.</i>	E. Indies.
101 Tranquebaricum	3491	Tranquebar	<i>C.4, t.123, lower f.1146-9.</i> <i>E.M.t.422, f.6.</i>	Coromandel.
102 versicolor	3491	lurid	<i>C.4, t.123, lower f.1145.</i>	E. Indies.
103 cruentatum	3491	red spotted	<i>C.4, t.123, f.1143-4.</i>	U.
104 Bezoar	3491	Bezoar	<i>C.3, t.68, f.754-5.</i>	China.
105 bulbosum		bulbous	<i>L.t.894, f.14. K.5, t.21, f.2. C.3, t.68, f.750-3.</i> <i>E.M.t.434, f.1.</i>	Tranquebar.
106 glaciale	3491	keel-ridged	<i>C.10, t.152, f.1446-7.</i> <i>E.M.t.399, f.3. D.5, t.154. M. Suppl. p.109.</i>	Northern Ocean.
107 undatum	3492	wave ribbed	<i>L. t.962, f.14. F. t.32, f.D. C.4, t.126, f.1206-11. D.3, t.104. M. p.237. E. M. t.399, f.1.</i>	Britain, &c.
108 papyraceum		paper	<i>L.t.963, f.17. C.4, t.126, f.1212. E. M. t.400, f.3.</i>	Norway.
109 Tahitense	3498	Otaheite	<i>C.10, t.154, f.1477.</i>	Otaheite.
110 porcatum	3494	rugged	<i>C.4, t.126, f.1213-14.</i>	Coast of Mexico.
111 lyratum	3494	lyre	<i>C.4, t.127, f.1221-2.</i>	U.
112 Pyrozonias	3488	double-streaked	<i>C.3, t.109, f.1017.</i>	U.
113 textum	3493	turreted	<i>C.4, t.125, f.1201-2.</i>	U.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
114 clathratum	3471	latticed	<i>P.t.</i> 56, <i>f.</i> 5. <i>B.t.</i> 9, <i>f.</i> 17, 18. <i>E.M.t.</i> 394, <i>f.</i> 5. <i>E. Indies.</i>	
115 niveum	3495	cancellated	<i>C.4, t.</i> 122, <i>f.</i> 1122-3. <i>Tranquebar.</i>	
116 Lima		acuminated	<i>C.11, t.</i> 188, <i>f.</i> 1808-9. <i>E. Indies.</i>	
117 reticulatum	3495	reticulated	<i>L. t.</i> 966, <i>f.</i> 21. <i>G. t.</i> 44, <i>f.</i> C. <i>C.4, t.</i> 124, <i>f.</i> 1162- 4. <i>D.3, t.</i> 76. <i>M.p.</i> 240. <i>Britain, &c.</i>	
118 ambiguum		small, plicated	<i>G.t.</i> 44, <i>f.</i> V. <i>C.4, t.</i> 124, <i>f.</i> 1165. <i>M.p.</i> 242, <i>t.</i> 9, <i>f.</i> 7. <i>Britain.</i>	
119 Macula		spot lipped	<i>M.p.</i> 241, <i>t.</i> 8, <i>f.</i> 4. <i>L.T.</i> 8, <i>p.</i> 138, <i>t.</i> 4, <i>f.</i> 4. ———	
120 stolatum	3496	brown- banded	<i>C.4, t.</i> 124, <i>f.</i> 1167-9. <i>Tranquebar.</i>	
121 cinctum		minute, girdled	<i>M.p.</i> 246, <i>t.</i> 15, <i>f.</i> 1. <i>L.T.</i> 8, <i>p.</i> 139. <i>Britain.</i>	
122 minimum		minute, chesnut	<i>M.p.</i> 247, <i>t.</i> 8, <i>f.</i> 2. ———	
123 plicatulum	3496	plaited	<i>G. t.</i> 44, <i>f.</i> E. <i>F. t.</i> 33, <i>f.</i> V. 2. <i>C. 4, t.</i> 124, <i>f.</i> 1158-9. <i>E. Indies.</i>	
124 Piscatorium	3496	knobbed	<i>G. t.</i> 43. <i>M. C. 4, t.</i> 124, <i>f.</i> 1151-2. ———	
125 St ⁱ Mauriti	3496	six-toothed	<i>C.4, t.</i> 124, <i>f.</i> 1153-4. <i>Island of St. Maurice.</i>	
126 armillatum	3496	brown-pimp.	<i>C.4, t.</i> 124, <i>f.</i> 1155-7. <i>U.</i>	
127 nitidulum		neat banded	<i>G.t.</i> 52, <i>f.</i> C. <i>A.t.</i> 9, <i>f.</i> 27. <i>Mediterranean.</i>	
128 ventricosum	3498	ventricose	<i>M.U.C.</i> 2, <i>t.</i> 47. <i>St. George's Bay.</i>	

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
129 maculatum	3499	spotted	<i>L. t.</i> 846, <i>f.</i> 74. <i>G. t.</i> 56, <i>f.</i> I. <i>C. 4, t.</i> 153, <i>f.</i> 1440. <i>E. M. t.</i> 402, <i>f.</i> 1. Asia & Africa.	
130 oculatum		ocellated	<i>P. Amb. t.</i> 2, <i>f.</i> 4. <i>F. t.</i> 40, <i>f.</i> Z. <i>C. 4, t.</i> 153, <i>f.</i> 1442.	E. Indies.
131 subulatum	3499	awl-shaped	<i>L. t.</i> 842, <i>f.</i> 70. <i>G. t.</i> 56, <i>f.</i> B. <i>C. 4, t.</i> 154, <i>f.</i> 1443. <i>E. M. t.</i> 402, <i>f.</i> 2. Amboyna.	
132 tigrinum	3502	tiger	<i>G. t.</i> 56, <i>f.</i> G. <i>C. 4, t.</i> 154, <i>f.</i> 1448.	U.
133 crenulatum	3500	crenulated	<i>L. t.</i> 846, <i>f.</i> 75. <i>G. t.</i> 57, <i>f.</i> L. <i>C. 4, t.</i> 154, <i>f.</i> 1445. <i>E. M. t.</i> 402, <i>f.</i> 3. China.	
134 hecticum		hectic	<i>C. 11, t.</i> 183, <i>f.</i> 1817-18.	Africa.
135 geminum	3506	divided	<i>L. M. p.</i> 550.	U.
136 proximatum	3505	proximate	<i>L. M. p.</i> 550.	U.
137 Monile	3505	Necklace	<i>L. M. p.</i> 550.	U.
138 vittatum	3500	ribbon	<i>L. t.</i> 977, <i>f.</i> 34. <i>F. t.</i> 40, <i>f.</i> C. 2. <i>C. 4, t.</i> 155, <i>f.</i> 1461-3. <i>E. M. t.</i> 402, <i>f.</i> 4. Ceylon.	
139 digitale		blueish banded	<i>L. t.</i> 977, <i>f.</i> 33. <i>F. t.</i> 40, <i>f.</i> C. 1. <i>C. 4, t.</i> 155, <i>f.</i> 1468-71. Coromandel.	
140 strigillatum	3501	strigillated	<i>L. t.</i> 845, <i>f.</i> 73. <i>C. 4, t.</i> 155, <i>f.</i> 1456. Asiatic Ocean.	
141 concinnum		belt-spotted	<i>G. t.</i> 57, <i>f.</i> O.	U.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
142 duplicatum		double-whirled	<i>L. t.</i> 837, <i>f.</i> 64. <i>G. t.</i> 57, <i>f.</i> N. C. 4, <i>t.</i> 155, <i>f.</i> 1455.	Indian Ocean.
143 cinereum	3405	steel-gray	<i>B. p.</i> 267, <i>t.</i> 10, <i>f.</i> 11, 12.	Amboyna.
144 succinctum	3502	girted	<i>C. 4, t.</i> 154, <i>f.</i> 1451.	E. Indies.
145 Acus	3502	Needle	<i>C. 4, t.</i> 154, <i>f.</i> 1449.	U.
146 lanceatum	3501	Lancet	<i>G. t.</i> 56, <i>f.</i> G. <i>P. Amb. t.</i> 13, <i>f.</i> 20. <i>C. 4, t.</i> 154, <i>f.</i> 1450.	Amboyna.
147 dimidiatum	3501	orange and wh. striped	<i>E. t.</i> 57, <i>f.</i> I. M. <i>F. t.</i> 40, <i>f.</i> Y. <i>C. 4, t.</i> 154, <i>f.</i> 1444.	China.
148 murinum	3502	mouse-col.	<i>L. S. N. p.</i> 1206.	Africa.
149 pertusum		hollow dotted	<i>B. t.</i> 10, <i>f.</i> 13. <i>C. 4, t.</i> 155, <i>f.</i> 1457.	U.
150 hastatum	3502	Javelin	<i>C. 4, t.</i> 154, <i>f.</i> 1453-4.	U.
151 Phallus	3503	sinuated	<i>C. 4, t.</i> 155, <i>f.</i> 1464-5.	E. Indies.
152 bifasciatum	3504	two-banded	<i>P. t.</i> 53, <i>f.</i> 5.	—
153 radiatum	3504	radiated	<i>G. t.</i> 52, <i>f.</i> D.	C. of Naples.
154 virgineum	3505	fresh-water	<i>L. t.</i> 113, <i>f.</i> 7. <i>P. t.</i> 104, <i>f.</i> 8.	Rivers in Virginia.
155 Acicula		minute-pointed	<i>G. t.</i> 6, <i>f.</i> B. B. <i>M. t.</i> 8, <i>f.</i> 3.	Britain, &c. in dry moss.
156 asperum	3503	rough	<i>L. t.</i> 925.	U.
157 Chalis	3497	Chalis	<i>M. U. C. 4, t.</i> 125, <i>f.</i> 1192.	U.
158 nanum	3497	dwarf	<i>M. U. C. 4, t.</i> 125, <i>f.</i> 1176.	U.
159 nigropunctatum	3497	black-dotted	<i>G. t.</i> 44, <i>f.</i> F.	U.







ATROMBES.





<i>Linn. names.</i>	<i>Gm. Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
160 striatum	3477 striated	<i>Gr. Z. t. 19, f. 13.</i>	America.
161 trifasciatum	red-banded	<i>G. t. 44, f. A.</i>	U.
162 unifasciale	single-streaked	<i>E. M. t. 397, f. 6.</i>	U.
163 Norwegicum	Norwegian	<i>E. M. t. 399, f. 5.</i>	Norway.
164 maculosum	stained	<i>E. M. t. 400, f. 7.</i>	U.
165 Turris	spiral tower	<i>C. 4, t. 124, f. 1172-3 & t. 125, f. 1174-5. E. M. t. 394, f. 6.</i>	Guinea.
166 imbricatum	imbricated	<i>E. M. t. 396, f. 1.</i>	U.
167 crassilabrum	thick-lipped	<i>E. M. t. 396, f. 2.</i>	U.
168 cingulatum	belted	<i>E. M. t. 396, f. 4.</i>	U.
169 dentatum	toothed	<i>E. M. t. 396, f. 5.</i>	U.
170 gemmulatum	folded	<i>E. M. t. 397, f. 3.</i>	U.
171 Pseudonum	false-toothed	<i>B. E. C. p. 184, t. 26, f. 2.</i>	U.
172 strombiforme	strombus-shaped	<i>B. E. C. p. 184, t. 26, f. 3.</i>	U.

XXV. STROMBUS. SCREW.

1 Fusus	3506 Spindle	<i>L. t. 854, f. 12. C. 4, t. 158, f. 1495-6. E. M. t. 411, f. 1.</i>	Red Sea.
2 Unicornus	Unicorn	<i>L. t. 916, f. 9. F. t. 34, f. B. 3. C. 4, t. 159, f. 1500.</i>	E. Indies.
3 fissus	slit	<i>F. t. 79, f. Y. C. 11, t. 195. A. f. 1869.</i>	U.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
4 Pes-Pelecani	3507	4-fingered	<i>L. t.</i> 865 & 866, <i>f.</i> 21. b. <i>G. t.</i> 53, <i>f.</i> A. B & C. <i>C.3, t.</i> 85, <i>f.</i> 848-50. <i>D.</i> 1, <i>p.</i> 4. <i>M.p.</i> 253. Britain, &c.	
5 Chiragra	3508	Devil's claw	<i>L. t.</i> 870, <i>f.</i> 24. <i>G. t.</i> 53, <i>f.</i> B. <i>C.3, t.</i> 86, <i>f.</i> 853-4. & 87, <i>f.</i> 856-7.	China.
6 Scorpius	3508	Scorpion	<i>L. t.</i> 867, <i>f.</i> 22. <i>G. t.</i> 36, <i>f.</i> C. <i>C.3, t.</i> 88, <i>f.</i> 860.	Amboyna.
7 Lambis	3508	Spider	<i>L. t.</i> 866, <i>f.</i> 21. <i>G. t.</i> 36, <i>f.</i> A. B. <i>C.3, t.</i> 87, <i>f.</i> 858- 9. <i>E. M. t.</i> 410, <i>f.</i> 2. Batavia.	
8 Bryonia	3520	blunt-tipped	<i>L. t.</i> 882, <i>f.</i> 4, & <i>t.</i> 931. <i>F.</i> <i>t.</i> 21, <i>f.</i> E. 1. & 2. <i>C.3,</i> <i>t.</i> 93, <i>f.</i> 904-5. E. Indies.	
9 Millepeda	3509	Millepede	<i>L. t.</i> 868-9. <i>F. t.</i> 22, <i>f.</i> A. 6. <i>C. 3, t.</i> 88, <i>f.</i> 861-2. <i>E. M. t.</i> 410, <i>f.</i> 1. Coromandel.	
10 lentiginosus	3510	pink-lipped	<i>L. t.</i> 860, <i>f.</i> 17. <i>F. t.</i> 20, <i>f.</i> B. 2. <i>C.3, t.</i> 82, <i>f.</i> 833- 4. Jamaica.	
11 polyfasciatus		many-banded	<i>C.10, t.</i> 155, <i>f.</i> 1483-4. Red Sea.	
12 Gallus	3511	Plough	<i>L. t.</i> 874, <i>f.</i> 30. <i>G. t.</i> 32, <i>f.</i> M. <i>C.3, t.</i> 84, <i>f.</i> 843-5. <i>E. M. t.</i> 408, <i>f.</i> 1, & <i>t.</i> 409, <i>f.</i> 2. W. Indies.	
13 Papilio		Butterfly	<i>C.10, t.</i> 158, <i>f.</i> 1510-11. E. Indies.	

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
14 fasciatus	3510	banded	<i>L. t.</i> 860, <i>f.</i> 17. <i>F. t.</i> 20, <i>f.</i> B.2. <i>C.</i> 3, <i>t.</i> 82, <i>f.</i> 833- 4.	W. Indies.
15 laciniatus		sinuated	<i>C.</i> 10, <i>t.</i> 158, <i>f.</i> 1506-7.	E. Indies.
16 Auris Dianæ	3512	Diana's ear	<i>L. t.</i> 872, <i>f.</i> 28. <i>G. t.</i> 32, <i>f.</i> D.H. <i>C.</i> 3, <i>t.</i> 84, <i>f.</i> 838- 9. <i>E. M.</i> <i>t.</i> 409, <i>f.</i> 3.	Amboyna.
17 Pugilis	3512	thick, spined	<i>G. t.</i> 32, <i>f.</i> B. <i>C.</i> 3, <i>t.</i> 81, <i>f.</i> 830-31. <i>E. M.</i> <i>t.</i> 408, <i>f.</i> 4.	W. Indies.
18 marginatus		marginated	<i>L. S. N.</i> <i>p.</i> 1209.	China.
19 Luhuanus	3513	Lohoe broad- lip	<i>L. t.</i> 850 & 851. <i>G. t.</i> 31, <i>f.</i> H.I. <i>C.</i> 3, <i>t.</i> 77, <i>f.</i> 789- 91.	_____
20 gibberulus	3514	Pouter	<i>L. t.</i> 847, <i>f.</i> 1. <i>G. t.</i> 13, <i>f.</i> N. <i>C.</i> 3, <i>t.</i> 77, <i>f.</i> 792-4.	Amboyna.
21 Oniscus	3514	Wood-louse	<i>L. t.</i> 791, <i>f.</i> 44. <i>G. t.</i> 22, <i>f.</i> 1. <i>C.</i> 11, <i>t.</i> 195. A, <i>f.</i> 1872-3.	W. Indies.
22 Gigas	3515	Giant	<i>L. t.</i> 886-8. <i>G. t.</i> 54, <i>f.</i> M. <i>C.</i> 3, <i>t.</i> 80, <i>f.</i> 824.	_____
23 latissimus	3516	broad Giant	<i>L. t.</i> 856 & 862. <i>C.</i> 3, <i>t.</i> 82, <i>f.</i> 832 & <i>t.</i> 83, <i>f.</i> 835.	China.
24 Accipiter		spinous	<i>L. t.</i> 863, <i>f.</i> 18. <i>C.</i> 3, <i>t.</i> 81, <i>f.</i> 829.	Asiatic Ocean.
25 Epidromis	3516	mottled fawn	<i>L. t.</i> 853, <i>f.</i> 10. <i>F. t.</i> 20, <i>f.</i> A.6. <i>C.</i> 3, <i>t.</i> 79. <i>f.</i> 821.	Amboyna.
26 minimus	3516	least	<i>G. t.</i> 31, <i>f.</i> L. <i>C.</i> 10, <i>t.</i> 156, <i>f.</i> 1491-2.	_____

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat</i>
27 Canarium	3517	Partridge	<i>L. t.</i> 853, <i>f.</i> 9. <i>G. t.</i> 32, <i>f.</i> N. C. 3, <i>t.</i> 79, <i>f.</i> 818.	Amboyne
28 vittatus	3517	ribbon	<i>L. t.</i> 852, <i>f.</i> 8. <i>P. G. t.</i> 98, <i>f.</i> 12. <i>C. 3, t.</i> 79, <i>f.</i> 819- 20 & 322-3. <i>E. M.</i> <i>t.</i> 409, <i>f.</i> 1.	_____
29 sulcatus		sulcated	<i>L. t.</i> 852, <i>f.</i> 8. <i>F. t.</i> 20, <i>f.</i> A. 4. <i>C. 11, t.</i> 195. <i>A.</i> <i>f.</i> 1870-1.	China.
30 succinctus	3518	girdled	<i>L. t.</i> 859, <i>f.</i> 16. <i>G. t.</i> 33, <i>f.</i> B. <i>C. 3, t.</i> 79, <i>f.</i> 815- 16.	Amboyne.
31 Fissurella	3518	slit-lipped	<i>F. t.</i> 79, <i>f.</i> Y. <i>C. 4, t.</i> 158, <i>f.</i> 1498-9. <i>E. M. t.</i> 411, <i>f.</i> 3.	E. Indies.
32 Urceus	3518	Pitcher	<i>L. t.</i> 857, <i>f.</i> 13. <i>G. t.</i> 32, <i>f.</i> E & G. <i>C. 3, t.</i> 78, <i>f.</i> 803-9.	_____
33 Erythrinus		nodulous	<i>C. 11, t.</i> 195. <i>A. f.</i> 1874-5.	Red Sea.
34 tridentatus	3519	3-toothed	<i>L. t.</i> 858, <i>f.</i> 14. <i>G. t.</i> 33, <i>f.</i> C. D. <i>C. 10, t.</i> 157, <i>f.</i> 1503.	Amboyne.
[35 dentatus	3519	toothed	<i>C. 10, t.</i> 157, <i>f.</i> 1501-2.	Isle of France.
36 Vexillum	3520	Banner	<i>C. 10, t.</i> 157, <i>f.</i> 1504-5.	E. Indies.
37 Norwegicus	3520	Norwegian	<i>C. 10, t.</i> 157, <i>f.</i> 1497-8.	Norway.
38 tuberculatus	3521	tuberculated	<i>C. 4, t.</i> 157, <i>f.</i> 1490.	Mediterr.

STROMBUS.

1725



MUREX.





<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
39 palustris	3521	marsh	<i>L. t.</i> 837, <i>f.</i> 63. <i>F. t.</i> 14, <i>f.</i> A. 1. <i>C.</i> 4, <i>t.</i> 156, <i>f.</i> 1472.	E. Indies.
40 ater	3521	black	<i>L. t.</i> 115, <i>f.</i> O. <i>F. t.</i> 61, <i>f.</i> H. 11. <i>C.</i> 9, <i>t.</i> 35, <i>f.</i> 1227. Marshes in Amboyna.	
41 auritus	3522	eared	<i>L. t.</i> 121, <i>f.</i> 16. <i>C.</i> 9, <i>t.</i> 136, <i>f.</i> 1265-6.	Guinea. Fr.w.
42 lividus	3523	livid	<i>C.</i> 9, <i>t.</i> 136, <i>f.</i> 1269-70.	U.
43 costatus		ribbed	<i>D.</i> 3, <i>t.</i> 94. <i>M.</i> p. 255.	Britain.
44 raninus		thin-lipped	<i>K.</i> 6, <i>t.</i> 29, <i>f.</i> 8.	U.

XXVI. MUREX. ROCK.

1 Haustellum	3524	Snipe	<i>L. t.</i> 903, <i>f.</i> 23. <i>G. t.</i> 30, <i>f.</i> E. <i>C.</i> 3, <i>t.</i> 115, <i>f.</i> 1066.	Amboyna.
2 Motacilla	3530	Nightingale	<i>C.</i> 10, <i>t.</i> 163, <i>f.</i> 1563.	E. Indies.
3 Scolopax		thorny Snipe	<i>C.</i> 11, <i>t.</i> 189, <i>f.</i> 1819-20.	Red Sea.
4 Tribulus	3525	thorny Woodcock	<i>L. t.</i> 902, <i>f.</i> 22. <i>G. t.</i> 31, <i>f.</i> A. <i>C.</i> 3, <i>t.</i> 113, <i>f.</i> 1053- 6.	Amboyna.
5 cornutus	3525	horned Snipe	<i>L. t.</i> 901, <i>f.</i> 21. <i>G. t.</i> 30, <i>f.</i> D. <i>C.</i> 3, <i>t.</i> 114, <i>f.</i> 1057. —	
6 Brandaris	3526	short-beak. Snipe	<i>L. t.</i> 900, <i>f.</i> 20. <i>G. t.</i> 30, <i>f.</i> F. <i>C.</i> 3, <i>t.</i> 114, <i>f.</i> 1058- 61.	Mediterranean.

<i>Lin. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
7 Trunculus	3526	Tyrian dye	<i>L. t.</i> 947, <i>f.</i> 42. <i>G. t.</i> 31, <i>f.</i> C. 3, <i>t.</i> 109, <i>f.</i> 1018- 20	Mediterranean.
8 Rosarium		Rosary	<i>C. 10, t.</i> 161, <i>f.</i> 1528-9.	U.
9 Pomum	3527	apple-shap.	<i>L. t.</i> 944, <i>f.</i> 39. a. <i>K. 3, t.</i> 9, <i>f.</i> 1. <i>C. 3, t.</i> 109, <i>f.</i> 1021- 3 & 110, <i>f.</i> 1024-5.	Mediterranean.
10 miliaris	3536	scabrous	<i>K. 3, t.</i> 29, <i>f.</i> 5. <i>C. 10, t.</i> 161, <i>f.</i> 1532-5.	Nicobar Islands.
11 melanoma- thos	3527	black-spined	<i>C. 3, t.</i> 108, <i>f.</i> 1015. <i>E. M.</i> <i>t.</i> 418, <i>f.</i> 2.	E. Indian Seas.
12 ramosus	3528	branched	<i>L. t.</i> 946, <i>f.</i> 41. <i>G. t.</i> 37, <i>f.</i> D. G. H. I. L. <i>C. 3,</i> <i>t.</i> 102-6, <i>f.</i> 980-97.	W. Indies.
13 foliatus	3529	foliated	<i>C. 10, t.</i> 161, <i>f.</i> 1538-9.	New Zealand.
14 Lingua		Sheep's tongue	<i>C. 10, t.</i> 161, <i>f.</i> 1540-1.	Goree.
15 tripterus	3530	subtriangu- lar	<i>B. t.</i> 10, <i>f.</i> 18, 19. <i>C. 3,</i> <i>t.</i> 110, <i>f.</i> 1031-2. <i>E. M.</i> <i>t.</i> 417, <i>f.</i> 3.	Batavia.
16 triqueter	3530	3-warted	<i>C. 3, t.</i> 111, <i>f.</i> 1038. <i>E. M.</i> <i>t.</i> 417, <i>f.</i> 1 & 4.	China.
17 Scorpio	3529	Scorpion	<i>G. t.</i> 37, <i>f.</i> M. <i>F. t.</i> 36, <i>f.</i> G. 3. G. 4. <i>C. 3, t.</i> 106, <i>f.</i> 998-1003.	Amboyna.
18 saxatilis	3529	Endive	<i>F. t.</i> 36, <i>f.</i> K. <i>K. 3, t.</i> 9, <i>f.</i> 2. <i>C. 3, t.</i> 107, <i>f.</i> 1004-10.	—

<i>Linn. names.</i>	<i>Gm. Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
19 erinaceus	3530 rough ridged	<i>G.t.</i> 49, <i>f.</i> H. C. 3, <i>t.</i> 110, <i>f.</i> 1026-8. <i>E.M.t.</i> 421, <i>f.</i> 1. <i>D.</i> 1, <i>t.</i> 35. <i>M.p.</i> 259.	Britain, &c.
20 Sacellum	3530 corded	<i>C.</i> 10, <i>t.</i> 163, <i>f.</i> 1561-2.	Nicobar Islands.
21 Rana	3531 Frog	<i>L.t.</i> 995, <i>f.</i> 58. <i>G.t.</i> 49, <i>f.</i> L. C. 4, <i>t.</i> 133, <i>f.</i> 1268- 71. <i>E.M.t.</i> 412, <i>f.</i> 3. Amboyna.	
22 spinosus	3531 spiny Frog	<i>L.t.</i> 949, <i>f.</i> 44. <i>F.t.</i> 32, <i>f.</i> B. 2. <i>K.</i> 3, <i>t.</i> 7, <i>f.</i> 5. <i>E.M.t.</i> 412, <i>f.</i> 5. Tranquebar.	
23 crassus	thick Frog	<i>F.t.</i> 32, <i>f.</i> B. 4. <i>C.</i> 4, <i>t.</i> 133, <i>f.</i> 1272-3. Madagascar.	
24 Gyrimus	3531 whirled	<i>L.t.</i> 939, <i>f.</i> 34. <i>G.t.</i> 49, <i>f.</i> E. C. 4, <i>t.</i> 127, <i>f.</i> 1224- 7. <i>E.M.t.</i> 412, <i>f.</i> 2.	Mediterranean.
25 bitubercularis	2-knobbed	<i>E.M.t.</i> 412, <i>f.</i> 6.	v.
26 bufonius	3534 toad-shaped	<i>F.t.</i> 32, <i>f.</i> B. 1. <i>C.</i> 11, <i>t.</i> 192, <i>f.</i> 1845-6. <i>E.M.t.</i> 412, <i>f.</i> 1. S. Seas.	
27 Argus	3547 Argus	<i>K.</i> 5, <i>t.</i> 3, <i>f.</i> 3. <i>C.</i> 10, <i>t.</i> 160, <i>f.</i> 1522. <i>E.M.t.</i> 414, <i>f.</i> 3. Amboyna.	
28 Lampas	3532 granulated	<i>L.t.</i> 1023, <i>f.</i> 88. <i>G.t.</i> 50, <i>f.</i> D. C. 4, <i>t.</i> 129, <i>f.</i> 1238- 9. <i>E.M.t.</i> 420, <i>f.</i> 3. Mediter.	

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
29 Olearium	3532	Oil Jar	<i>L. t.</i> 937, <i>f.</i> 32. <i>G. t.</i> 49, <i>f.</i> G. C.4, <i>t.</i> 130, <i>f.</i> 1242-3.	Mediterranean.
30 Parthenopus		tawny-yellow	<i>K.</i> 5, <i>t.</i> 21, <i>f.</i> 1. <i>C.</i> 4, <i>t.</i> 131, <i>f.</i> 1252-3. <i>E.M. t.</i> 416, <i>f.</i> 3.	Bay of Naples.
31 lyratus	3531	lyre-shaped	<i>C.</i> 10, <i>t.</i> 167, <i>f.</i> 1634.	New Zealand.
32 Femorale	3533	triangular*	<i>L. t.</i> 941, <i>f.</i> 37. <i>G. t.</i> 50, <i>f.</i> C. C.3, <i>t.</i> 111, <i>f.</i> 1039.	Ceylon.
33 cutaceus	3533	rough-skin.	<i>L. t.</i> 942, <i>f.</i> 38. <i>C.</i> 3, <i>t.</i> 118, <i>f.</i> 1035-6. <i>E.M. t.</i> 414, <i>f.</i> 2.	W. Indies.
34 Lotorium	3533	angulated Oil Jar	<i>L. t.</i> 934, <i>f.</i> 29. <i>F. t.</i> 34, <i>f.</i> G. 4. <i>C.</i> 4, <i>t.</i> 130, <i>f.</i> 1246-9. <i>E.M. t.</i> 415, <i>f.</i> 2.	Amboyna.
35 Pileare	3534	nodulous Oil Jar	<i>G. t.</i> 49, <i>f.</i> A. <i>C.</i> 4, <i>t.</i> 130, <i>f.</i> 1243 & 131, <i>f.</i> 1250-1. <i>E.M. t.</i> 415, <i>f.</i> 3-4.	Mediterr.
36 conditus	3565	mottled Oil Jar	<i>C.</i> 10, <i>t.</i> 162, <i>f.</i> 1544-5.	U.
37 maculosus	3548	spotted	<i>L. t.</i> 1022, <i>f.</i> 36. <i>F. t.</i> 33, <i>f.</i> X. 2. <i>C.</i> 10, <i>t.</i> 162, <i>f.</i> 1552-3. <i>E.M. t.</i> 416, <i>f.</i> 1.	Amboyna.
38 Spengleri		Spengler's	<i>C.</i> 11, <i>t.</i> 191, <i>f.</i> 1839-40.	New South Wales.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
39 <i>Pyrum</i>	3534	Pear	<i>G.t.</i> 37, <i>f.</i> F. <i>F.t.</i> 34, <i>f.</i> A. 2. <i>K.</i> 2, <i>t.</i> 7, <i>f.</i> 2, 3. <i>C.</i> 3, <i>t.</i> 112, <i>f.</i> 1040-4.	Coromandel.
40 <i>Clavator</i>		club-shaped	<i>C.</i> 11, <i>t.</i> 190, <i>f.</i> 1825-6.	Ceylon.
41 <i>caudatus</i>	3535	caudated	<i>L.t.</i> 893, <i>f.</i> B. <i>C.</i> 3, <i>t.</i> 112, <i>f.</i> 1045-7.	Coromandel.
42 <i>Rubecula</i>	3535	Footman	<i>G.t.</i> 49, <i>f.</i> F. & I. <i>F.t.</i> 34, <i>f.</i> G. 1. & G. 3. <i>C.</i> 4, <i>t.</i> 132, <i>f.</i> 1259-67.	Red Sea.
43 <i>Scrobiculato</i>	3535	violet-throated	<i>L.t.</i> 943, <i>f.</i> 39. <i>G.t.</i> 49, <i>f.</i> B. <i>C.</i> 10, <i>t.</i> 163, <i>f.</i> 1556-7. <i>E.M.t.</i> 414, <i>f.</i> 1.	Mediterr.
44 <i>reticularis</i>	3535	reticulated	<i>L.t.</i> 935, <i>f.</i> 30. <i>G.t.</i> 49, <i>f.</i> M. <i>C.</i> 4, <i>t.</i> 128, <i>f.</i> 1228. <i>E.M.t.</i> 413, <i>f.</i> 1.	—————
45 <i>Anus</i>	3536	Grimace	<i>L.t.</i> 833, <i>f.</i> 57. <i>G.t.</i> 37, <i>f.</i> B. E. <i>C.</i> 2, <i>t.</i> 41, <i>f.</i> 403-4. <i>E.M.t.</i> 413, <i>f.</i> 3.a.b.	Amboyna.
46 <i>Mulus</i>		Mule	<i>G.t.</i> 31, <i>f.</i> D. <i>F.t.</i> 31, <i>f.</i> H. 2. <i>C.</i> 2, <i>t.</i> 41, <i>f.</i> 405-6.	Coasts of Ilitoe.
47 <i>neritoideus</i>	3537	Mulberry	<i>L.t.</i> 804, <i>f.</i> 12, 13. <i>F.t.</i> 24, <i>f.</i> A. 1. <i>C.</i> 3, <i>t.</i> 101, <i>f.</i> 972-3 & <i>t.</i> 102, <i>f.</i> 976-7. <i>E.M.t.</i> 395, <i>f.</i> 7.	Coromandel.
48 <i>Nodus</i>	3537	Chesnut	<i>L.t.</i> 991, <i>f.</i> 53. <i>P.t.</i> 19, <i>f.</i> 10. <i>C.</i> 3, <i>t.</i> 100, <i>f.</i> 956-8.	Jamaica.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
- 49 Fucus	3538	black-eyed	<i>L. t.</i> 990, <i>f.</i> 50. <i>G. t.</i> 66, <i>f.</i> B. B. C. 3, <i>t.</i> 100, <i>f.</i> 959-60.	Guinea.
- 50 Hystrix	3538	Porcupine	<i>G. t.</i> 23, <i>f.</i> R. C. 3, <i>t.</i> 101, <i>f.</i> 974-5.	E. Indies.
- 51 Ricinus	3537	Spur	<i>G. t.</i> 28, <i>f.</i> N. K. 1, <i>t.</i> 25, <i>f.</i> 5, 6.	China.
- 52 Mancinella	3538	Mancinella	<i>L. t.</i> 957, <i>f.</i> 9. C. 3, <i>t.</i> 101, <i>f.</i> 967-8.	Amboyna.
- 53 Hippocasta- num	3539	Horse-ches- nut	<i>P. Amb. t.</i> 4, <i>f.</i> 12. <i>F. t.</i> 24, <i>f.</i> C. 1. C. 3, <i>t.</i> 99, <i>f.</i> 945- 6. <i>E. M. t.</i> 432, <i>f.</i> 4, 5.	Batavia.
- 54 nodatus	3536	knobbed	<i>M. U. C.</i> 2, <i>t.</i> 51.	N. Holland.
- 55 lacerus		carinated	<i>L. t.</i> 958, <i>f.</i> 11. <i>P. t.</i> 101, <i>f.</i> 18. C. 3, <i>t.</i> 100, <i>f.</i> 951- 3.	Guinea.
- 56 plicatus		plaited	C. 3, <i>t.</i> 100, <i>f.</i> 954-5.	E. Indies.
57 morbosus		marbled	<i>L. t.</i> 990, <i>f.</i> 51. b. & 991, <i>f.</i> 52. C. 4, <i>t.</i> 123, <i>f.</i> 1140.	W. Indies.
58 senticosus	3539	cancellated	<i>G. t.</i> 51, <i>f.</i> G. I. <i>F. t.</i> 31, <i>f.</i> I. C. 4, <i>t.</i> 155, <i>f.</i> 1466- 7. <i>E. M. t.</i> 419, <i>f.</i> 3.	Amboyna.
- 59 Melongena	3540	open-mouth	<i>L. t.</i> 904, <i>f.</i> 24. <i>G. t.</i> 26, <i>f.</i> F. C. 2, <i>t.</i> 39, <i>f.</i> 389- 92. <i>E. M. t.</i> 435, <i>f.</i> 3. a-e. ———	
60 calcaratus	3540	brownish- white	<i>P. Amb. t.</i> 8, <i>f.</i> 11. <i>G. t.</i> 31, <i>f.</i> F. C. 2, <i>t.</i> 40, <i>f.</i> 398-9. ———	

[*Melongena* β-ζ.]

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
61 Consul	3550	ventricose	<i>C.10, t.130, f.1516-17.</i>	E. Indies.
62 stramineus	3542	straw-coloured	<i>F.t.79, f. S. C.10, t.160, f.1520-1.</i>	New Zealand.
63 Virgo		corded	<i>E.M.t.439, f.2.</i>	U.
64 clavatulus		crowned	<i>Tower C.11, t.190, f.1831-2.</i>	Guinea.
65 gibbosus	3564	gibbous	<i>C.11, t. 190, f. 1829-30 & 1833-4.</i>	Red Sea.
66 virgineus		Virgin	<i>Tower C.11, t.190, f.1835-6.</i>	Guinea.
67 Babylonius	3541	Tower of Babel	<i>L.t.49, f.11. G.t.52, f.N. C. 4, t. 143, f. 1331-2. E.M.t.439, f.1, 5 & 6.</i>	Amboyna.
68 Javanus	3543	Javan [<i>Turris.</i>]	<i>F.t.33, f.C.5. C.4, t.143, f. 1334-5. B.E.C.t.18, f.5. E.M.t.439, f.3.</i>	Java.
69 tornatus	3541	white [<i>Javanus.</i>]	<i>Tower C.4, t.143, f.1336-8.</i>	Tranquebar.
70 dubius	3543	doubtful [<i>asper.</i>]	<i>C.4, t.150, f.1396-7.</i>	U.
71 Colus	3543	Spindle	<i>L.t. 917, f. 10 & 918. G. t. 52, f. L. C. 4, t.144, f. 1339 & 1342. E. M. t.423, f.4, 5, & 424, f.4.</i>	Amboyna.
72 colosseus		great	<i>E.M.t.427, f.2.</i>	————
73 longicaudus		long-beaked	<i>L.t.918. E.M.t.423, f.2.</i>	Amboyna.
74 striatulus	3557	transversely striated	<i>C.4, t.146, f.1351-2.</i>	U.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
75 Lancea	3556	narrow	C.4, t.145, f.1347.	Amboyna.
76 versicolor	3556	changeable	K.3, t.14, f.1. C.4, t.146, f.1348.	E. Indies.
77 verrucosus	3557	warty	C.4, t.146, f.1349-50.	Red Sea.
78 Morio	3544	Helmet	L. t. 983, f. 22. F. t. 35, f. B. 1. C. 4, t. 139, f. 1300-1. E. M. t. 430, f. 3, 4.	W. Indies.
79 Cochlidium	3544	brown-streaked	C.10, t.164, f.1569. E. M. t. 434, f. 2.	E. Indies.
80 Tuba	3554	Trumpet	C.4, t.143, f. 1333. E. M. t. 426, f. 2.	China.
81 Spirillus	3544	blunt-tipped	K.4, t.24, f. 3. C.3, t.115, f. 1069. E. M. t. 437, f. 4.	Malabar.
82 canaliculatus	3544	channelled	L. t. 878, f. 2. G. t. 47, f. A. C.3, t. 67, f. 742-3. E. M. t. 436, f. 3.	Canada.
83 Carica	3545	keeled	L. t. 380, f. 3, b. G. t. 47, f. B. C. 3, t. 67, f. 744 & 69, f. 756-7. E. M. t. 433, f. 3.	U.
84 cariniferus		wave-edged	E. M. t. 423, f. 3.	U.
85 Ficus	3545	fig-shaped	G. t. 26, f. N. C. 10, t. 163, f. 1564-5 & 11, t. 193, f. 1853.	Red Sea.
86 clandestinus	3471	double-lipped	L. t. 940, f. 36. K. 6, t. 29, f. 5. C. 11, t. 193, f. 1856-7. E. M. t. 433, f. 1.	U.
		[<i>B. caudatum</i> β.]		

<i>Linn. names.</i>	<i>Gm. Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
87 Aruanus	3546 spine-crown.	<i>F.t.</i> 35, <i>f.</i> M. C.4, <i>p.</i> 143, <i>f.</i> D.	China.
88 perversus	3546 reversed	<i>L. t.</i> 907, <i>f.</i> 27. <i>F. t.</i> 23, <i>f.</i> H.2. C.9, <i>t.</i> 106, <i>f.</i> 904- 7. <i>E.M.t.</i> 433, <i>f.</i> 4. W. Indies.	
89 antiquus	3546 antiquated	<i>L.t.</i> 913, <i>f.</i> 4. C.4, <i>t.</i> 138, <i>f.</i> 1292-4. <i>E.M.t.</i> 426, <i>f.</i> 5. D. 1, <i>t.</i> 31. M. <i>p.</i> 256.	Britain, &c.
90 Magellanicus	3548 leafy ribbed	C.4, <i>t.</i> 139, <i>f.</i> 1297. M.U.C. 1, <i>t.</i> 6. <i>E.M.t.</i> 419, <i>f.</i> 4. Str. of Magellan.	
91 acanthopterus	foliated	<i>E.M.t.</i> 417, <i>f.</i> 2.	U.
92 fornicatus	3547 arched	C.4, <i>t.</i> 138, <i>f.</i> 1295.	Greenland.
93 despectus	3547 despised	<i>E. M. t.</i> 426, <i>f.</i> 4. D. 5, <i>t.</i> 180.	Northern Ocean.
94 subantiquatus	great, worn	C.4, <i>t.</i> 138, <i>f.</i> 1293 & 1296. D.4, <i>t.</i> 119. M. <i>p.</i> 257. <i>L.T.</i> 8, <i>p.</i> 147.	Britain.
95 Tritonis	3549 Triton	<i>L. t.</i> 959, <i>f.</i> 12. <i>G. t.</i> 48, <i>f.</i> A. C.4, <i>t.</i> 134, <i>f.</i> 1277 & <i>t.</i> 135, <i>f.</i> 1282-3. <i>E.M.t.</i> 421, <i>f.</i> 2.	Amboyna.
96 vulpinus	3558 foxy	<i>B.p.</i> 317, <i>t.</i> 11, <i>f.</i> 10, 11.	U.
97 Pusio	3550 Wreath	<i>L.t.</i> 914, <i>f.</i> 7. <i>G.t.</i> 52, <i>f.</i> 1. <i>F.t.</i> 53, <i>f.</i> I. C.4, <i>t.</i> 147, <i>f.</i> 1537. <i>E. M. t.</i> 426, <i>f.</i> 1.	Mediterranean.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
98 Tulipa	3550	Tulip	<i>L. t.</i> 910 & 911. <i>G. t.</i> 46, <i>f.</i> A. E. C. 4, <i>t.</i> 136, <i>f.</i> 1286-7. <i>E. M. t.</i> 431, <i>f.</i> 2.	W. Indies.
99 clathratus	3551	ribbed	<i>L. t.</i> 926, <i>f.</i> 19.	Iceland.
100 lamellosus	3536	lamellar	<i>F. t.</i> 37, <i>f.</i> H. 1. <i>K.</i> 4, <i>t.</i> 30, <i>f.</i> 2. C. 11, <i>t.</i> 190, <i>f.</i> 1823-4. Str. of Magellan.	
101 Scala	3551	Ladder	<i>C.</i> 4, <i>p.</i> 1, <i>f.</i> a. b. c.	E. Indies.
102 Fiscellum	3552	short-beak.	<i>C.</i> 10, <i>t.</i> 160, <i>f.</i> 1524-5.	Pulo Condore.
103 undatus		waved	<i>C.</i> 11, <i>t.</i> 192, <i>f.</i> 1851-2.	Tranquebar.
104 virgatus		nodulous	<i>C.</i> 4, <i>t.</i> 123, <i>f.</i> 1441-2.	E. Indies.
105 Corona	3552	crowned	<i>C.</i> 10, <i>t.</i> 161, <i>f.</i> 1526-7. <i>E. M. t.</i> 430, <i>f.</i> 2. G. of Mexico.	
106 Dolarium	3552	narrow-belt.	<i>K.</i> 2, <i>t.</i> 24, <i>f.</i> 5 & 5, <i>t.</i> 3, <i>f.</i> 5. <i>C.</i> 3, <i>t.</i> 118, <i>f.</i> 1087-8. <i>E. M. t.</i> 420, <i>f.</i> 1. Portugal.	
107 corneus	3552	slender horn	<i>L. t.</i> 913, <i>f.</i> 5. <i>C.</i> 4, <i>t.</i> 141, <i>f.</i> 1312-13. <i>E. M. t.</i> 429, <i>f.</i> 2. <i>D.</i> 2, <i>t.</i> 38. <i>M.</i> <i>p.</i> 258. Britain, &c.	
108 lineatus	3559	lined	<i>C.</i> 10, <i>t.</i> 164, <i>f.</i> 1572. <i>E. M.</i> <i>t.</i> 429, <i>f.</i> 4. New Zealand.	
109 sexcostatus		6-ribbed	<i>E. M. t.</i> 441, <i>f.</i> 1.	U.
110 Nassa	3551	rough	<i>L. t.</i> 828, <i>f.</i> 50. <i>K.</i> 6, <i>t.</i> 20, <i>f.</i> 7. Guinea.	

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
111 Amplusstre		American flag	C. 11, t. 191, f. 1841-2.	Friendly Islands.
112 Trapezium	3552 striped		L. t. 931, f. 26. G. t. 46,	
	Tower		f. B. C. 4, t. 139, f. 1298-9. E. M. t. 431, f. 3.	Amboyna.
113 polygonus	3555 many-angled		C. 4, t. 140, f. 1306-9 & t. 141, f. 1314-16	E. M. t. 423, f. 1. Isle of France.
114 Vespertilio	3553 reddish-brown		L. t. 334, f. 6. a. F. t. 23, f. L. 2. C. 4, t. 142, f. 1323-4 & 1326-7. E. M. t. 434, f. 8.	Tranquebar.
115 Scolymus	3553 flesh-colour		C. 4, t. 142, f. 1325.	U.
116 Ternatanus	3554 Ternate		L. t. 392, f. 12. F. t. 35, f. B. 6. K. 4, t. 15, f. 4 & t. 26, f. 1.	Isl. of Ternate.
117 Columbarium	3559 wh.-belted		C. 10, t. 169, f. 1637-8.	Friendly Islands.
118 Infundibulum	3554 funnel-shaped		L. t. 921, f. 14. C. 4, p. 143, f. A. E. M. t. 424, f. 2.	W. Indies.
119 Syracusanus	3559 Syracuse [asperrimus.]		F. t. 34, f. D. 2. C. 10, t. 162, f. 1542-3.	Mediterranean.
120 Perron	3559 shelving		C. 10, t. 164, f. 1573-4.	S. Seas.
121 craticulatus	3554 net-whirled		L. t. 919, f. 13. K. 2, t. 3, f. 6. C. 4, t. 149, f. 1332-3. E. M. t. 429, f. 3.	Mediterranean.
122 Pardalis	3557 Leopard		K. 2, t. 3, f. 4. C. 4, t. 149, f. 1384.	V.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
123 prismaticus	3559	prismatic	<i>C.10, t.169, f.1635-6.</i>	Friendly Islands.
124 Maroccensis	3553	Morocco	<i>F.t.33, f.A.6. C.9, t.105, f.396.</i>	Morocco.
125 Harpa	3554	Harp	<i>C.4, t.142, f.1323-30.</i>	U.
126 Bamffius		Bamffian	<i>D.5, t.169, f.1. L.T.8, p.149. M.Suppl.p.117.</i>	Scotland.
127 gracilis		elegant	<i>D. t.169, f.2. M.p.267 & 586, t.15, f.5.</i>	Britain.
128 attenuatus		tapering	<i>M.p.266, t.9, f.6. L.T. p.143.</i>	_____
129 Nebula		clouded	<i>M.p.267, t.15, f.6. L.T.8, p.143.</i>	_____
130 costatus		high-ribbed	<i>D.3, t.91. M.p.265.</i>	_____
131 proximus		eleven-ribbed	<i>M.Suppl.p.118, t.30, f.8.</i>	Scotland.
132 septangularis		seven-angled	<i>D.5, t.179, f.4. M.p.168, t.9, f.5.</i>	Britain.
133 Turricula		small towered	<i>M.p.262, t.9, f.1. L.T.8, p.144.</i>	_____
134 rufus		red	<i>M.p.263. L.T.8, p.145.</i>	_____
135 sinuosus		channel-lipped	<i>M.p.264, t.9, f.8. L.T.8, p.145.</i>	_____
136 linearis		linear	<i>M.p.261, t.9, f.4. L.T.8, p.148.</i>	_____
137 purpureus		purple	<i>M.p.260, t.9, f.3.</i>	_____

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
138 muricatus		rasp	<i>M.p.</i> 262, <i>t.</i> 9, <i>f.</i> 2. <i>L.T.</i> 8, <i>p.</i> 149.	Britain.
139 minutissimus		minute	<i>M.p.</i> 273. <i>L.T.</i> 3, <i>p.</i> 65 & 8, <i>p.</i> 149.	————
140 arenosus	3558	sea-sand	<i>S.Einl.</i> 1, <i>p.</i> 644.	India.
141 Scriptus	3554	Character	<i>L.S.N.p.</i> 1225.	Mediterranean.
142 Obeliscus	3542	Chinese [<i>Sinensis.</i>] Obelisk	<i>L.t.</i> 1018, <i>f.</i> 80. <i>G.t.</i> 56, <i>f.M.</i> C.4, <i>t.</i> 157, <i>f.</i> 4489. <i>E.M.t.</i> 443, <i>f.</i> 4.	W. Indies.
143 Vertagus	3560	curve-beak.	<i>L.t.</i> 1020, <i>f.</i> 83. <i>G.t.</i> 57, <i>f.D.</i> C.4, <i>t.</i> 156, <i>f.</i> 1479 & 157, <i>f.</i> 1480. <i>E.M.</i> <i>t.</i> 443, <i>f.</i> 2.	Amboyna.
144 curvirostris		cross-beaked	<i>C.4, t.</i> 156, <i>f.</i> 1748.	————
145 plicatulus	3561	wh.-plaited	<i>L.t.</i> 1017, <i>f.</i> 79. <i>G.t.</i> 57, <i>f.A.</i> C.4, <i>t.</i> 157, <i>f.</i> 1488.	————
146 Aluco	3560	Caterpillar	<i>L.t.</i> 1017, <i>f.</i> 79. <i>G.t.</i> 57, <i>f.A.</i> C.4, <i>t.</i> 156, <i>f.</i> 1478. <i>E.M.t.</i> 443, <i>f.</i> 5.	————
147 nodulosus		nodulous	<i>L.t.</i> 1025, <i>f.</i> 87. <i>G.t.</i> 57, <i>f.G.</i> C.4, <i>t.</i> 156, <i>f.</i> 1473- 4. <i>E.M.t.</i> 442, <i>f.</i> 3.	————
148 Adansoni		Adanson's	<i>G.t.</i> 57, <i>f.</i> B. <i>A.t.</i> 10, <i>f.</i> 2.	River Gambia.
149 Clava	3565	club-shaped	<i>C.10, p.</i> 233, <i>f.</i> A.B.	Pulo Condore.
150 uncinatus	3542	grappling	<i>S.Fluss.t.</i> 8, <i>f.</i> 15.	U.
151 atratus	3564	blackish	<i>B.p.</i> 327, <i>t.</i> 11, <i>f.</i> 17, 18.	U.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitât.</i>
152 alucoides		marbled	<i>L. t.</i> 1019. <i>G. t.</i> 56, <i>f.</i> L. <i>F. t.</i> 39, <i>f.</i> C. 1. Mediterranean.	
153 ebeninus		deep black	<i>F. t.</i> 79, <i>f.</i> lower N. <i>C.</i> 10, <i>t.</i> 162, <i>f.</i> 1548-9. <i>E. M.</i> <i>t.</i> 442, <i>f.</i> 1. New Holland;	
154 fuscatus	3562	prickly	<i>L. t.</i> 121, <i>f.</i> 17. <i>F. t.</i> 39, <i>f.</i> C. 19. <i>C.</i> 9, <i>t.</i> 136, <i>f.</i> 1267-8. Senegal: mouth of rivers.	
155 torulosus	3563	ringed	<i>L. t.</i> 121, <i>f.</i> 16. <i>C.</i> 4, <i>t.</i> 157, <i>f.</i> 1486 & 10, <i>t.</i> 164, <i>f.</i> 1575-6. <i>E. Indies.</i>	
156 flaviatilis	3562	river	<i>L. t.</i> 122, <i>f.</i> 20. <i>G. t.</i> 58, <i>f.</i> F. <i>C.</i> 4, <i>t.</i> 155, <i>f.</i> 1459. Rivers of Senegal, within reach of the tide.	
157 marginatus		marginated	<i>G. t.</i> 56, <i>f.</i> H. <i>E. Indies.</i>	
158 serratus		serrated	<i>M. U. C.</i> 2, <i>t.</i> 58. <i>Friendly Isl.</i>	
159 asper	3563	rough-grain.	<i>L. t.</i> 1020, <i>f.</i> 84. <i>F. t.</i> 39, <i>f.</i> C. 18. <i>C.</i> 4, <i>t.</i> 157, <i>f.</i> 1483. <i>W. Indies.</i>	
160 granulatus		grained	<i>P. Amb. t.</i> 7, <i>f.</i> 12. <i>C.</i> 4, <i>t.</i> 157, <i>f.</i> 1492. <i>E. M.</i> <i>t.</i> 442, <i>f.</i> 4. <i>Asiatic Ocean.</i>	
161 Moluccanus	3563	grooved	<i>L. t.</i> 1021, <i>f.</i> 85. <i>G. t.</i> 57, <i>f.</i> E. <i>C.</i> 4, <i>t.</i> 157, <i>f.</i> 1484- 5. <i>E. M. t.</i> 442, <i>f.</i> 2. <i>Moluccas.</i>	
162 semi-grano- sus		half-grained	<i>E. M. t.</i> 443, <i>f.</i> 1. <i>New Holland.</i>	







TROCHUS.



<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
163 literatus	3548	lettered	<i>G. t.</i> 56, <i>f.</i> N. <i>B. t.</i> 11, <i>f.</i> 14, 15.	Guadaloupe.
164 hexagonus	3548	six-ribbed	<i>C.</i> 10, <i>t.</i> 162, <i>f.</i> 1544-5. <i>E.M.t.</i> 413, <i>f.</i> 3.	S. Sea.
165 reticulatus		reticulated	<i>G. t.</i> 58, <i>f.</i> <i>G. M. p.</i> 272. <i>L.T.</i> 8, <i>p.</i> 150.	Britain.
166 tubercularis		pimpled	<i>M. p.</i> 270 & <i>Suppl. p.</i> 116. <i>L.T.</i> 8, <i>p.</i> 150.	—
167 adversus		left-handed	<i>W.M.S. f.</i> 48. <i>D.5, t.</i> 159. <i>M. p.</i> 271 & <i>Suppl. p.</i> 115. <i>L.T.</i> 8, <i>p.</i> 151.	Britain, &c.
168 subulatus		awl-shaped	<i>M. Suppl. p.</i> 115, <i>t.</i> 30, <i>f.</i> 6. Scotland, in sea sand.	
169 decollatus	3563	decapitated	<i>E.M.t.</i> 458, <i>f.</i> 3.	U.
170 Afer	3553	African	<i>A.</i> 1, <i>p.</i> 125, <i>t.</i> 8, <i>f.</i> 18. <i>E.M.L.</i> 426, <i>f.</i> 6.	Senegal.
171 sinistralis		left-handed	<i>E.M.t.</i> 424, <i>f.</i> 1.	U.

XXVII. TROCHUS.

TOP SHELL.

1 Niloticus	3565	large marbl.	<i>L. t.</i> 617, <i>f.</i> 3. <i>G. t.</i> 59, <i>f.</i> B & C. <i>C.</i> 5, <i>t.</i> 167, <i>f.</i> 1605 & 168, <i>f.</i> 1614. <i>E.M.t.</i> 444, <i>f.</i> 1.	Amboyna.
2 Conus	3569	conic	<i>L.t.</i> 631, <i>f.</i> 18 <i>F.t.</i> 13, <i>f.</i> 1. <i>C.5, t.</i> 167, <i>f.</i> 1610.	E. Indies.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
3 spinosus	3570	thorny	<i>F.t.</i> 12, <i>f.</i> B.3. <i>C.</i> 5, <i>t.</i> 167, <i>f.</i> 1611.	New Zealand.
4 jujubinus	3570	mottled	<i>F.t.</i> 12, <i>f.</i> L. <i>C.</i> 5, <i>t.</i> 167, <i>f.</i> 1612-13.	W. Indies.
5 maculatus	3566	spotted	<i>L. t.</i> 632, <i>f.</i> 20 <i>G. t.</i> 61, <i>f.</i> D. <i>C.</i> 5, <i>t.</i> 168, <i>f.</i> 1615- 18&69, <i>f.</i> 1623-4.	Madagascar.
6 Alveare	3570	Bee-hive	<i>G.t.</i> 60, <i>f.</i> P. <i>C.</i> 5, <i>t.</i> 163, <i>f.</i> 1619&1622.	Isle of France.
7 concavus	3570	concave base	<i>C.</i> 5, <i>t.</i> 168, <i>f.</i> 1620-1.	Coromandel.
8 vernus	3571	green	<i>C.</i> 5, <i>t.</i> 169, <i>f.</i> 1625-6.	E. Indian Seas.
9 conspersus	3571	Poppy	<i>G.t.</i> 60, <i>f.</i> B. <i>C.</i> 5, <i>t.</i> 169, <i>f.</i> 1627.	—————
10 Tentorium	3571	Pavilion	<i>C.</i> 5, <i>t.</i> 169, <i>f.</i> 1628.	—————
11 ochroleucus	3571	whitish- brown	<i>C.</i> 5, <i>t.</i> 169, <i>f.</i> 1629.	—————
12 stellatus	3571	starred	<i>C.</i> 5, <i>t.</i> 169, <i>f.</i> 1630.	—————
13 Spengleri	3571	Spengler's	<i>C.</i> 5, <i>t.</i> 169, <i>f.</i> 1631.	U.
14 costatus	3571	ribbed	<i>C.</i> 5, <i>t.</i> 169, <i>f.</i> 1633-4.	U.
15 inæqualis	3572	unequal	<i>G.t.</i> 60, <i>f.</i> O. <i>F.t.</i> 12, <i>f.</i> D. <i>C.</i> 5, <i>t.</i> 170, <i>f.</i> 1635-6.	Mozambique.
16 regius	3572	royal	<i>C.</i> 5, <i>t.</i> 170, <i>f.</i> 1637.	U.
17 verrucosus	3572	warty	<i>C.</i> 5, <i>t.</i> 170, <i>f.</i> 1638.	E. Indian Seas.
18 cylindricus	3572	sub-conical	<i>C.</i> 5, <i>t.</i> 170, <i>f.</i> 1639.	U.
19 radiatus	3572	radiated	<i>C.</i> 5, <i>t.</i> 170, <i>f.</i> 1640.	W. Indies.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
20 <i>viridis</i>	3572	green-bead.	<i>C.5, t.170, f.1643-4.</i>	N. Zealand.
21 <i>rusticus</i>	3572	blackish-brown	<i>C.5, t.170, f.1645-6.</i>	China.
22 <i>nigerrimus</i>	3573	black	<i>C.5, t.170, f.1647.</i>	————
23 <i>Fanulum</i>	3573	Pagoda	<i>P. t. 156, f. 15. F. t. 13, f.O. C.5, t.170, f.1648-9.</i>	Coasts of Fernambuca.
24 <i>strigosus</i>	3573	black-tipped	<i>C.5, t.170, f.1651.</i>	Morocco.
25 <i>Pyramis</i>	3573	pyramidal	<i>C.5, t.170, f.1652-3.</i>	U.
26 <i>depressus</i>	3573	depressed	<i>C.5, t.171, f.1668-9.</i>	U.
27 <i>lævigatus</i>	3573	smooth	<i>C.5, t.171, f.1670.</i>	U.
28 <i>Gröenlandicus</i>	3574	Greenland	<i>C.5, t.171, f.1671.</i>	Greenland.
29 <i>cruciatus</i>	3567	cross-rayed	<i>C.5, t.171, f.1674.</i>	Mediterr.
30 <i>Pharaonius</i>	3567	Strawberry	<i>L.t.638, f.26. G. t.63, f.B. C.5, t.171, f.1672-3. E.M.t.447, f.7</i>	Red Sea.
31 <i>corallinus</i>	3576	coral-bead.	<i>A.p.183, t.12, f.4.</i>	Magdalen Isl.
32 <i>Guineensis</i>	3574	Guinea	<i>C.5, t.171, f.1680.</i>	Guinea.
33 <i>carneus</i>	3574	flesh-colour.	<i>C.5, t.171, f.1682.</i>	U.
34 <i>Magus</i>	3567	tuberculated	<i>L. t.641, f.32. G. t.62, f.L. C.5, t.171, f.1656-9. D. 1, t.8, f.1. M. p.283.</i>	Britain, &c.
35 <i>Capensis</i>	3573	Cape	<i>C.5, t.171, f.1661-2.</i>	C. of Good Hope.
36 <i>Afer</i>	3577	grey marble.	<i>A.p.184, t.12, f.6.</i>	Senegal.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
37 <i>Modulus</i>	3563	keel-whirled	<i>L.t.</i> 653, <i>f.</i> 52. <i>F.t.</i> 3, <i>f.</i> D. <i>C.5, t.</i> 171, <i>f.</i> 1665.	W. Indies.
38 <i>Ægyptius</i>	3573	Ægyptian	<i>C.5, t.</i> 171, <i>f.</i> 1663-4.	Red Sea.
39 <i>muricatus</i>	3568	prickly	<i>G.t.</i> 64, <i>f.</i> H.	Mediterranean.
40 <i>roseus</i>	3574	rose-colour.	<i>C.5, t.</i> 171, <i>f.</i> 1675.	C. of G. Hope.
41 <i>tumidus</i>		tumid	<i>M.p.</i> 280, <i>t.</i> 10, <i>f.</i> 4. <i>L.T.</i> 3, <i>p.</i> 153.	Britain.
42 <i>viridulus</i>	3574	necklace- grained	<i>C.5, t.</i> 171, <i>f.</i> 1677.	U.
43 <i>urbanus</i>	3574	broad purp. striped	<i>C.5, t.</i> 171, <i>f.</i> 1679.	U.
44 <i>scaber</i>	3568	rough	<i>C.5, t.</i> 171, <i>f.</i> 1667.	U.
45 <i>quadratus</i>		square spotted	<i>C.5, t.</i> 171, <i>f.</i> 1683.	Mediterr.
46 <i>croceus</i>	3584	saffron-co- loured	<i>C.5, t.</i> 171, <i>f.</i> 1684.	Morocco.
47 <i>varius</i>	3568	varied	<i>S.Einl.</i> 1, <i>p.</i> 659.	Mediterranean.
48 <i>umbilicatus</i>	3575	obliquely- [<i>obliquatus.</i>] rayed	<i>C.5, t.</i> 171, <i>f.</i> 1635 <i>D.t.</i> 74, 3 middle figures. <i>M.</i> <i>p.</i> 286. <i>L.T.</i> 3, <i>p.</i> 153.	Britain, &c.
49 <i>cincrarius</i>	3568	ash-colour.	<i>L.t.</i> 641, <i>f.</i> 31. <i>C.5, t.</i> 171, <i>f.</i> 1636. <i>D.3, t.</i> 74. <i>M.</i> <i>p.</i> 284.	—————
50 <i>peritoideus</i>	3577	reddish-col.	<i>Fab.F.G.</i> <i>p.</i> 393.	Greenland.
51 <i>albidus</i>	3576	white	<i>B.t.</i> 11, <i>f.</i> 19, 20.	U.
52 <i>vittatus</i>	3575	ribbon	<i>F.t.</i> 9, <i>f.</i> E.3. <i>C.5, t.</i> 171, <i>f.</i> 1687.	U.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
53 divaricatus	3568	divaricated	<i>Fab.F.G.p.392.</i>	Mediterranean.
54 fuscatus	3576	brown	<i>B.t.12,f.1,2.</i>	U.
55 umbilicaris	3568	umbilicated	<i>C.5,t.171,f.1666.</i>	Mediterr.
56 Areola	3575	red square spotted	<i>C.5, t.173, f.1710-11.</i>	U.
57 cinereus		dark ash-coloured	<i>L.t.633, f. 21. F. 2, t. 13, f. M. D. 5, t. 155, f. 3. M.p.289.</i>	Britain, &c.
58 fasciatus	3576	banded	<i>B.t.12, f.2 3.</i>	U.
59 variegatus	3575	variegated	<i>C.5,t.173, f.1708-9.</i>	U.
60 infundibuli- formis	3575	ram's horn	<i>C.5, t.173, f.1706-7.</i>	U.
61 hybridus	3567	hybrid	<i>C.5, t.173, f.1702-5.</i>	Mediterr.
62 perspectivus	3566	stair-case	<i>L. t. 636, f. 24. G. t. 65, f.O.C.5,t.172, f.1691-6 & 11, t. 196, f. 1884-5. E.M.t.446, f.1 & 3.</i>	Amboyna.
63 stramineus	3575	straw-co- loured	<i>L.t.635, f.23. C.5, t.172, f.1699.</i>	Tranquebar.
64 Indicus	3575	Indian	<i>C.5,t.172, f.1697-8.</i>	E. Indies.
65 planus	3576	flattish	<i>C.5, t.174, f.1721-2.</i>	U.
66 solaris	3569	sulcated, sun	<i>L.t. 662, f. 9. K. 6, t. 26, f.4. C.5, t.173, f.1700- 1.</i>	E. Indies.
67 inermis	3576	short-spined	<i>C.5, t.173, f.1712-13.</i>	W. Indies.
68 imperialis	3576	imperial	<i>C.5, t.173, f.1714 & 174, f.1715.</i>	New Zealand.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
69 conchyliophorus	3534	Carrier	<i>F.t.</i> 12, <i>f.</i> C. 1 & C. 2. <i>C.</i> 5, <i>t.</i> 172, <i>f.</i> 1688-90.	W. Indies.
70 Tectum	3569	arch-lipped	<i>L. t.</i> 653, <i>f.</i> 51. <i>F. t.</i> 9, <i>f.</i> M. 3. <i>C.</i> 5, <i>t.</i> 165, <i>f.</i> 1567-8.	_____
71 perlatus	3577	tooth-lipped	<i>L.t.</i> 654, <i>f.</i> 54. <i>F.t.</i> 8, <i>f.</i> D. <i>C.</i> 10, <i>t.</i> 165, <i>f.</i> 1583-4.	_____
72 Pumilio		Dwarf	<i>C.</i> 11, <i>t.</i> 196, <i>f.</i> 1888-9.	Africa.
73 terrestris	3645	land [<i>H. elegans.</i>]	<i>L.t.</i> 61, <i>f.</i> 58. <i>P.t.</i> 22, <i>f.</i> 10. <i>C.</i> 9, <i>t.</i> 122, <i>f.</i> 1045. <i>D.</i> 4, <i>t.</i> 111. <i>M.p.</i> 287.	Britain, &c.
74 bidens	3642	double- [<i>H. bidentata.</i>] toothed	<i>C.</i> 9, <i>t.</i> 122, <i>f.</i> 1052.	Botanic garden at Strasbourg.
75 fragilis	3577	brittle	<i>S. Einl.</i> 1, <i>t.</i> 3, <i>f.</i> 16.	u.
76 callosus	3577	keeled	<i>C.</i> 9, <i>t.</i> 122, <i>f.</i> 1501.	Bayreuth. Fr.w.
77 flumineus	3587	river	<i>S. Fluss.p.</i> 282, <i>t.</i> 6, <i>f.</i> 12.	River Huines.
78 vestiarius	3578	flattened	<i>L.t.</i> 650-2. <i>G.t.</i> 65, <i>f.</i> F-H. <i>C.</i> 5, <i>t.</i> 166, <i>f.</i> 1601. a. to h.	Mediterranean.
79 grandinatus	3585	studded	<i>C.</i> 10, <i>t.</i> 169, <i>f.</i> 1639.	Palmerston's Island.
80 Lubeo	3578	double-lipped	<i>L.t.</i> 584, <i>f.</i> 42 & 645, <i>f.</i> 37. <i>F.</i> 2, <i>t.</i> 8, <i>f.</i> A. 2. <i>C.</i> 5, <i>t.</i> 166, <i>f.</i> 1579-81. <i>E.M.</i> <i>t.</i> 447, <i>f.</i> 1.	Amboyna.
81 asper	3583	rugged	<i>F.t.</i> 8, <i>f.</i> A. 3. <i>C.</i> 5, <i>t.</i> 166, <i>f.</i> 3583.	New Zealand.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
82 quadricarinatus		four-keeled	<i>C.11, t.196, f.1892-3.</i>	Mediterr.
83 tessellatus	3583	tessellated	<i>C.5, t.166, f.1583.</i>	Bay of Naples.
84 turbinatus		turbinated	<i>L.t. 642, f. 33-4. G.t.63, f.D.E. & G. G.5, t.166, f.1584.</i>	Isle of France.
85 argyrostomus	3533	Ink-horn	<i>C.5, t.165, f.1562-3.</i>	N.Zealand.
86 Sinensis	3583	Chinese	<i>F.t.9, f.B.1. K.5, t.3, f.1. C.5, t.165, f.1654-5.</i>	China.
87 crassus		Hair-streaked	<i>M.p.281. L.T.8, p.154.</i>	Britain.
88 Tuber	3578	large mottled	<i>L.t.646, f.38. F.t.9, f.C. C.5, t.165, f.1572-6.</i>	W.Indies.
89 melanostomus	3581	black-throated	<i>C.5, t.161, f.1526.</i>	S. Ocean.
90 striatus	3597	small striated	<i>L.t.616, f.2. G.t.61, f.N. C.5, t.161, f.1527-8. D.t.155, f.1. M.p.278.</i>	Britain, &c.
91 exiguus [erythroleucos.] tipped	3581	crimson-	<i>L. t. 681, f. 8. F. t. 12, f. N. 2. C. 5, t. 162, f. 1529. D. 1, t. 3, f. 2. M.p.277.</i>	_____
92 punctulatus	3581	little rose-coloured	<i>F.t.12, f.N.1. C.5, t.162, f.1530.</i>	Morocco.
93 Conulus	3579	conical	<i>C.5, t.166, f.1588-9.</i>	Mediterr.
94 Ziziphinus	3579	livid	<i>L.t.616, f.1. G.t.61, f.C. C.5, t.166, f.1592-4. D.2, t.52. M.p.274.</i>	Britain, &c.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
95 papillosus		granulated	<i>G.t.</i> 61, <i>f.</i> G.M. <i>C.5,t.</i> 166, <i>f.</i> 1597-8. <i>D.4,t.</i> 127. <i>M.p.</i> 275, <i>t.</i> 10, <i>f.</i> 3. Britain, &c.	
96 dolarius		fluted	<i>C.10,t.</i> 165, <i>f.</i> 1579-80. <i>E.M.t.</i> 445, <i>f.</i> 1. N. Zealand.	
97 Granatum	3584	Tiger	<i>C.5,t.</i> 170, <i>f.</i> 1654-5.	————
98 virgineus		ringed	<i>F.t.</i> 79, <i>f.</i> 1. <i>C.10,t.</i> 165, <i>f.</i> 1581-2.	————
99 diaphanus	3580	thin, ches- nut-colour.	<i>C.5,t.</i> 161, <i>f.</i> 1520-1.	————
100 cærulescens		blueish	<i>E.M.t.</i> 444, <i>f.</i> 2.a.b.	N. Holland.
101 selectus		red & white grained	<i>C.11,t.</i> 196, <i>f.</i> 1896-7.	New Zealand.
102 purpureus	3582	bright-purp.	<i>C.5,t.</i> 162, <i>f.</i> 1538-9.	U.
103 Americanus	3581	American	<i>C.5,t.</i> 162, <i>f.</i> 1534-5.	W. Indies.
104 imbricatus	3531	imbricated	<i>L.t.</i> 628, <i>f.</i> 14. <i>G.t.</i> 60, <i>f.</i> Q. <i>C.5,t.</i> 160, <i>f.</i> 1531. <i>E.M.t.</i> 445, <i>f.</i> 4.	————
105 cælatus	3581	scaly	<i>L.t.</i> 647, <i>f.</i> 40. <i>F.t.</i> 3, <i>f.</i> M. <i>C.5,t.</i> 162, <i>f.</i> 1536-7.	————
106 inæqualis	3585	olive-green	<i>M. U. C.1,t.</i> 31. <i>C.10,</i> <i>p.</i> 287, <i>f.</i> A.B.	New Zealand.
107 Mauritanus	3582	great-tooth.	<i>L.t.</i> 625, <i>f.</i> 11. <i>G.t.</i> 61, <i>f.</i> D & F. <i>C.5,t.</i> 163, <i>f.</i> 1547-8.	New Guinea.
108 fenestratus	3582	small-tooth.	<i>G.t.</i> 60, <i>f.</i> N. <i>F.t.</i> 12, <i>f.</i> I. <i>C.5,t.</i> 163, <i>f.</i> 1549-50.	Amboyna.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonymis.</i>	<i>Habitat.</i>
109 Obeliscus	3579	Obelisk	<i>K. l., t. 12, f. 4. C. 5, t. 160, f. 1510-12.</i>	E. Indies.
110 faveolatus	3580	Sugar-loaf	<i>L. t. 626, f. 11. a. G. t. 59, f. A. C. 5, t. 161, f. 1518-19.</i>	New Guinea.
111 virgatus	3580	rose-striped	<i>L. t. 631, f. 17. G. t. 61, f. E. C. 5, t. 160, f. 1514-15.</i>	Amboyna.
112 Cookii	3582	Cook's	<i>C. 5, t. 163, f. 1510 & t. 164, f. 1551.</i>	Friendly Islands.
113 Iris	3580	Iris	<i>F. t. 79, f. G. C. 5, t. 161, f. 1522-3.</i>	New Zealand.
114 elegans	3581	elegant	<i>S. Einl. 1, p. 682.</i>	—
115 notatus	3581	marked	<i>S. Einl. 1, p. 682.</i>	S. Seas.
116 Zic-zac	3587	Zig-zag	<i>L. t. 583, f. 38. C. 5, t. 166, f. 1599.</i>	W. Indies.
117 obtusus		blunt	<i>C. 11, t. 196, f. 1894-5.</i>	Indian Seas.
118 crocatus	3584	saffron-coloured	<i>B. t. 12, f. 11, 12.</i>	U.
119 hortensis	3587	Garden	<i>C. 9, t. 122, f. 1055-6.</i>	Gardens in Southern climates.
120 Telescopium	3585	Telescope	<i>L. t. 624, f. 10. G. t. 60, f. D. & E. C. 5, t. 160, f. 1507-9.</i>	E. Indies.
121 Terebellus		little Auger	<i>L. t. 844, f. 72. G. t. 4, f. M.</i>	Barbadoes: L.
122 dolabratus	3585	Zel'ra	<i>F. t. 65, f. L. C. 5, t. 167, f. 1603-4.</i>	Africa: L.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
123 perversus	3586	left-handed	<i>L.S.N.p.</i> 1231.	Mediterranean.
124 pusillus	3586	minute, re-versed	<i>S.Eul.</i> 1, <i>p.</i> 751.	E. Indies: in sand.
125 undulatus	3586	minute, waved	<i>C.</i> 9, <i>t.</i> 113, <i>f.</i> 967.	—————
126 ventricosus	3586	minute, bel- lied	<i>C.</i> 9, <i>t.</i> 113, <i>f.</i> 968.	—————
127 annulatus	3587	annulated	<i>C.</i> 9, <i>t.</i> 113, <i>f.</i> 969.	—————
128 punctatus	3587	dotted	<i>L.S.N.p.</i> 1231.	Mediterranean.
129 striatellus	3587	violet-tip.	<i>L.S.N.p.</i> 1232.	—————
130 lunaris	3589	minute, horn- coloured	<i>C.</i> 9, <i>t.</i> 113, <i>f.</i> 971.	U.

XXVIII. TURBO. WREATH.

1 obtusatus	3588	blunt	<i>C.</i> 5, <i>t.</i> 185, <i>f.</i> 1854.a-f.	Northern Ocean.
2 neritoides		nerit-shaped	<i>G.</i> 45, <i>f.</i> F.	Mediterranean.
3 Nicobaricus	3596	Nicobar	<i>B.</i> t. 13, <i>f.</i> 16, 17. <i>C.</i> 5, <i>t.</i> 182, <i>f.</i> 1822-5.	Nicobar Isl.
4 nigerrimus	3597	black	<i>C.</i> 5, <i>t.</i> 185, <i>f.</i> 1848.	S. Seas.
5 littoreus	3588	Periwinkle	<i>L.</i> t. 585, <i>f.</i> 43. <i>G.</i> t. 45, <i>f.</i> G. <i>C.</i> 5, <i>t.</i> 185, <i>f.</i> 1852, 1-8. <i>D.</i> 1, <i>t.</i> 33. <i>M.</i> <i>p.</i> 301.	Britain, &c.



43 +




44 +



45 +



46 +



48 n



49 +



51 +



52 +



54 a +



55 +



56 +



57 n



58 +



59 +



60 +



61 +



62 c




63 a



64 b



65 a



66 a +



67 a



68 b




69 a +



70 +



71 n




72 +



73 n



74 n



75 n



76 n



77 n



78 n



79 a +



80 a



81 a



82 a



83 +



84 a



85 b



86 a



88 a +



89 +



90 n



91 n



92 n



93 +



94 a



95 a



96 a



97 b




98 a



99 a



100 b



101 a



102 a



103 a



104 a +




105 b +



107 +

TROCHUS.

PL. 50.



TURBO.



<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
6 tenebrosus		chocolate	<i>M. p.</i> 303, <i>t.</i> 20, <i>f.</i> 4. <i>L.T.</i> 8, <i>p.</i> 160.	Britain.
7 rudis		sordid	<i>D. 1, t.</i> 33, <i>f.</i> 3. <i>M. p.</i> 304. <i>L.T.</i> 8, <i>p.</i> 159, <i>t.</i> 4, <i>f.</i> 12, 13.	————
8 muricatus		prickly	<i>L. t.</i> 30, <i>f.</i> 28. <i>G. t.</i> 45, <i>f.</i> E. <i>C. 5, t.</i> 177, <i>f.</i> 1752-3.	Southern Europe.
9 Æthiops	3596	black-and- white	<i>C. 5, t.</i> 182, <i>f.</i> 1820-1 <i>E. M.</i> <i>t.</i> 447, <i>f.</i> 5.	New Zealand.
10 punctatus	3597	wh.-dotted	<i>A. p.</i> 168, <i>t.</i> 12, <i>f.</i> 1. <i>F.</i> <i>t.</i> 71, <i>f.</i> A. 1. <i>A. 2.</i>	Greece.
11 jugosus		lineated	<i>M. p.</i> 586, <i>t.</i> 20, <i>f.</i> 2. <i>L.T.</i> 8, <i>p.</i> 153, <i>t.</i> 4, <i>f.</i> 7.	Britain.
12 crassior		coarse	<i>D. t.</i> 178, <i>f.</i> 4. <i>M. p.</i> 309 & <i>Suppl. p.</i> 127, <i>t.</i> 20.	————
13 petræus		small rock	<i>M. p.</i> 403. <i>L.T.</i> 8, <i>p.</i> 160.	————
14 fulgidus		bronze-banded	<i>M. p.</i> 332. <i>L.T.</i> 8, <i>p.</i> 161.	————
15 Cimex	3589	Bug	<i>G. t.</i> 44, <i>f.</i> X. <i>D. 1, t.</i> 2, <i>f.</i> 1. <i>M. p.</i> 315.	Britain, &c.
16 calathiscus		cancellated	<i>M. Suppl. p.</i> 132, <i>t.</i> 30, <i>f.</i> 5.	Britain.
17 Pullus	3589	painted	<i>D. 1, t.</i> 2, <i>f.</i> 2-6. <i>M. p.</i> 319. <i>L.T.</i> 8, <i>p.</i> 162.	Britain, &c.
18 Pertholatus	3590	Serpent's skin	<i>L. t.</i> 584, <i>f.</i> 39. <i>G. t.</i> 64, <i>f.</i> F. <i>C. 5, t.</i> 183, <i>f.</i> 1830- 5.	Amboyna.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
19 Cidaris	3596	Turban	<i>F.t.</i> 8, <i>f.</i> C.1. & C.2. <i>C.</i> 5, <i>t.</i> 184, <i>f.</i> 1840-7. <i>E.M.</i> <i>t.</i> 448, <i>f.</i> 5.	China.
20 helycinus	3597	green and purple	<i>B.p.</i> 348, <i>t.</i> 12, <i>f.</i> 23-4.	U.
21 Cochlus	3590	Camelopard	<i>L.t.</i> 584, <i>f.</i> 40. <i>C.</i> 5, <i>t.</i> 182, <i>f.</i> 1805-6.	E. Indies.
22 Smaragdus	3595	green	<i>C.</i> 5, <i>t.</i> 182, <i>f.</i> 1815-16. <i>E.M.t.</i> 448, <i>f.</i> 3.	N. Zealand.
23 chrysostomus	3591	golden-mouthed	<i>G.t.</i> 62, <i>f.</i> H. <i>F.t.</i> 9, <i>f.</i> A.2. <i>C.</i> 5, <i>t.</i> 178, <i>f.</i> 1766.	Amboyna.
24 Tectum-Perisicum	3591	little Pagoda	<i>G.t.</i> 60, <i>f.</i> M. <i>F.t.</i> 13, <i>f.</i> F. <i>C.</i> 5, <i>t.</i> 163, <i>f.</i> 1543-4.	Asiatic Ocean.
25 trochiformis		white-grained	<i>C.</i> 5, <i>t.</i> 163, <i>f.</i> 1545-6.	S. Ocean.
26 unicarinatus		single-keeled	<i>E.M.t.</i> 461, <i>f.</i> 1.	U.
27 Pagodus	3591	Pagoda	<i>L.t.</i> 644, <i>f.</i> 36. <i>G.t.</i> 62, <i>f.</i> B. C. <i>C.</i> 5, <i>t.</i> 163, <i>f.</i> 1541-2.	Amboyna.
28 Calcar	3592	Spur	<i>G.t.</i> 65, <i>f.</i> N. <i>F.t.</i> 13, <i>f.</i> C.3. <i>C.</i> 5, <i>t.</i> 164. lower <i>f.</i> 1552-3.	_____
29 stellaris	3600	starred	<i>C.</i> 5, <i>t.</i> 164. upper <i>f.</i> 1552-3.	S. Seas.
30 aculeatus	3600	pointed	<i>C.</i> 5, <i>t.</i> 164, <i>f.</i> 1556-7.	Nicobar Islands.
31 stellatus	3600	spined	<i>C.</i> 5, <i>t.</i> 164, <i>f.</i> 1558-9.	U.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
32 armatus		armed	<i>L. t.</i> 608, <i>f.</i> 46. a. <i>C. 5</i> , <i>t.</i> 180, <i>f.</i> 1786-7.	Mediterr.
33 rugosus	3592	large, silver- mouthed	<i>L. t.</i> 647, <i>f.</i> 41. <i>G. t.</i> 63, <i>f.</i> F. H. <i>C. 5</i> , <i>t.</i> 180, <i>f.</i> 1782-5.	—————
34 marmoratus	3592	large, green	<i>L. t.</i> 587, <i>f.</i> 46. <i>G. t.</i> 64, <i>f.</i> A. <i>C. 5</i> , <i>t.</i> 179, <i>f.</i> 1775- 6. <i>E. M. t.</i> 448, <i>f.</i> 1.	Asiatic Ocean.
35 Sarmaticus	3593	large, knob.	<i>F. t.</i> 8, <i>f.</i> L. <i>C. 5</i> , <i>t.</i> 179, <i>f.</i> 1777-8 & <i>t.</i> 180, <i>f.</i> 1781.	Moluccas.
36 Olcarius	3593	large, keeled	<i>G. t.</i> 68, <i>f.</i> A. <i>F. t.</i> 8, <i>f.</i> K. 1. <i>C. 5</i> , <i>t.</i> 178, <i>f.</i> 1771-2.	Coromandel.
37 cornutus	3593	large, horned	<i>F. t.</i> 8, <i>f.</i> G. 1. <i>C. 5</i> , <i>t.</i> 179, <i>f.</i> 1779-80.	China.
38 radiatus	3594	radiated	<i>C. 5</i> , <i>t.</i> 180, <i>f.</i> 1788-9.	Red Sea.
39 imperialis	3594	imperial	<i>C. 5</i> , <i>t.</i> 180, <i>f.</i> 1790.	China.
40 coronatus	3594	crown	<i>F. t.</i> 8, <i>f.</i> O. <i>C. 5</i> , <i>t.</i> 180, <i>f.</i> 1791-2. <i>E. M. t.</i> 448, <i>f.</i> 2.	Moluccas.
41 canaliculatus	3594	grooved	<i>F. t.</i> 9, <i>f.</i> A. 4. <i>C. 5</i> , <i>t.</i> 181, <i>f.</i> 1794.	—————
42 setosus	3594	Leopard	<i>G. t.</i> 64, <i>f.</i> B. <i>F. t.</i> 9, <i>f.</i> A. 1. <i>C. 5</i> , <i>t.</i> 181, <i>f.</i> 1795-6. <i>E. M. t.</i> 448, <i>f.</i> 4.	I. of France.
43 Sparverius	3594	pearly- mouthed	<i>C. 5</i> , <i>t.</i> 181, <i>f.</i> 1798.	E. Indies.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
44 Molkianus	3595	Moltkian	<i>C.5, t.181, f.1799-80.</i>	U.
45 Spenglerianus	3595	Spengler's	<i>C.5, t.181, f.1801-2.</i>	E. Indies.
46 castaneus	3595	chestnut	<i>C. 5, t. 182, f. 1807-8 & f.1813-14.</i>	W. Indies.
47 mamillatus		nipple	<i>D.5, t.173. L.T.8, p.166. M.Suppl.p.126.</i>	Britain.
48 crenulatus	3595	crenulated	<i>C.5, t.181, f.1811-12.</i>	U.
49 papyraceus	3596	paper	<i>C.5, t.182, f.1817-18.</i>	E. Indies.
50 semicostatus		minute, ribbed	<i>M. p. 326 & Suppl. p.129, t.21, f.5.</i>	Britain.
51 ruber		minute, red	<i>L. T. 3, t. 13, f. 21 & 22. M.p.320.</i>	_____
52 vitreus		minute, glassy	<i>M.p.321, t.12, f.3.</i>	_____
53 Punctura		minute, punctured	<i>M.p.320, t.12, f.5.</i>	_____
54 arenarius		minute, sand	<i>M.t.12, f.4.</i>	_____
55 unifasciatus		minute, banded	<i>M.p.327, t.20, f.6.</i>	_____
56 nivosus		minute, white	<i>M.p.326. L.T.8, p.163.</i>	_____
57 labiosus		lippled	<i>M.t.13, f.7. L.T.8, p.164.</i>	_____
58 Ulvæ		Sea-weed	<i>M.p.318. L.T.8. p.164.</i>	_____
59 ventricosus		bellied	<i>M.p.317, t.12, f.13. L.T. 8, p.164.</i>	_____
60 subumbilicatus		minute, yellowish	<i>M.p.316. L.T.8, p.165.</i>	_____
61 Cingillus		minute, girdled	<i>M.p.328, t.12, f.7. L.T.8, p.165.</i>	_____

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
62 interruptus	minute, streaked	<i>L.T.</i> 5, <i>p.</i> 3, <i>t.</i> 1, <i>f.</i> 16, 17. <i>M.p.</i> 329, <i>t.</i> 20, <i>f.</i> 8. <i>D.</i> 5, <i>t.</i> 178, <i>f.</i> 2.		Britain.
63 semistriatus	minute, half- striated	<i>M.Suppl.</i> <i>p.</i> 136.		———
64 albulus	3609 minute, pel- lucid	<i>Fab.F.G.</i> <i>p.</i> 394.		Greenland.
65 Pica	pied	<i>L. t.</i> 640, <i>f.</i> 30. <i>G. t.</i> 68, <i>f.B. C.</i> 5, <i>t.</i> 176, <i>f.</i> 1750- 1.		W. Indies.
66 nodulosus	nodulous-	<i>B.t.</i> 13, <i>f.</i> 1, 2. <i>C.</i> 5, <i>t.</i> 178, <i>f.</i> 1769-70.		———
67 dentatus	3601 toothed	<i>C.</i> 5, <i>t.</i> 178, <i>f.</i> 1767-8.		U.
68 auricularis	eared	<i>M.p.</i> 308. <i>L.T.</i> 8, <i>p.</i> 166.		Britain.
69 vinctus	small brown banded	<i>M.p.</i> 307, <i>t.</i> 20, <i>f.</i> 3. <i>L.T.</i> 8, <i>p.</i> 167.		———
70 quadrifascia- tus	small four- banded	<i>M.p.</i> 328, <i>t.</i> 20, <i>f.</i> 7. <i>L.T.</i> 8, <i>p.</i> 167.		———
71 sanguineus	3598 scarlet	<i>C.</i> 5, <i>t.</i> 177, <i>f.</i> 1756-7.		Mediterr.
72 atratus	3601 black-grain.	<i>C.</i> 5, <i>t.</i> 177, <i>f.</i> 1754-5.		Nicobar Islands.
73 Anguis	3602 Snake	<i>M.U.C.</i> 2, <i>t.</i> 70. <i>B. E. C.</i> <i>p.</i> 168.		S. Seas.
74 Diadema	3601 Diadem	<i>C.</i> 5, <i>p.</i> 145, <i>f.</i> A.B.		N. Zealand.
75 undulatus	3597 waved	<i>C.</i> 10, <i>t.</i> 169, <i>f.</i> 1640-1.		New Holland.
76 argyrostomus	3699 wrinkled silver-mouth	<i>F. t.</i> 9, <i>f.</i> A.3. <i>K.</i> 1, <i>t.</i> 3, <i>f.</i> 3. <i>C.</i> 5, <i>t.</i> 177, <i>f.</i> 1760- 1 & 1763-5.		Indian Seas.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
77 margarita- ceus	3599	greenish wh. pearly mouth	<i>C.5, t.177, f.1762.</i>	Frederick Isl.
78 Porphyrites	3602	Porphyry	<i>M.U.C.2, t.70. C.5, t.176, f.1740-1.</i>	New Caledonia.
79 Mespilus	3601	Medlar	<i>C.5, t.176, f.1742-3.</i>	S. Seas.
80 granulatus	3601	granulated	<i>C.5, t.176, f.1744-6.</i>	—
81 cinereus	3601	ash-colour.	<i>B.t.12, f.25-6.</i>	U.
82 torquatus	3597	thready	<i>C.10, p.293, f.A.B.</i>	N. Zealand.
83 Delphinus	3599	Endive leaf	<i>L. t. 608, f. 45. G. t. 68, f. C. D. C. 5, t. 175, f.1727-35. E.M.t.451, f.1.</i>	Amboyna.
84 nodulosus	3600	rough- knobbed	<i>C.5, t.174, f.1723-4.</i>	E. Indies.
85 distortus	3600	distorted	<i>C.5, t.175, f.1737-9.</i>	U.
86 crenellus	3602	crenated	<i>L.S.N.p.1236.</i>	U.
87 fontinalis	3603	fresh-water [<i>thermalis.</i>]	<i>D.3, t.102. M.p.348, t.22, f.4. L.T.8, p.168.</i>	Britain.
<i>Scalaria</i> 88 scalaris	3603	Wentletrap	<i>G.t.10, f.ZZ. K.4, t.20, f.2,3. C.4, t.152, 1426- 7 & 1430-1. E.M.t.451. lower f.1.</i>	Amboyna.
89 principalis		principal	<i>C.4, t.152, f.1428-9 & 11, t. 195. A. f. 1876-7.</i>	Coromandel.
<i>Scalaria</i> 90 Clathrus	3603	lattice	<i>L.t.588, f.51. G.t.58.H. C.11, t.195.A, f.1878- 9. E.M.t.451, f.3 & 5. D.1, t.28. M.p.296.</i>	Britain, &c.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
91 fimbriatus		furbelowed	<i>E.M.t.</i> 451, <i>f.</i> 4.	
92 clathratulus		little, latticed	<i>W.M.S.f.</i> 45. <i>M.p.</i> 297 & <i>Suppl.p.</i> 124.	Britain.
93 pulcher		white ribbed	<i>L.t.</i> 588, <i>f.</i> 50.	W. Indies.
94 ambiguus	3604	doubtful	<i>L.S.N.p.</i> 1237.	Mediterranean.
95 crenatus	3604	knobbed whirl	<i>L.t.</i> 588, <i>f.</i> 52. <i>C.</i> 11, <i>t.</i> 195. <i>A.f.</i> 1880-1.	W. Indies.
96 lacteus	3604	milky	<i>L.S.N.p.</i> 1238.	Mediterranean.
97 elegantissimus		elegant	<i>D.</i> 5, <i>t.</i> 179, <i>f.</i> 1. <i>M.p.</i> 298, <i>t.</i> 10, <i>f.</i> 2.	Britain.
98 simillimus		similar	<i>M.Suppl.p.</i> 136.	Scotland.
99 parvus		little Guernsey	<i>D.t.</i> 90. <i>M.p.</i> 310. <i>L.T.</i> 3, <i>t.</i> 13, <i>f.</i> 29, 30, & 8, <i>p.</i> 171.	Britain.
100 striatulus	3604	minute, wrinkled	<i>M.t.</i> 10. <i>L.T.</i> 8, <i>p.</i> 172.	———
101 reticulatus		reticulated	<i>L.T.</i> 3, <i>p.</i> 66, <i>t.</i> 13, <i>f.</i> 19, 20. <i>M.p.</i> 322, <i>t.</i> 21, <i>f.</i> 1.	———
102 Bryereus		Bryer's	<i>M.p.</i> 313, <i>t.</i> 15, <i>f.</i> 3.	———
103 coniferus		small, margined	<i>M.p.</i> 314, <i>t.</i> 15, <i>f.</i> 2. <i>L.T.</i> 8, <i>p.</i> 173.	———
104 denticulatus		small, toothed	<i>M.p.</i> 315. <i>L.T.</i> 8, <i>p.</i> 173.	———
105 marginatus		small, margined	<i>M.Suppl.p.</i> 128.	Guernsey.
106 striatus		minute, striated	<i>L.T.</i> 3, <i>t.</i> 13, <i>f.</i> 25-6. <i>M.</i> <i>p.</i> 312.	Britain.
107 costatus		minute, ribbed	<i>W.M.S.f.</i> 47. <i>L.T.</i> 3, <i>p.</i> 65, <i>t.</i> 13, <i>f.</i> 13, 14. <i>M.</i> <i>p.</i> 311, <i>t.</i> 10, <i>f.</i> 6.	———

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
<i>Actis' unica</i>	108 unicus	minute, convex	<i>W. M. S. f. 40. M. p. 299,</i> <i>t. 12, f. 2.</i>	Britain
	109 indistinctus	indistinct	<i>M. Suppl. p. 129.</i>	—
	110 Uva	3604 Berry	<i>G. t. 58, f. D. F. t. 65, f. B.</i> <i>11. Coasts of Bretagny.</i>	
	111 Mumia	double-toothed	<i>L. t. 588, f. 48. Br. E. M.</i> <i>p. 348.</i>	America.
	112 albearia	white-mouthed	<i>L. t. 588, f. 49.</i>	Guadaloupe. L.
	113 Cylindrus	cylindrical	<i>L. t. 21, f. 17. C. 11, t. 209,</i> <i>f. 2061-2.</i>	Jamaica. L.
	114 croceus	3655 orange [<i>H. crocea.</i>]	<i>C. 9, t. 135, f. 1233. E. M.</i> <i>t. 461, f. 6.</i>	U.
	115 sulcatus	3610 sulcated	<i>L. T. 588, f. 47. C. 9, t. 135,</i> <i>f. 1231-2.</i>	Ceylon. L.
	116 corneus	3605 horny	<i>L. S. N. p. 1238.</i>	U.
	117 reflexus	3605 reflected mouth	<i>L. S. N. p. 1238.</i>	U.
	118 elegans	intersected	<i>L. t. 27, f. 25. G. t. 4, f. A.</i> <i>C. 9, t. 123, f. 1060 d. &</i> <i>e.</i>	Britain, &c. L.
	119 Lincina	3605 bordered	<i>L. t. 26, f. 24. P. t. 118,</i> <i>f. 11. C. 9, t. 123, f. 1060</i> <i>b. o. E. M. 461, f. 2.</i>	Jamaica. L.
	120 Labeo	3605 wh.-lipped	<i>L. t. 25, f. 23. B. t. 13, f. 5-</i> <i>6. C. 9, t. 123, f. 1061-2.</i> <i>E. M. t. 461, f. 4.</i>	— L.
	121 lunulatus	moon spotted	<i>S. Fluss. p. 363.</i>	U.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
122 ligatus		ligature	<i>C.9, t.123, f.1071-4.</i>	U.
123 foliaceus		leafy	<i>C.9, t.123, f.1069-70.</i>	U.
124 limbatus	3606	shouldered	<i>C.9, t.123, f.1075.</i>	Coromandel.
125 carinatus	3601	keeled	<i>L.t.28, f.26. B.t.13, f.3,</i> <i>4. C.9, t.126, f.1103.</i>	Jamaica. L.
126 Separatista		three-keeled	<i>C.10, t.165, f.1589-90.</i>	Indian Seas.
127 niveus	3598	snowy	<i>C.10, t.165, f.1587-8.</i>	Nicobar Islands.
128 helicoides	3602	brown zigzag	<i>C.9, t.123, f.1067-8.</i>	U.
129 imbricatus	3606	imbricated	<i>G.t.58, f. E. K. 6, t.25,</i> <i>f.2. C.4, t.152, f.1422.</i>	Jamaica.
130 replicatus	3606	large screw	<i>C.4, t.151, f.1412.</i>	Tranquebar.
131 acutangulus	3607	sharp-angled	<i>G.t.58, f. B. K. 3, t.19,</i> <i>f.5. C.4, t.151, f.1413. —</i>	
132 duplicatus	3607	double-rib.	<i>L. t. 591, f. 58. G. t. 58,</i> <i>f.C. C.4, t.151, f.1414.</i> <i>E.M. t. 449, lower f.1.</i> <i>D.4, t.112. Mediterranean.</i>	
133 torcularis		brown spotted	<i>B.p.358, t.13, f.8.</i>	U.
134 Turritella		Spindle	<i>E.M.t.449, lower f.2.</i>	U.
135 obsoletus	3612	obsolete	<i>L.t.589, f.53. B.t.13, f.7.</i>	U.
136 exoletus	3607	ribbed screw	<i>C.4, t.152, f.1424.</i>	Guinea.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
137 Terebra	3608 Auger screw	<i>L. t. 591, f. 57. G. t. 58, f. A. C. 4, t. 151, f. 1418-19. E. M. t. 449, lower f. 3. D. 1, t. 22, f. 2. M. p. 293.</i>		Britain, &c.
138 Archimedis	Archimedes' screw	<i>C. 10, t. 165, f. 1591.</i>		China.
139 variegatus	3608 variegated	<i>L. t. 152, f. 60. C. 4, t. 152, f. 1423.</i>		Southern Europe.
140 Terebellum	little screw	<i>C. 10, t. 165, f. 1592-3.</i>		Nicobar Islands.
141 annulatus	3609 little white	<i>G. t. 58, f. L.</i>		u.
142 Turris Thomæ	little tower	<i>C. 11, t. 213, f. 3022.a-d.</i>		Island of St. Thomas.
143 bidens	double-toothed	<i>C. 9, t. 112, f. 963-4. L. T. 8, p. 178. t. 5, f. 3.</i>		Britain, &c. L.
144 laminatus	laminated	<i>L. t. 41, f. 39. A. G. t. 4, f. C. C. 9, t. 112, f. 961, no. 1. M. p. 359, t. 11, f. 4.</i>		——— L.
145 biplicatus	double plaited	<i>C. 9, t. 112, f. 960 no. 2. M. p. 361, t. 11, f. 5.</i>		——— L.
146 corrugatus	wrinkled	<i>C. 9, t. 112, f. 961-2.</i>		Spain. L.
147 nigricans	black	<i>L. t. 41, least f. M. p. 357, t. 11, f. 7. L. T. 8, p. 180.</i>		Britain. L.
148 labiatus	lippled	<i>M. p. 362, t. 11, f. 6. L. T. 8, p. 180.</i>		——— L.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
149 <i>perversus</i>	3609	reversed	<i>F.t.</i> 65, <i>f.</i> E. 4. <i>C.</i> 9, <i>t.</i> 112, <i>f.</i> 959. a. <i>M.p.</i> 355, <i>t.</i> 11, <i>f.</i> 12.	Britain. L.
150 <i>quinquedentatus</i>	3612	five-toothed	<i>G.t.</i> 4, <i>f.</i> G. <i>F.t.</i> 65, <i>f.</i> E. 12. <i>B.t.</i> 13, <i>f.</i> 9.	France. L.
151 <i>tridens</i>	3611	three-toothed	<i>G.t.</i> 4, <i>f.</i> F. <i>M.p.</i> 338, <i>t.</i> 11, <i>f.</i> 2.	Britain, &c. L.
152 <i>Juniperi</i>		Juniper-bush	<i>C.</i> 9, <i>t.</i> 135, <i>f.</i> 1236. <i>M.</i> <i>p.</i> 340, <i>t.</i> 12, <i>f.</i> 12. <i>L.T.</i> 8, <i>p.</i> 182.	——— L.
153 <i>Muscorum</i>	3611	Moss	<i>C.</i> 9, <i>t.</i> 123, <i>f.</i> 1076. <i>D.</i> 3, <i>t.</i> 80. <i>M.p.</i> 335, <i>t.</i> 22, <i>f.</i> 3.	——— L.
154 <i>quadridens</i>	3610	four-toothed	<i>L.t.</i> 40, <i>f.</i> 38. <i>C.</i> 9, <i>t.</i> 112, <i>f.</i> 965.	France. L.
155 <i>sexdentatus</i>		six-toothed	<i>M.p.</i> 337, <i>t.</i> 12, <i>f.</i> 3. <i>L.T.</i> 8, <i>p.</i> 183.	Britain.
156 <i>Vertigo</i>	3644	<i>Vertigo</i>	<i>M.p.</i> 363, <i>t.</i> 12, <i>f.</i> 6. <i>L.T.</i> 8, <i>p.</i> 183.	——— L.
157 <i>Carychium</i>	3665	minute, toothed	<i>M.p.</i> 339, <i>t.</i> 22, <i>f.</i> 2. <i>L.T.</i> 8, <i>p.</i> 184.	——— L.
158 <i>Auriscalpium</i>	3611	Ear-picker	<i>L.S.N.p.</i> 1240.	Mediterranean.
159 <i>politus</i>	3612	polished	<i>D.t.</i> 177. <i>M.p.</i> 398. <i>L.T.</i> 8, <i>p.</i> 210.	Britain, &c.
160 <i>subulatus</i>		awl-shaped	<i>D.</i> 5, <i>t.</i> 172. <i>M. Suppl.</i> <i>p.</i> 142.	Britain.
161 <i>decussatus</i>		decussated	<i>M.p.</i> 399, <i>t.</i> 15, <i>f.</i> 7. <i>L.T.</i> 8, <i>p.</i> 209.	———


<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
162 Nautilus	3612 Nautilus		<i>W. M. S. f.</i> 20, 21. <i>C. 9,</i> <i>t. 123, f. 1077. M. t. 25,</i> <i>f. 5.</i>	Britain, &c.
163 cristatus		small crested	<i>M. vign. 1, f. 7, 8. L. T. 8,</i> <i>p. 169.</i>	————
164 depressus		minute, flattish	<i>M. t. 13, f. 5. L. T. 8,</i> <i>p. 170.</i>	Britain.
165 serpuloides		Serpula	<i>M. Suppl. t. 21, f. 3.</i>	————
166 Ludus		green, spotted	<i>C. 5, t. 176, f. 1748-9.</i>	S. Seas.
167 Marginellus		pale reflected lipped	<i>C. 9, t. 123, f. 1063.</i>	U.

XXIX. HELIX.

SNAIL.

1 Scarabæus	3613 Cockchafer	<i>L. t. 577, f. 31. G. t. 4, f. S.</i> <i>C. 9, t. 136, f. 1249-50.</i>	Mountains of Asia.
2 Afra	3651 African	<i>A. t. 1, f. 4.</i>	Greece.
3 Lapidica	Rock	<i>L. t. 69, f. 68. C. 9, t. 126,</i> <i>f. 1107. D. 2, t. 39, f. 2.</i> <i>M. p. 435.</i>	Britain, &c. L.
4 marginella	3622 white- margined	<i>B. t. 14, f. 7, 8. C. 9, t. 125,</i> <i>f. 1097.</i>	Jamaica.
5 cicatricosa	3614 flat, re- versed	<i>F. t. 63, f. K. C. 9, t. 109,</i> <i>f. 923 & 11, t. 213,</i> <i>f. 3012-13.</i>	——— L.






TURBO.



HELIX.



<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
6 Cornu		large horn	C.11, t.208, f.2051-2.	New Zealand. L.
7 Oculus-Capri	3615	Goat's eye	L.t.75, f.75. C.9, t.123, f.1064-6.	Asia. L.
8 Involulus	3638	white, re- flected	M.V.2, p.84.	U.
9 albella	3615	flat, whitish	L.T.64, f.62. G.t.3, f.N. C.9, t.126, f.1102.	Rocks in Europe.
10 albina	3615	minute, white	L.t.86, f.86.	U.
11 radiata	3633	small ra- [rotundata.] diated	L.t.1058, f.11.A. G.t.3, f.Q. M.p.423, t.24, f.3.	Britain, &c. L.
12 striatula	3615	transversely striated	L.S.N.p.1242.	Algiers. L.
13 Algiri	3615	yellowish	L.t.79, f.80. G.t.3, f.G. C.9, t.125, f.1093-4.	Amboyna.
14 Leucas	3616	purple lined	L.S.N.p.1242.	Africa.
15 lævipes		reverse whirled	C.9, t.108, f.915-16.	Guinea.
16 exilis	3616	wh.-striped	C.9, t.129, f.1149.	Tranquebar.
17 vermiculata	3616	rough dotted	G.t.1, f.G. F.t.64, f.K.1. & K. 2. C.9, t.129, f.1148. a.b.c.	Italy.
18 incarnata	3617	flesh-co- loured lip	C.9, t.133, f.1206.	Denmark. L.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
19 Cantiana		Kentish	<i>D.5, t.157, f.2. M.t.422, t.23, f.1. L.T.8, p.197.</i>	Britain. L.
20 rufescens		reddish	<i>L. t. 71, lower f. A. D.5, t. 157, f. 1. M. p. 420, t.23, f.2.</i>	——— L.
21 caperata	3617	black tipped	<i>L.t.85, f. 85. C.9, t. 133, f.1207. M.p.430, t.11, f.11.</i>	Britain, &c. L.
		[<i>crenulata.</i>]		
22 annulata	3622	ringed	<i>S.Fluss.p.244, t.5, f.30.</i>	U.
23 planata	3617	keeled	<i>E.M.t.462, f.5. M.p.451, t.25, f.1. L.T.8, p.189, t.5, f.14.</i>	Ponds in Britain, &c. Fr.w.
		[<i>Planorbis.</i>]		
24 complanata	3617	flat umbilicated	<i>L. t. 133, f. 42. G. t. 4, f. E. E. C. 9, t. 127, f. 1121-2. M. p. 450, t.25, f.4. L.T.8, p.188, t.5, f.13.</i>	———
25 fontana		fresh-water	<i>M.p.462, t.6, f.6. L.T.8, p.193.</i>	———
26 ringens	3618	toothed lamp	<i>L. t. 99, f. 100. F. t. 63, f. F. 10. C. 9, t. 109, f.919-20.</i>	Brazil. L.
27 plicata		plaited	<i>F.t.63, f.F.11. K.5, t.26, f.5. C.11, t.208, f.2048.</i>	E. Indies.
28 punctata	3622	punctured	<i>L.t.93, f.93. F.t.63, f.2. B.t.14, f.17, 18.</i>	Virginia.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
29 sinuata	3618 sinuous	<i>L. t. 97, f. 98. F. t. 63,</i> <i>f. 8. B. t. 14, f. 13, 14.</i> <i>C. 9, t. 126, f. 1110-2.</i>	Jamaica.	
30 Lucerna	3619 lamp-shaped	<i>L. t. 96, f. 97. C. 9, t. 126,</i> <i>f. 1108-9. E. M. t. 462,</i> <i>f. 1.</i>	E. Indies.	
31 Lychnuchus	3619 top-shaped	<i>L. t. 90, f. 90.</i>	Jamaica.	
32 Ceba	3619 Onion	<i>L. t. 88, f. 89.</i>	—	
33 Lampas	3619 orange lip	<i>C. 9, t. 208, f. 2044-5.</i>	U.	
34 Carocolla	3619 large brown	<i>L. t. 63, f. 61. G. t. 3, f. I.</i> <i>C. 9, t. 125, f. 1090-2.</i> <i>E. M. t. 462, f. 2.</i>	America.	L.
35 unidentata	single-toothed	<i>C. 11, t. 208, f. 2049-50.</i>	Ceylon.	
36 Cornu-mili- tare	3620 Bugle-horn	<i>F. t. 64, f. C. 2. C. 9, t. 129,</i> <i>f. 1142-3.</i>	Germany.	L.
37 maculosa	3622 spotted	<i>B. t. 14, f. 15, 16.</i>	U.	
38 corrugata	3623 wrinkled	<i>C. 9, t. 133, f. 1208.</i>	Otaheite.	
39 Pellis Ser- pentis	3620 Snake's skin	<i>L. t. 66, f. 64. F. t. 63,</i> <i>f. G. 3. C. 9, t. 208,</i> <i>f. 2046-7.</i>	S. America.	
40 Vortex	3620 Vortex	<i>L. t. 138, f. 43. G. t. 4,</i> <i>f. G. G. C. 9, t. 127,</i> <i>f. 1127. D. 3, t. 75. M.</i> <i>p. 454, t. 25, f. 3.</i>	Britain, &c.	Fr. w.
41 planorbula	notch lipped	<i>E. M. t. 461, f. 3.</i>	U.	
42 scabra	3620 rough	<i>C. 9, t. 210, f. 2074-5.</i>	Jamaica.	

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
43 Gothica	3621	doubtful	<i>L.S.N.p.</i> 1243.	Sweden. L
44 Gaulteriana	3621	Gaulter's	<i>G.t.</i> 68, <i>f.E.</i> <i>B.t.</i> 13, <i>f.</i> 12, 13. <i>C.9, t.</i> 126, <i>f.</i> 1100- 1.	Spain. L
45 Turcica		Turkish	<i>C.11, t.</i> 209, <i>f.</i> 2065-6.	Morocco. L.
46 Avellana	3640	Hazel-nut	<i>C.5, t.</i> 188, <i>f.</i> 1919-20.	New Zealand.
47 Faba	3623	bean-shaped	<i>M.U.C.2, t.</i> 67.	Otaheite.
48 cornea	3623	horn	<i>L. t.</i> 137, <i>f.</i> 41. <i>G. t.</i> 4, <i>f.</i> D. D. <i>C. 9, t.</i> 127, <i>f.</i> 1113-15. <i>E.M.t.</i> 460, <i>f.</i> 1, 2. <i>D. 2, t.</i> 39, <i>f.</i> 1. <i>M.p.</i> 448. Britain, &c.	Fr.w.
49 similis	3625	similar	<i>M.V.2, p.</i> 166.	Denmark. Fr.w.
50 spirorbis	3624	small-con- cave	<i>M.p.</i> 455, <i>t.</i> 25, <i>f.</i> 2. <i>L.T.</i> 8, <i>p.</i> 191.	Britain, &c. Fr.w.
51 polygyra	3624	many whirled	<i>B. t.</i> 14, <i>f.</i> 19, 12. <i>C. 9,</i> <i>t.</i> 127, <i>f.</i> 1124-5.	U.
52 contorta		coiled	<i>C.9, t.</i> 127, <i>f.</i> 1126. <i>D.</i> 3, <i>t.</i> 99. <i>M.p.</i> 457, <i>t.</i> 25, <i>f.</i> 6.	Britain, &c. Fr.w.
53 alba	3625	pale horn- colour	<i>P.t.</i> 92, <i>f.</i> 7. <i>S. Fluss. t.</i> 5, <i>f.</i> 12. <i>M. p.</i> 459, <i>t.</i> 25, <i>f.</i> 7. <i>L.T.</i> 8, <i>p.</i> 192.	——— Fr.w.
54 paludosa	3635	Bog [<i>crystallina.</i>]	<i>M.p.</i> 440. <i>L.T.</i> 8, <i>p.</i> 193, <i>t.</i> 5, <i>f.</i> 5.	——— Fr.w.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
55 Cornu-Arietis	3625	Ram's horn	<i>L.t.</i> 136, <i>f.</i> 40. <i>C.9</i> , <i>t.</i> 112, <i>f.</i> 952-3. <i>E. M.</i> <i>t.</i> 460, <i>f.</i> 3.	Amboyna. Fr.w.
56 Cornu Venatorum		Hunter's horn	<i>C.9</i> , <i>t.</i> 127, <i>f.</i> 1132-3.	U.
57 Ericetorum	3632	Heath	<i>L.t.</i> 78, <i>f.</i> 78. <i>G.t.</i> 3, <i>f.</i> P. <i>C.9</i> , <i>t.</i> 132, <i>f.</i> 1193. <i>D.</i> 5, <i>t.</i> 151. <i>M.p.</i> 437, <i>t.</i> 24, <i>f.</i> 2.	Britain, &c. L.
58 cingenda	3632	girdled [<i>strigata.</i>]	<i>M.p.</i> 418, <i>t.</i> 24, <i>f.</i> 4. <i>L.T.</i> 8, <i>p.</i> 195, <i>t.</i> 5, <i>f.</i> 6.	————— L.
59 virgata	3631	striped [<i>Pisana.</i>]	<i>L.t.</i> 59, <i>f.</i> 56. <i>G.t.</i> 2, <i>f.</i> L. <i>D.</i> 2, <i>t.</i> 65. <i>M.p.</i> 415, <i>t.</i> 24, <i>f.</i> 1.	————— L.
60 lucida	3633	pellucid [<i>nitens.</i>]	<i>L.t.</i> 71, two upper <i>f.</i> G. <i>t.</i> 2, <i>f.</i> G. <i>M.p.</i> 425, <i>t.</i> 23, <i>f.</i> 4. <i>L.T.</i> 8, <i>p.</i> 198, <i>t.</i> 5, <i>f.</i> 7.	————— L.
61 tenuis	3641	thin	<i>S.Fluss.</i> <i>p.</i> 258, <i>t.</i> 5, <i>f.</i> 32. <i>M.p.</i> 426. Var. of <i>lucida.</i>	————— Fr.w.
62 obvoluta	3634	small white lipped	<i>G.t.</i> 2, <i>f.</i> S. <i>C.9</i> , <i>t.</i> 127, <i>f.</i> 1128.	Italy. Fr.w.
63 minima	3666	minute	<i>S.Fluss.</i> <i>p.</i> 321, <i>t.</i> 7, <i>f.</i> 13.	U.
64 hispida	3625	hairy	<i>P.t.</i> 93, <i>f.</i> 13. <i>C.9</i> , <i>t.</i> 122, <i>f.</i> 1057-8. <i>M.p.</i> 423, <i>t.</i> 23, <i>f.</i> 3.	Britain, &c. L.
65 umbilicata		umbilicated	<i>M.p.</i> 434, <i>t.</i> 13, <i>f.</i> 2. <i>L.T.</i> 8, <i>p.</i> 200.	—————

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
66 <i>costata</i>	3633	little cross ribbed	<i>M.V.2, p.31.</i>	Denmark. L.
67 <i>pulchella</i>	3633	little, striated	<i>M.V.2, p.30.</i>	—————
68 <i>trochiformis</i>		trochus-shaped	<i>M.p.427, t.11, f.9. L.T.8, p.200.</i>	Britain. L.
69 <i>spinulosa</i> [<i>aculeata.</i>]	3638	prickly	<i>C. 9, t. 133, f. 1209. M. p.429, t.11, f.10.</i>	—————
70 <i>Lacuna</i>		gutter-lipped	<i>M.p.428, t.13, f.6. L.T.8, p.201.</i>	Britain.
71 <i>ampullacea</i>	3626	smooth girdled	<i>L. t.130, f.30. G. t.1, f.R. C. 9, t. 128, f. 1133-5. E. M. t.457, f.3.</i>	Amboyna. Fr.w.
72 <i>Urceus</i>		Cocoa-nut	<i>L. t. 125, f. 25. F. t. 61, f. D. 10. C. 9, t. 128, f. 1136. E. M. t. 457, f.2.</i>	America. Fr.w.
73 <i>glauca</i>	3628	grayish brown	<i>L. t. 129, f. 29. K. 5, t. 5, f.3. C.9, t.129, f.1144- 5.</i>	Guadaloupe. Fr.w.
74 <i>vitrea</i>	3622	brittle	<i>B. t. 15, f. 15, 16. C. 11, t.210, f.2072-3.</i>	U.
75 <i>Sultana</i>		variegated	<i>C.11, t.210, f.2070-1.</i>	New Zealand.
76 <i>Pomatia</i>	3627	edible	<i>L. t.48, f.46, G. t.1, f.A. C. 9, t. 128, f.1137-8. D.3, t.84. M.p.405.</i>	Britain, &c. L.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
77 <i>scalaris</i>	3652	produced	<i>F. t. 76, f. L. C. 9, t. 128,</i> <i>f. 1139. no. 1.</i>	France. L.
78 <i>cincta</i>	3630	red-banded	<i>M. V. 2, p. 58.</i>	U,
79 <i>rosacea</i>	3636	flesh-coloured	<i>M. V. 2, p. 76.</i>	U.
80 <i>extensa</i>	3631	four-whirled	<i>M. V. 2, p. 60.</i>	U,
81 <i>citrina</i>	3628	sulphur-colour	<i>L. t. 54, f. 50. G. t. 3,</i> <i>f. D. E. C. 9, t. 131,</i> <i>f. 1167-75.</i>	Jamaica. L.
82 <i>Rapa</i>	3629	single-band.	<i>C. 9, t. 131, f. 1176.</i>	U,
83 <i>castanea</i>	3629	chestnut	<i>C. 9, t. 131, f. 1177-8.</i>	U.
84 <i>Globulus</i>	3629	globular	<i>C. 9, t. 130, f. 1159-60.</i>	Tranquebar.
85 <i>incisa</i>	3630	slit margined	<i>F. t. 64, f. S. C. 9, t. 130,</i> <i>f. 1166.</i>	E. Indies. L.
86 <i>Lucena</i>	3636	transparent	<i>F. t. 64, f. M. 1. C. 9, t. 130,</i> <i>f. 1155.</i>	Tranquebar.
87 <i>Fruticum</i>	3635	six-whirled	<i>C. 9, t. 133, f. 1203.</i>	Denmark. L.
88 <i>Arbustorum</i>	3630	brown single streaked	<i>L. t. 56, f. 53. C. 9, t. 133,</i> <i>f. 1202. D. 4, t. 136. M.</i> <i>p. 413.</i>	Britain, &c. L.
89 <i>fulva</i>	3630	amber	<i>M. V. 2, p. 56.</i>	Denmark. L.
90 <i>Epistylum</i>	3630	Bee-hive	<i>L. t. 62, f. 60. F. t. 64,</i> <i>f. O. 4. C. 9, t. 122,</i> <i>f. 1049-50.</i>	S. Sea Islands. L.
91 <i>Papilla</i>	3660	Nipple	<i>C. 9, t. 122, f. 1053-4.</i>	U.
92 <i>nemorensis</i>	3632	polished	<i>B. t. 16, f. 1, 2. C. 9, t. 129,</i> <i>f. 1146-7.</i>	E. Indies. L.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
93 vittata	3636	ribbon	<i>K. 5, t. 21, f. 4. C. 9, t. 132, f. 1190-2.</i>	Coromandel
94 zonaria	3632	zoned	<i>G. t. 3, f. L. K. 5, t. 21, f. 3. C. 9, t. 132, f. 1188-9.</i>	South of Europe. L.
95 striata	3632	striated	<i>S. Erd. p. 183, t. 2, f. 20.</i>	Saxony. L.
96 unguina	3635	tawny-horn	<i>C. 9, t. 125, f. 1098-9. E. M. t. 462, f. 6.</i>	India.
97 Lusitanica	3636	Lusitanian	<i>G. t. 2, f. T. C. 9, t. 108, f. 1684-5.</i>	S. of Europe. L.
98 mammillaris	3636	mammillary	<i>L. t. 566, f. 13. F. t. 11, f. H. 3. C. 5, t. 189, f. 1926-7.</i>	Guinea. Fr. w.
99 Hispana	3637	Spanish	<i>L. S. N. p. 1246.</i>	S. of Europe.
100 lutaria	3637	mud	<i>L. S. N. p. 1246.</i>	u.
101 ovalis	3637	oval	<i>L. t. 1055, f. 1. C. 9, t. 119, f. 1020-1.</i>	E. Indies. L.
102 oblonga	3637	oblong	<i>L. t. 23, f. 21. B. t. 15, f. 21-22. C. 9, t. 119, f. 1022-3.</i>	W. Indies. L.
103 flammea	3637	Zebra	<i>L. t. 578, f. 33. C. 9, t. 119, f. 1024-5.</i>	Guinea. L.
104 Kambeul		Kambeul	<i>A. p. 14, t. 1, f. 1.</i>	Senegal.
105 Pileus	3637	red & yellow striped	<i>C. 9, t. 122, f. 1046-8.</i>	u.
106 trifasciata	3642	three-band.	<i>C. 9, t. 134, f. 1215.</i>	Tranquebar.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
107 Bontia	3642	broad mouthed	<i>F.t.</i> 65, upper <i>f.</i> L. C. 9, <i>t.</i> 134, <i>f.</i> 1216-17.	Tranquebar.
108 labiosa	3645	lipped	<i>G.t.</i> 4, <i>f.</i> R. C. 9, <i>t.</i> 135, <i>f.</i> 1234.	India.
109 trochoides	3642	angular mouth	<i>C.</i> 10, <i>t.</i> 173, <i>f.</i> 1686.	E. Indies.
110 Otaheitana		coffee-coloured	<i>C.</i> 9, <i>t.</i> 112, <i>f.</i> 950-1.	Otaheite. Fr.w.
111 læva	3644	party-co- loured	<i>L. t.</i> 33, <i>f.</i> 31. <i>F. t.</i> 65, <i>f.</i> A. 3. <i>C.</i> 9, <i>t.</i> 111, <i>f.</i> 940- 9.	E. Indies.
112 aurea	3643	yellow [<i>dextra.</i>]	<i>L. t.</i> 34, <i>f.</i> 33 & 35, <i>f.</i> 34. <i>G.t.</i> 5, <i>f.</i> P. C. 9, <i>t.</i> 110, <i>f.</i> 923-33.	W. Indies. L.
113 recta	3643	straight	<i>G.t.</i> 5, <i>f.</i> O. K. 5, <i>t.</i> 23, <i>f.</i> 5. <i>C.</i> 9, <i>t.</i> 110, <i>f.</i> 925-6.	U.
114 interrupta	3644	tessellated	<i>F.t.</i> 65, <i>f.</i> A. 6. <i>C.</i> 9, <i>t.</i> 134, <i>f.</i> 1213-14.	U.
115 arenaria	3644	minute, sand	<i>C.</i> 9, <i>t.</i> 113, <i>f.</i> 972-3.	Rimini.
116 Ianthina	3645	violet	<i>L. t.</i> 572, <i>f.</i> 24. <i>G. t.</i> 64, <i>f.</i> O. C. 5, <i>t.</i> 166, <i>f.</i> 1577- 8. <i>E. M.t.</i> 156, <i>f.</i> 1.	Mediterranean.
117 Jamaicensis	3644	Jamaica	<i>L.t.</i> 42, <i>f.</i> 40. K. 1, <i>t.</i> 21, <i>f.</i> 3. <i>F.t.</i> 63, <i>f.</i> M. C. 9, <i>t.</i> 129, <i>f.</i> 1140-1,	Jamaica. L.
118 Rhodia	3645	Rhodes	<i>C.</i> 9, <i>t.</i> 132, <i>f.</i> 1179-80.	Island of Rhodes. L.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
119 vivipara	3646 viviparous	<i>L.t.</i> 1055, <i>f.</i> 6. <i>G.t.</i> 5, <i>f.</i> A. <i>C.</i> 9, <i>t.</i> 132, <i>f.</i> 1182-5. <i>E.M.t.</i> 458, <i>f.</i> 1. <i>D.</i> 3, <i>t.</i> 87. <i>M.p.</i> 386.		Britain, &c. Fr.w.
120 fasciata	3646 banded	<i>G.t.</i> 5, <i>f.</i> M.		Italy. Fr.w.
121 dissimilis	3647 dissimilar	<i>S.Einl.</i> 2, <i>p.</i> 253, <i>t.</i> 4, <i>f.</i> 10.		Tranquebar.
122 angularis	3661 angular	<i>C.</i> 9, <i>t.</i> 134, <i>f.</i> 1222-3.		Canton. Fr.w.
123 nemoralis	3647 varied	<i>L.t.</i> 57, <i>f.</i> 54. <i>G.t.</i> 1, <i>f.</i> P. <i>C.</i> 9, <i>t.</i> 132, <i>f.</i> 1196-3. <i>D.</i> 1, <i>t.</i> 13. <i>M.p.</i> 411.		Europe. L.
124 Cartusiana	3664 Chartreuse	<i>Geoff.</i> <i>p.</i> 33, <i>t.</i> 2.		Near Paris. L.
125 Lucorum	3649 brown-lipped	<i>G.t.</i> 1, <i>f.</i> C.		Europe. L.
126 hortensis	3649 garden [grisea.]	<i>L. t.</i> 49, <i>f.</i> 47. <i>F. t.</i> 62, <i>f.</i> D.2. <i>D.</i> 3 & <i>D.</i> 4. <i>C.</i> 9, <i>t.</i> 130, <i>f.</i> 1156-8. <i>D.</i> 4, <i>t.</i> 131. <i>M.p.</i> 407.		Britain, &c. L.
127 hæmastoma	3650 rose-lipped	<i>L. t.</i> 1055, <i>f.</i> 2. <i>F. t.</i> 64, <i>f.</i> A. 4. <i>C.</i> 9, <i>t.</i> 130, <i>f.</i> 1150-1. <i>E.M. t.</i> 462, <i>f.</i> 4.		S. America. L.
128 lactea	3629 milky	<i>L.t.</i> 95, <i>f.</i> 96. <i>C.</i> 9, <i>t.</i> 130, <i>f.</i> 1161.		Jamaica. L.
129 picta	3650 painted	<i>P.t.</i> 15, <i>f.</i> 17, 18. <i>C.</i> 9, <i>t.</i> 130, <i>f.</i> 1162-5.		Amboyna. L.


<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
130 versicolor	3651	diversified	<i>B.t.</i> 16, <i>f.</i> 9, 10.	U.
131 aperta	3651	gaping	<i>B. t.</i> 15, <i>f.</i> 19, 20. <i>C.</i> 9, <i>t.</i> 133, <i>f.</i> 1204-5.	Island of St. Croix.
132 fusca		brown	<i>M.p.</i> 424, <i>t.</i> 13, <i>f.</i> 1. <i>L.T.</i> 8, <i>p.</i> 209.	Britain. L.
133 fuscescens	3639	glossy	<i>S.Erd.</i> <i>t.</i> 1, <i>f.</i> 11.	Denmark. L.
134 consolidata		square-tipped	<i>C.</i> 9, <i>t.</i> 136, <i>f.</i> 1253.	Surinam. L.
135 decollata	3651	truncated	<i>L. t.</i> 17, <i>f.</i> 12 & 18, <i>f.</i> 13. <i>G. t.</i> 4, <i>f.</i> O.P.Q. <i>C.</i> 9, <i>t.</i> 136, <i>f.</i> 1254-5.	S. of Europe. L.
136 truncata		flag	<i>F.t.</i> 65, <i>f.</i> B. 10. <i>C.</i> 9, <i>t.</i> 136, <i>f.</i> 1256-7.	St. Domingo. L.
137 calcarea		chalky	<i>L.t.</i> 14, <i>f.</i> 9. <i>G. t.</i> 6, <i>f.</i> 1. <i>C.</i> 9, <i>t.</i> 135, <i>f.</i> 1226.	E. Indies.
138 cuspidata	3655	pointed	<i>L.t.</i> 118, <i>f.</i> 13. <i>G. t.</i> 6, <i>f.</i> H. <i>C.</i> 9, <i>t.</i> 135, <i>f.</i> 1228.	India. Fr.w.
139 plicaria	3654	wh.-spotted	<i>B.t.</i> 16, <i>f.</i> 14.	U.
140 undulata	3645	wave striped	<i>B.t.</i> 16, <i>f.</i> 15.	U.
141 aspera	3656	roughly striated	<i>C.</i> 9, <i>t.</i> 136, <i>f.</i> 1259-60.	Coromandel. Fr.w.
142 Vibex	3522	red marked	<i>S.Einl.</i> 2, <i>p.</i> 199.	————
		[<i>Str. Viber.</i>]		
143 crenata	3655	crenated	<i>C.</i> 9, <i>t.</i> 135, <i>f.</i> 1230.	Madagascar. Fr.w.
144 fuscata	3654	shining brown	<i>L.t.</i> 116, <i>f.</i> 11. <i>C.</i> 9, <i>t.</i> 135, <i>f.</i> 1229.	E. Indies. Fr.w.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
145 lubrica	3661	glossy	<i>M.p.</i> 390, <i>t.</i> 22, <i>f.</i> 6. <i>L.T.</i> 8, <i>p.</i> 213.	Britain, &c. L.
146 Stagnorum	3653	barleycorn	<i>Bast.</i> 2, <i>p.</i> 77, <i>t.</i> 7, <i>f.</i> 4.	Holland. Fr.w.
147 obscura	3661	small brown	<i>M.p.</i> 391, <i>t.</i> 22, <i>f.</i> 5. <i>L.T.</i> 8, <i>p.</i> 212, <i>t.</i> 5, <i>f.</i> 11.	Britain. L.
148 Lackhamen- sis		Lackham	<i>M.p.</i> 394, <i>t.</i> 11, <i>f.</i> 3. <i>L.T.</i> 8, <i>p.</i> 212.	————
149 octanfracta	3668	8-whirled [<i>peregrina.</i>]	<i>M. p.</i> 396 & <i>p.</i> 588, <i>t.</i> 11, <i>f.</i> 8. <i>L.T.</i> 8, <i>p.</i> 211.	———— Fr.w.
150 octona		slender	<i>L.t.</i> 20, <i>f.</i> 15. <i>C.</i> 9, <i>t.</i> 136, <i>f.</i> 1624. <i>M.Suppl.</i> <i>p.</i> 144. <i>L.T.</i> 8, <i>p.</i> 211, <i>t.</i> 5, <i>f.</i> 10.	W. Indies. L.
151 Columna	3653	Column	<i>L.t.</i> 39, <i>f.</i> 37.b. <i>C.</i> 9, <i>t.</i> 112, <i>f.</i> 954-5 & 11, <i>t.</i> 213, <i>f.</i> 3020-1. <i>E.M.</i> <i>t.</i> 459, <i>f.</i> 5.	Guinea. L.
152 incumbens	3524	tawny strip. [<i>Str. striatus.</i>]	<i>M. V.</i> 2, <i>p.</i> 149. <i>B. striat-</i> <i>tum.</i>	U.
153 Pella	3654	small red brown	<i>L.S.N.p.</i> 1248.	Iceland.
154 bifasciata		double banded	<i>D.</i> 1, <i>t.</i> 10. <i>M.p.</i> 346, <i>t.</i> 22, <i>f.</i> 1. <i>T.fasciatus.</i>	Britain.&c. L.
155 Carinula	3655	brown lined	<i>C.</i> 9, <i>t.</i> 136, <i>f.</i> 1263, <i>no.</i> 1-4.	Guadaloupe. L.
156 detrita	3660	smooth rayed	<i>L. t.</i> 8, <i>f.</i> 2. <i>C.</i> 9, <i>t.</i> 134, <i>f.</i> 1225. a-d.	Italy. L.


<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
157 Guadalou- pensis		Guadaloupe	<i>L. t. 8, f. 1. C. 9, t. 134,</i> <i>f. 1224.</i>	Guadaloupe.
158 substriata	3667	substriated	<i>M.p. 384, t. 11, f. 1. L. T. 8,</i> <i>p. 217. detrita.</i>	Britain, &c. Fr.w.
159 undata	3667	waved	<i>G. t. 5, f. N.</i>	New Holland. Fr.w.
160 fluviatilis	3665	river	<i>C. 9, t. 135, f. 1243. a b.</i>	Coromandel. Fr.w.
		[<i>Lanchaurica.</i>]		
161 Lyonetiana	3581	distorted	<i>C. 5, t. 160, f. 1513.</i>	E. Indies. L.
		[<i>T. distortus.</i>]		
162 Pupa	3656	Pupa	<i>L.S.N.p. 1248.</i>	Mauritania.
163 Barbara	3656	Barbary	<i>L.S.N.p. 1248.</i>	Algiers.
164 Amarula	3656	Mitre	<i>L. t. 133, f. 33. G. 6, f. B.</i> <i>F. t. 61, f. G. 5. C. 9,</i> <i>t. 134, f. 1218-19. E.M.</i> <i>t. 458, f. 6.</i>	Asia. Fr.w.
165 turbinata	3668	turbinated	<i>S. Fluss.p. 360, t. 10. B, f. 1.</i>	The Danube.
166 stagnalis	3657	Lake	<i>L. t. 123, f. 21. G. t. 5, f. I.</i> <i>C. 9, t. 135, f. 1237-8.</i> <i>E.M. t. 459, f. 6. D. 2,</i> <i>t. 51, f. 2. M.p. 367, t. 16,</i> <i>f. 8.</i>	Britain, &c. Fr.w.
167 fragilis	3658	brittle	<i>S. Fluss.p. 309, t. 7, f. 8.</i>	Denmark. Fr.w.
168 palustris	3658	Marsh	<i>C. 9, t. 135, f. 1239-40.</i> <i>D. 5, t. 171, f. 1. M.</i> <i>p. 373, t. 16, f. 10.</i>	Britain, &c. Fr. w.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
169 fossaria		ditch	<i>M.p.</i> 372, <i>t.</i> 16, <i>f.</i> 9. <i>L.T.</i> 8, <i>p.</i> 217, <i>t.</i> 5, <i>f.</i> 9.	Britain. Fr.w.
170 albicans	3666	white	<i>S.Fluss.p.</i> 311, <i>t.</i> 7, <i>f.</i> 6.	Hamburg. Fr.w.
171 putris		thin yellowish	<i>L. t.</i> 123, <i>f.</i> 23. <i>M. t.</i> 16, <i>f.</i> 3. <i>L.T.</i> 8, <i>p.</i> 217.	Britain, &c. Fr.w.
172 succinea		amber coloured	<i>C.</i> 9, <i>t.</i> 135, <i>f.</i> 1248. <i>M.t.</i> 16, <i>f.</i> 4. <i>D. t.</i> 168, <i>f.</i> 1. <i>L.T.</i> 8, <i>p.</i> 218. ———	Fr.w.
173 truncatula	3659	small dark brown	<i>S.Fluss. p.</i> 318, <i>t.</i> 7, <i>f.</i> 13.	Saxony. Fr.w.
174 inflata	3666	inflated	<i>S.Fluss. p.</i> 311, <i>t.</i> 7, <i>f.</i> 5. ———	
175 opaca	3667	opaque	<i>S.Fluss.t.</i> 7, <i>f.</i> 17.	Hamburg. Fr.w.
176 tentaculata	3662	olive	<i>L.t.</i> 132, <i>f.</i> 32. <i>G.t.</i> 5, <i>f.</i> B. <i>C.</i> 9, <i>t.</i> 135, <i>f.</i> 1245. <i>D.</i> 3, <i>t.</i> 93. <i>M.p.</i> 389.	Britain, &c. Fr.w.
177 repanda	3666	ventricose	<i>S.Fluss.p.</i> 320, <i>t.</i> 7, <i>f.</i> 16.	Tangelstadt. Fr.w.
178 canalis		channelled	<i>L. T.</i> 8, <i>p.</i> 220. <i>M. t.</i> 12, <i>f.</i> 11.	Britain.
179 lutea		yellow	<i>M.p.</i> 380, <i>t.</i> 16, <i>f.</i> 6. <i>L.T.</i> 8, <i>p.</i> 222. ———	
180 auricularia	3662	eared	<i>L.t.</i> 123, <i>f.</i> 22. <i>G.t.</i> 5, <i>f.</i> F. <i>C.</i> 9, <i>t.</i> 135, <i>f.</i> 1241-2. <i>D.</i> 2, <i>t.</i> 51, <i>f.</i> 1. <i>M.</i> <i>p.</i> 375, <i>t.</i> 16, <i>f.</i> 2.	Britain, &c. Fr.w.










HELIX.

Pl. 32



NERITA.





<i>Linnaean names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
181 Sicula		Sicilian	<i>Br. E. M. p. 335. S. Fluss.</i> <i>t. 10. A. f. 7.</i>	Sicily. Fr. w.
182 glutinosa	3659	membranous	<i>M. p. 379, t. 16, f. 5, &</i> <i>Suppl. p. 139. L. T. 8,</i> <i>p. 222.</i>	Britain, &c. Fr. w.
183 lævigata	3663	smooth flesh- coloured	<i>D. 3, t. 105. M. p. 332 &</i> <i>Suppl. p. 140. L. T. 8,</i> <i>p. 222.</i>	Britain, &c.
184 Balthica	3663	Baltic	<i>L. S. N. p. 1250.</i>	Baltic.
185 neritoidea	3663	nerite shaped	<i>G. t. 64, f. I.</i>	_____
186 perspicua	3663	large-mouth.	<i>L. S. N. p. 1250.</i>	Mediterranean.
187 haliotoidea	3663	Venus' ear	<i>C. 1, t. 16, f. 151-3.</i>	_____
188 ambigua	3665	ambiguous	<i>A. t. 13, f. 1. F. t. 70, f. G. 1.</i> <i>G. 2.</i>	_____
189 acutangula		brittle acute- angled	<i>B. E. C. p. 183, t. 26, f. 1.</i>	U.

XXX. NERITA.

NERITE.

1 Canrena	3699	varied	<i>L. t. 560, f. 4. G. t. 67, f. V.</i> <i>M. Suppl. p. 148. E. M.</i> <i>t. 453, f. 1, 2. & t. 455,</i> <i>f. 3-5. L. T. 8, p. 223.</i> <i>D. 5, t. 167.</i>	Britain, &c.
2 candida		zoned	<i>C. 5, t. 187, f. 1887-91.</i> <i>E. M. t. 453, f. 3.</i>	Moluccas.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
3 <u>cancellata</u>	3670	latticed	<i>L. t.</i> 566, <i>f.</i> 16. <i>C. 5, t.</i> 188, <i>f.</i> 1911-14.	W. Indies.
4 <u>sulcata</u>	3673	grooved	<i>B. t.</i> 17, <i>f.</i> 5, 6.	U.
5 <u>glaucina</u>	3671	livid	<i>L. t.</i> 568, <i>f.</i> 19. <i>G. t.</i> 67, <i>f.</i> A. B. <i>C. 5, t.</i> 186, <i>f.</i> 1856-9. <i>D. 1, t.</i> 20, <i>f.</i> 1. <i>M. p.</i> 469.	Britain, &c.
6 <u>Vitellus</u>	3671	clouded yellow	<i>L. t.</i> 565, <i>f.</i> 12. <i>G. t.</i> 67, <i>f.</i> L. <i>C. 5, t.</i> 186, <i>f.</i> 1866- 7.	Amboyne.
7 <u>spadicea</u>	3672	chestnut- coloured	<i>C. 5, t.</i> 187, <i>f.</i> 1872-3.	Mauritius.
8 <u>rufa</u>	3672	reddish	<i>L. t.</i> 606, <i>f.</i> 34. <i>C. 5, t.</i> 187, <i>f.</i> 1874-5. <i>M. Suppl.</i> <i>p.</i> 150, <i>t.</i> 30, <i>f.</i> 3.	Britain, &c.
9 <u>punctata</u>		punctured	<i>C. 11, t.</i> 197, <i>f.</i> 1903-4.	Mediterranean.
10 <u>fulminea</u>	3672	zig-zag	<i>L. t.</i> 567, <i>f.</i> 17. <i>G. t.</i> 67, <i>f.</i> M. <i>C. 5, t.</i> 187, <i>f.</i> 1881- 4.	Moluccas.
11 <u>orientalis</u>	3673	Eastern	<i>C. 5, t.</i> 188, <i>f.</i> 1898-9.	E. Indies.
12 <u>cruentata</u>	3673	red spotted	<i>C. 5, t.</i> 188, <i>f.</i> 1900-1.	Tranquebar.
13 <u>rugosa</u>	3673	wrinkled	<i>C. 5, t.</i> 188, <i>f.</i> 1902-3.	W. Indies.
14 <u>Marochiensis</u>	3673	wave strip.	<i>C. 5, t.</i> 188, <i>f.</i> 1905-10.	Africa.
15 <u>arachnoidea</u>	3674	spider mark.	<i>C. 5, t.</i> 188, <i>f.</i> 1915-16.	U.
16 <u>vittata</u>	3674	ribbon	<i>C. 5, t.</i> 188, <i>f.</i> 1917-18.	Morocco.
17 <u>Albumen</u>	3671	liver-co- loured	<i>P. Amb. t.</i> 10, <i>f.</i> 14. <i>C. 5,</i> <i>t.</i> 189, <i>f.</i> 1924-5.	Amboyne.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
18 Zebra		Zebra	<i>E.M.t.455, f.3.</i>	U.
19 Mammilla	3672	Nipple	<i>L. t. 571, f. 22. G. t. 67, f.C. C.5, t.189, f.1928- 31. E.M.t.453, f.5.</i>	W.Indies.
20 Papilla	3675	pap-shaped	<i>C.5, t.189, f.1939.</i>	Tranquebar.
21 pallidula		pallid	<i>D.1, t.16, f.1. M. p.468. L.T.8, p.226.</i>	Britain.
22 Corona	3675	Eastern crown	<i>F.t.61, f.D.7. C.9, t.124, f.1083-4.</i>	Ganges&China.Fr.w.
23 Radula	3676	rough-rib.	<i>B.t.17, f.7, 8. C.5, t.190, f.1946-7.</i>	Amboyna.
24 Magdalenæ	3677	Magdalen	<i>A.t.13, f.5.</i>	Magdalen Islands.
25 cornea	3676	horn	<i>S.Conch.1, p.323.</i>	Red Sea.
26 fluviatilis	3676	river	<i>L. t. 141, f. 38 & t. 607, f.43. G.t.4. f.L.L. C.9, t.124, f.1088. D.1, t.16, f.2. M.p.470.</i>	Britain, &c. Fr.w.
27 littoralis	3677	strand	<i>L.t.607, f.39-42. G.t.64, f.N. C.5, t.185, f.1854. D.1, t.20, f.2. M.p.467.</i>	
28 lacustris	3677	lake	<i>G.t.4, f.M.M.</i>	Europe. Fr.w.
29 dubia	3676	black mark.	<i>C.5, t.193, f.2017-20.</i>	U.
30 marginata	3677	marginated	<i>S.Einl.2, t.4, f.16.</i>	U.
31 pulligera	3678	reddish	<i>L. t. 143, f. 37. G. t. 4, f. H. H. C. 9, t. 124, f.1078-9. E.M.t.455, f.1.</i>	India. Fr.w.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
32 aculeata	3686	spinous	<i>C.10, t.169, f.1642.</i>	India. Fr.w.
33 Pupa	3679	black and white	<i>L. t. 605, f. 31. P. t. 15, f.8.</i>	Jamaica.
34 bidens	3679	double- toothed	<i>F.t.10, lower f.R.</i>	N.Zealand.
35 flavescens		yellowish	<i>C.10, t.165, f.1594-5.</i>	Nicobar Islands.
36 viridis	3679	green	<i>L.t.601, f.18. C.9, t.124, f.1089.</i>	W. Indies. Fr.w.
37 virginea	3679	zig-zag	<i>L. t. 604, f. 24-7. C. 9, t.124, f.1086-7. a-l.</i>	—————
38 turrita	3686	turreted	<i>C.9, t.124, f.1085.</i>	W. Indies.
39 polita	3680	mottled	<i>L.t. 602, f. 20. G. t. 66, f.G. C.t.195, f.2002-3.</i>	Amboyna.
40 litterata	3685	streaked	<i>C.5, t.193, f.2016-18.</i>	E. Indies.
41 Piperina		triangular spotted	<i>C.11, t.197, f.1905-6.</i>	Malabar.
42 Larva	3679	broad-band.	<i>C.5, t.195, f.2017.</i>	Amboyna.
43 atrata	3683	smooth black	<i>F. t. 70, f. F.1.F.2. C. 5, t.190, f.1954-5.</i>	W. Indies.
44 aterrima	3679	thick opaque	<i>C.5, t.192, f.1985-6.</i>	U.
45 Antillarum	3685	wrinkle lip.	<i>C.5, t.192, f.1987.</i>	W. Indies.
46 Paloronta	3680	purple- streaked	<i>L.t.595, f.1. G.t.66, f.Z. C. 5, t. 192, f. 1977-84. E.M.t.454, f.2.</i>	—————
47 Albicella	3681	pimple lip.	<i>L. t. 600, f. 16. F. t. 11, f.F. C.5, t.193, f.2000. a-h.</i>	C. of Good Hope.


<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
48 maxima	3683	great black and yellow	<i>C.5, t.190, f.1942-3.</i>	U.
49 textilis	3683	thrush	<i>L.t.598, f.14. C.5, t.190, f.1944-5.</i>	Tranquebar.
50 Histrio	3681	tooth lipped	<i>L.t.598, f.11. C.5, t.190, f.1948-9.</i>	E. Indies.
51 plicata	3681	wrinkle- lipped	<i>L.t.595, f.3. G.t.66, f.V. C. 5, t. 190, f. 1952-3. E.M.t.454, f.5.</i>	Tranquebar.
52 Ascensionis	3683	Ascension	<i>C.5, t.191, f.1956-7.</i>	Island of Ascension.
53 lineata	3684	lined	<i>C.5, t.191, f.1958-9. E.M. t.455, f.4.</i>	Str. of Malacca.
54 versicolor	3684	purple tessellated	<i>F. t. 10, f. S. C. 5, t. 191, f. 1962-3. E.M. t.454, f.7.</i>	W. Indies.
55 Pica	3684	pied	<i>C.5, t.191, f.1964-5.</i>	Amboyna.
56 flammea	3685	spotted silver	<i>C.5, t.192, f.1992-3.</i>	W. Indies.
57 costata	3684	ribbed	<i>C.5, t.191, f.1966-7.</i>	Nicobar Islands.
58 bizonalis		two-zoned	<i>E.M.t.454, f.3.</i>	U.
59 grossa	3682	red thrush	<i>P.Amb.t.5, f.8. C.5, t.191, f.1968-9.</i>	Asiatic Ocean.
60 Chamæleon	3682	Chameleon	<i>G.t.66, f.X. P.Amb.t.11, f.7. C.5, t.192, f.1988- 91.</i>	Moluccas.
61 Stella		black rayed	<i>C.11, t.197, f.1907-8.</i>	E. Indies.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
62 undata	3682	waved	<i>L.t.</i> 596, <i>f.</i> T. <i>G.t.</i> 66, <i>f.</i> P. <i>C.</i> 5, <i>t.</i> 190, <i>f.</i> 1950-1. <i>E.M.t.</i> 454, <i>f.</i> 6.	E. Indies.
63 undulata	3678	thin waved	<i>C.</i> 5, <i>t.</i> 191, <i>f.</i> 1970-1.	————
64 Exuvia	3683	Exuvia	<i>L.t.</i> 596, <i>f.</i> 5. <i>K.</i> 3, <i>t.</i> 1, <i>f.</i> 5. <i>C.</i> 5, <i>t.</i> 191, <i>f.</i> 1972-3. <i>E.M.t.</i> 454, <i>f.</i> 1.	Jamaica.
65 quadricolor	3684	four-colour.	<i>C.</i> 5, <i>t.</i> 191, <i>f.</i> 1974-5.	Red Sea.
66 Malaccensis	3684	Malacca	<i>C.</i> 5, <i>t.</i> 192, <i>f.</i> 1976.	Str. of Malacca.
67 fulgurans	3685	lightning	<i>C.</i> 5, <i>t.</i> 192, <i>f.</i> 1996-7.	W. Indies.
68 tessellata	3635	tessellated	<i>C.</i> 5, <i>t.</i> 192, <i>f.</i> 1998-9.	————
69 Stercus mus- carum		dotted	<i>C.</i> 5, <i>t.</i> 187, <i>f.</i> 1894. <i>E.M.</i> <i>t.</i> 453, <i>f.</i> 6.	America.
70 auriculata		eared	<i>E.M.t.</i> 455, <i>f.</i> 6.	U.

XXXI. HALIOTIS. SEA EAR.

1 Midæ	3687	leafy	<i>L.t.</i> 613, <i>f.</i> 5. <i>G.t.</i> 69, <i>f.</i> B. <i>C.</i> 1, <i>t.</i> 14, <i>f.</i> 136 & <i>t.</i> 15, <i>f.</i> 141.	E. Indies.
2 pulcherrima	3690	white and rose-coloured	<i>M. U. C.</i> 2, <i>t.</i> 62. <i>C.</i> 10, <i>t.</i> 166, <i>f.</i> 1605-6.	S. Sea.
3 virginea	3690	iridescent	<i>C.</i> 10, <i>t.</i> 166, <i>f.</i> 1607-8.	New Zealand.





<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
4 tuberculata	3687	common	<i>L.t.</i> 611, <i>f.</i> 2. <i>G.t.</i> 69, <i>f.</i> I. <i>C.</i> 1, <i>t.</i> 16, <i>f.</i> 146-9. <i>D.</i> 1, <i>t.</i> 5. <i>M.p.</i> 473.	Britain, &c.
5 striata	3688	wrinkled	<i>C.</i> 1, <i>t.</i> 14, <i>f.</i> 138.	Asiatic Ocean.
6 bistriata	3689	double-lined	<i>L.t.</i> 612, <i>f.</i> 3. <i>C.</i> 1, <i>t.</i> 15, <i>f.</i> 142.	Africa.
7 varia	3688	rough striated	<i>L. t.</i> 612, <i>f.</i> 4. <i>G. t.</i> 69, <i>f.</i> L.M. <i>C.</i> 1, <i>t.</i> 15, <i>f.</i> 144.	E. Indies.
8 marmorata	3688	marbled	<i>L.t.</i> 614, <i>f.</i> 6. <i>G.t.</i> 69, <i>f.</i> A. <i>C.</i> 1, <i>t.</i> 14, <i>f.</i> 139.	————
9 glabra	3690	smooth mottled	<i>C.</i> 10, <i>t.</i> 166, <i>f.</i> 1602.	B. of Naples.
10 asinina	3688	Asses ear	<i>L.t.</i> 610, <i>f.</i> 1. <i>G.t.</i> 69, <i>f.</i> D. <i>C.</i> 1, <i>t.</i> 16, <i>f.</i> 150.	Amboyna.
11 australis	3689	rough plaited	<i>C.</i> 10, <i>t.</i> 166, <i>f.</i> 1604 & 1604 a.	New Zealand.
12 gigantea	3691	gigantic	<i>M. U. C.</i> 2, <i>t.</i> 63. <i>C.</i> 10, <i>t.</i> 167, <i>f.</i> 1610-11.	N. Holland.
13 Iris	3691	Iris	<i>M. U. C.</i> 2, <i>t.</i> 61. <i>C.</i> 10, <i>t.</i> 167. <i>f.</i> 1612-13.	N. Zealand.
14 Cracherodii		Cracherode's	<i>L.Z.M.</i> 1, <i>p.</i> 131, <i>t.</i> 58.	California.
15 ovina	3691	chestnut marbled	<i>C.</i> 10, <i>t.</i> 166, <i>f.</i> 1609.	v.
16 parva	3689	small orange	<i>F. t.</i> 5, <i>f.</i> D. <i>C.</i> 1, <i>t.</i> 14, <i>f.</i> 140.	China.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
17 <i>Guineensis</i>	3689	decussated	<i>S. Einl.</i> 2, p. 388, <i>t.</i> 4, <i>f.</i> 18.	Guinea
18 <i>imperforata</i>	3690	imperforate	<i>L. t.</i> 1056, <i>f.</i> 6, 7. <i>F. t.</i> 5, <i>f.</i> <i>F. C.</i> 10, <i>t.</i> 166, <i>f.</i> 1600- 1. <i>E. M. t.</i> 450, <i>f.</i> 1.	<i>E. Indies.</i>
19 <i>imbricata</i>		imbricated	<i>E. M. t.</i> 450, <i>f.</i> 2.	<i>U.</i>
20 <i>phyanotis</i>		irregular	<i>E. M. t.</i> 450, <i>f.</i> 5.	<i>U.</i>
21 <i>planulata</i>		oblong, mottled	<i>E. M. t.</i> 450, <i>f.</i> 4.	<i>U.</i>

XXXII. PATELLA. LIMPET.

1 <i>equestris</i>	3691	cup-and-saucer	<i>L. t.</i> 546, <i>f.</i> 38. <i>G. t.</i> 9, <i>f.</i> Z. <i>C.</i> 1, <i>t.</i> 13, <i>f.</i> 119, 120.	Amboyna.
2 <i>Neptuni</i>		Neptune's cap	<i>F. t.</i> 4, <i>f.</i> B. 3. <i>C.</i> 1, <i>t.</i> 13, <i>f.</i> 117-18.	St. Domingo.
3 <i>Tectum</i>		Chinese roof	<i>F. t.</i> 4, <i>f.</i> B. 1. <i>C.</i> 10, <i>t.</i> 168, <i>f.</i> 1630-1.	China.
4 <i>Sinensis</i>	3692	Chinese bonnet	<i>L. t.</i> 546, <i>f.</i> 39. <i>C.</i> 1, <i>t.</i> 13, <i>f.</i> 121-2. <i>D.</i> 4, <i>t.</i> 139. <i>M. p.</i> 489, <i>t.</i> 13, <i>f.</i> 4.	Britain, &c.
5 <i>auricula</i>	3694	ear-shaped	<i>P. t.</i> 21, <i>f.</i> 11. <i>C.</i> 10, <i>t.</i> 163, <i>f.</i> 1628-9.	W. Indies.
6 <i>trochiformis</i>	3693	trochus-shaped	<i>F. t.</i> 4, <i>f.</i> A. 1. <i>C.</i> 10, <i>t.</i> 163, <i>f.</i> 1626-7.	Tranquebar.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
7 trochoides		wave ribbed	<i>F.t.4, f. A. 2. C. 1, t. 13,</i> <i>f.135.</i>	U.
8 neritoidea	3692	chambered	<i>L.t.545, f.36. C. 1, t. 13,</i> <i>f.133-4.</i>	Indian Seas.
9 porcellana	3692	brown spot.	<i>L.t.545, f.34. C. 1, t. 13,</i> <i>f.127-8.</i>	—————
10 fornicata	3693	slipper	<i>L.t. 545, f. 33 & 35. C. 1,</i> <i>t.13, f.129-30.</i>	Mediterranean.
11 aculeata	3693	spiny ribbed	<i>F.t.4, f.F.2. C.10, t. 168,</i> <i>f.1624-5.</i>	W. Indies.
12 Goreensis	3694	Sandal	<i>C.1, t.13, f.131-2.</i>	Greece.
13 Crepidula	3695	transparent white	<i>L.S.N.p.1257.</i>	Mediterranean.
14 laciniosa	3695	white-eyed	<i>F.t.2, f.1. C.1, t.10, f.81.</i>	Amboyna.
15 plicaria	3708	plaited	<i>B.t.18, f.1.</i>	U.
16 monopis	3707	chesnut streaked	<i>C.1, t.9, f.80.</i>	W. Indies.
17 saccharina	3695	star	<i>L. t. 532, f. 10. G. t. 9,</i> <i>f.I.M. C.1, t.9, f.70 &</i> <i>76.</i>	Amboyna.
18 angulosa	3707	angular	<i>F.t.2, f.C. C.1, t.8, f.69.</i>	France.
19 repanda	3707	small sun	<i>F.t.2, f.G.1.</i>	Island of Cerigo.
20 tenuis	3708	thin amber	<i>F.t.2, f.A. C.1, t.10, f.87.</i>	U.
21 margaritacea	3707	great sun	<i>G, t.8, f.L. F.t. 2, f. G. 2.</i> <i>C.1, t.10, f.85.</i>	A.B. Patagonia.
22 barbara	3696	toothed	<i>K.5, t.13, f.5.</i>	Falkland Islands.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
23 Cypria	3698	white ribbed	<i>F.t.11, f. D. 1. C. 1, t. 9, f.79.</i>	New Zealand.
24 Oculus		Goat's eye	<i>G.t.9, f. H. F. t. 2, f. M. C.1, t.10, f.86.</i>	Mediterranean.
25 pentagona	3708	five-angled	<i>B.t.18, f.4,5.</i>	U.
26 granularis	3696	wh.-grained	<i>L. t. 536, f. 15. F. t. 3, f.4.D. C.1, t.8, f.61.</i>	C. of Good Hope.
27 granatina	3696	garnet	<i>L.t.534, f.13. G.t.9, f.F. F.t.2, f. B.3 & 4. C. 1, t.9, f.71-2.</i>	_____
28 chlorosticta	3707	pigeon's throat	<i>C.1, t.10, f.84.A.B.</i>	Jamaica.
29 tigrina	3707	tiger	<i>C.1, t.9, f.78.</i>	U.
30 ornata		adorned	<i>C.11, t.197, f.1914-15.</i>	New Zealand.
31 melanogramma	3706	black-ribbed	<i>C.1, t.8, f.67.</i>	U.
32 ferruginea	3706	rusty	<i>F.t.3, f.D.2. C.10, t.168, f.1616.</i>	Str. of Magellan.
33 crenata	3706	little grey	<i>G.t.9, f.G. F.t.2, f.E.</i>	Mediterranean.
34 Umbella	3706	rose streak.	<i>L.t.538, f.21. F.t.1, f.H. 1 & 2. C.1, t.8, f.63.</i>	Africa.
35 Ulyssiponensis	3706	Buckler	<i>C.1, t.8, f.62.</i>	Lisbon.
36 radiata		radiated	<i>C.11, t.197, f.1916-17.</i>	Moluccas.
37 lugubris	3705	black	<i>F.t.1, f.M. C.1, t.8, f.60.</i>	Provence.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
38 <i>vulgata</i>	3697	common	<i>L. t.</i> 535, <i>f.</i> 14. <i>C.</i> 1, <i>t.</i> 5, <i>f.</i> 38. <i>D.</i> 1, <i>t.</i> 14. <i>M.</i> <i>p.</i> 475.	Britain, &c.
39 <i>tuberculata</i>	3697	wh.-pimpled	<i>L. S. N. p.</i> 1259.	U.
40 <i>Cochlear</i>	3721	horse-shoe	<i>B. t.</i> 18, <i>f.</i> 3. <i>K.</i> 2, <i>t.</i> 26, <i>f.</i> 3. <i>F. t.</i> 79, upper <i>f.</i> B. N. Zealand.	
41 <i>ungarica</i>	3709	bonnet	<i>G. t.</i> 9, <i>f.</i> V. & VV. <i>F. t.</i> 4, <i>f.</i> E. 2. <i>C.</i> 1, <i>t.</i> 12, <i>f.</i> 107- 8. <i>D.</i> 1, <i>t.</i> 21, <i>f.</i> 1. <i>M.</i> <i>p.</i> 486.	Britain, &c.
42 <i>militaris</i>		hooked	<i>L. t.</i> 544, <i>f.</i> 32. <i>F. t.</i> 4, <i>f.</i> B. <i>D.</i> 5, <i>t.</i> 171. <i>M. p.</i> 488, <i>t.</i> 13, <i>f.</i> 11.	_____
43 <i>mitrula</i>	3708	small imbricated	<i>L. t.</i> 544, <i>f.</i> 30-1. <i>C.</i> 1, <i>t.</i> 12, <i>f.</i> 111-13. <i>M. p.</i> 485, <i>t.</i> 13, <i>f.</i> 9.	_____
44 <i>cochleata</i>		white ridged	<i>C.</i> 11, <i>t.</i> 197, <i>f.</i> 1919-20.	S. Seas.
45 <i>Calyptra</i>	3712	helmet	<i>M. U. C. t.</i> 18. <i>C.</i> 10, <i>t.</i> 169, <i>f.</i> 1643-4.	N.W. Coast of America.
46 <i>intorta</i>	3713	inclining [<i>Pectunculus.</i>]	<i>C.</i> 1, <i>t.</i> 12, <i>f.</i> 115. <i>D.</i> 5, <i>t.</i> 146. <i>M. Suppl. p.</i> 154. <i>L. T.</i> 3, <i>p.</i> 231.	Britain, &c.
47 <i>cassida</i>		lentil seed	<i>F. t.</i> 4, <i>f.</i> C. <i>C.</i> 1, <i>t.</i> 12, <i>f.</i> 116.	Otaheite.
48 <i>Tranqueba- rica</i>	3714	brilliant	<i>L. t.</i> 530, <i>f.</i> 8. <i>C.</i> 1, <i>t.</i> 12, <i>f.</i> 114.	Tranquebar.
49 <i>mammillaris</i>	3709	nipple	<i>L. t.</i> 537, <i>f.</i> 17. <i>F. t.</i> 3, <i>f.</i> F. 1. <i>C.</i> 1, <i>t.</i> 7, <i>f.</i> 58-9.	W. Indies.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
50 leucopleura	3699	small, rayed	<i>L.t.</i> 539, <i>f.</i> 22. <i>C.</i> 1, <i>t.</i> 7, <i>F.</i> 56-7.	W. Indies
51 tricarinata	3710	small three-keeled	<i>C.</i> 10, <i>t.</i> 168, <i>f.</i> 1622-3.	New Zealand.
52 pectinata	3710	gray, striated	<i>S. Einl.</i> 2, <i>p.</i> 418, <i>t.</i> 5, <i>f.</i> 3.	Mediterranean.
53 fusco-lutea		yellowish brown	<i>B.t.</i> 18, <i>f.</i> 8.	U.
54 lutea	3710	yellow	<i>F.t.</i> 5, <i>f.</i> E. <i>C.</i> 1, <i>t.</i> 17, <i>f.</i> 154-5.	Amboyna.
55 perversa	3714	reverse, tipped	<i>C.</i> 1, <i>t.</i> 12, <i>f.</i> 114. A.B.	Goree.
56 lacustris	3711	lake [<i>fluvialis.</i>]	<i>L.t.</i> 141, <i>f.</i> 39. <i>G.t.</i> 4, <i>f.</i> B.B. <i>D.</i> 5, <i>t.</i> 147. <i>M.</i> <i>p.</i> 482. <i>L.T.</i> 8, <i>p.</i> 232.	Britain, &c. Fr.w.
57 oblonga	3710	oblong [<i>lacustris.</i>]	<i>G.t.</i> 4, <i>f.</i> A.A. <i>D.</i> 5, <i>t.</i> 150. <i>L.T.</i> 8, <i>p.</i> 233.	—————
58 pellucida	3717	pellucid blue rayed	<i>C.</i> 10, <i>t.</i> 168, <i>f.</i> 1620. <i>M.</i> <i>p.</i> 477 & <i>Suppl.</i> <i>p.</i> 153.	Britain, &c.
59 ceruleata		opaque blue rayed	<i>L.t.</i> 542, <i>f.</i> 26 & 543, <i>f.</i> 27. <i>C.</i> 10, <i>t.</i> 168, <i>f.</i> 1621. <i>M.Suppl.</i> <i>p.</i> 152.	—————
60 radians		grey, mottled	<i>C.</i> 10, <i>t.</i> 168, <i>f.</i> 1618.	N. Zealand.
61 Rota	3720	roundish	<i>C.</i> 10, <i>t.</i> 168, <i>f.</i> 1619.	W. Indies.
62 testudinaria	3717	great tor- toise-shell	<i>L.t.</i> 531, <i>f.</i> 9. <i>G.t.</i> 8, <i>f.</i> B. <i>C.</i> 1, <i>t.</i> 6, <i>f.</i> 45-8.	E. Indies.
63 testudinalis	3718	small tor- toise-shell	<i>C.</i> 10, <i>t.</i> 168, <i>f.</i> 1614-15. <i>F.t.</i> 1, <i>f.</i> Q.2.	Greenland.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
64 compressa	3718	flat-sided	<i>L. t. 541, f. 25. F. t. 3, f. B. 3. C. 1, t. 12, f. 106.</i> C. of Good Hope.	
65 Afra	3715	African	<i>G. t. 9, f. C. C. 1, t. 5, f. 34.</i>	Goree.
66 Lusitanica	3715	narrow- ribbed	<i>G. t. 8, f. N. M. P. F. t. 1, f. I. C. 1, t. 5, f. 35-6.</i>	Portugal.
67 Jamaicensis	3715	orange lined	<i>C. 1, t. 5, f. 37.</i>	Jamaica.
68 stellifera	3719	brown and white starred	<i>C. 10, t. 168, f. 1617.</i>	Friendly Islands.
69 fusca	3719	sugar-loaf	<i>F. t. 1, f. A. 2. C. 1, t. 5, f. 40.</i>	Falkland Islands.
70 areolata	3716	pyramidal	<i>F. t. 1, f. A. 1. C. 1, t. 5, f. 41.</i>	Str. of Magellan.
71 flammea	3716	agate	<i>F. t. 1, f. P. 2. C. 1, t. 5, f. 42.</i>	Falkland Islands.
72 Indica	3716	Indian	<i>G. t. 8, f. E. F. t. 1, f. G. C. 1, t. 7, f. 49.</i>	E. Indies.
73 vitellina	3716	yellow	<i>K. 1, t. 20, f. 2. C. 1, t. 7, f. 51.</i>	U.
74 lævigata	3717	white tipped	<i>C. 1, t. 7, f. 54.</i>	U.
75 Surinamensis	3716	brown rayed	<i>C. 1, t. 7, f. 54.</i>	Surinam.
76 punctulata	3705	dotted	<i>C. 1, t. 7, f. 55.</i>	U.
77 notata	3719	wheat-sheaf	<i>C. 10. p. 320, f. C. D.</i>	W. Indies.
78 cruciata	3719	white cross	<i>S. Einl. 2, p. 432, t. 5, f. 6.</i>	U.
79 reticulata	3719	reticulated	<i>S. Einl. 2, p. 433, t. 5, f. 7.</i> Mediterranean.	

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
80 cæca	3711	little white bordered	<i>M.Z.D.1, t.12, f.1-8.</i>	Norway.
81 virginea	3711	red rayed	<i>D.1, t.21, f. 2. M.p.480.</i> <i>L.T.8, p.235.</i>	Britain, &c.
82 tessellata	3711	tessellated	<i>M.Z.D.1, t.12, f.6,7.</i>	Norway.
83 fulva	3712	orange tawny	<i>M.Z.D.t.24, f.1-3.</i>	———
84 ambigua		white duck's bill	<i>C.11, t.197, f.1918.</i>	N. Holland.
85 umbellata	3720	Chinese parasol	<i>F.t.3, f.H. C.1, t.6, f. 44</i> <i>& 10, t.169, f.1645-6.</i>	China.
86 Fissura	3728	slit	<i>L. t. 534, f. 28. F. t. 4,</i> <i>f.M.1. C.1, t.12, f.109-</i> <i>10. D. t. 3, f. 2. M.</i> <i>p.490.</i>	Britain, &c.
87 incisa		reticulated slit	<i>C.11, t.197, f.1925-6.</i>	Falkland Islands.
88 fissurata		rose-coloured slit	<i>C.11, t.197, f.1929-30.</i>	Ceylon.
89 apertura	3728	perforated	<i>C. 11, t. 197, f. 1927-8.</i> <i>[fissurella.] M. p. 491, t.13, f.10 &</i> <i>Suppl. p. 155. L. T. 8,</i> <i>p.236.</i>	Britain, &c.
90 Pustula	3728	doubtful	<i>L.t.528, f.3. C.10, t.168,</i> <i>f.1632-3.</i>	W. Indies.
91 Græca	3728	cancellated	<i>L.t.527, f. 2. G.t.9, f.N.</i> <i>C. 1, t. 11, f. 98-9. D.</i> <i>t.21, f.3. M.p.492.</i>	Britain, &c.
92 atricapilla		black ring	<i>L.t. 528, f. 5. C. 1, t. 12,</i> <i>f.104.</i>	Barbadoes.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
93 nodosa	3731	tuberculated	<i>L.t.</i> 528, <i>f.</i> 6. <i>F.t.</i> 3, <i>f.</i> D.	
		[<i>spinosa.</i>]		Barbadoes.
94 perforata	3730	partridge	<i>L.t.</i> 528, <i>f.</i> 7. <i>C.</i> 1, <i>t.</i> 11, <i>f.</i> 93, 96-7.	_____
95 Caffra	3730	African	<i>C.</i> 1, <i>t.</i> 11, <i>f.</i> 95.	<i>C.</i> of G. Hope.
96 Pileolus		open cap	<i>C.</i> 11, <i>t.</i> 197, <i>f.</i> 1922.	<i>U.</i>
97 Scutellum	3731	Scutcheon	<i>P.t.</i> 3, <i>f.</i> 11. <i>F.t.</i> 3, <i>f.</i> A. 1.	Falkland Islands.
98 picta	3729	painted	<i>F.t.</i> 3, <i>f.</i> A. 4. <i>C.</i> 1, <i>t.</i> 11, <i>f.</i> 90.	_____
99 nimbosa	3729	scaly ribbed	<i>G.t.</i> 9, <i>f.</i> R. S. <i>F.t.</i> 3, <i>f.</i> A. 3. <i>C.</i> 1, <i>t.</i> 11, <i>f.</i> 91-2.	Martinique.
100 nubecula	3729	variegated	<i>C.</i> 1, <i>t.</i> 12, <i>f.</i> 105.	Mediterranean. red and white
101 Porphyrozo- nias	3730	Porphyry	<i>C.</i> 1, <i>t.</i> 12, <i>f.</i> 102-3.	N. America.
102 Macroschis- ma		oblong perforated	<i>C.</i> 11, <i>t.</i> 197, <i>f.</i> 1923-4.	Japan.

XXXIII. DENTALIUM. TOOTH-SHELL.

1 rectum	3738	straight	<i>P.t.</i> 95, <i>f.</i> 11. <i>G.t.</i> 10, <i>f.</i> H. <i>C.</i> 1, <i>t.</i> 1, <i>f.</i> 4. A.	Indian Seas.
2 elephantinum	3736	fluted ele- phant's	<i>L. t.</i> 547, upper <i>f.</i> 1. <i>G.</i> <i>t.</i> 10, <i>f.</i> 1. <i>C.</i> 1, <i>t.</i> 1, <i>f.</i> 5. A.	_____
3 aprinum	3736	white, ribbed	<i>C.</i> 1, <i>t.</i> 1, <i>f.</i> 4. B.	_____

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat</i>
4 striatulum	3738	striated	<i>L.t.</i> 547, lower <i>f.</i> C.1, <i>t.</i> 1, <i>f.</i> 5.B. <i>D.</i> 5, <i>t.</i> 162. <i>M.</i> <i>Suppl.</i> p.155.	Britain, &c
5 Dentalis	3736	curved, striated	<i>F.t.</i> 5, <i>f.</i> E. 4. <i>M.p.</i> 495. <i>L.T.</i> 8, <i>p.</i> 237.	————
6 Entalis	3736	common	<i>L. t.</i> 547, <i>f.</i> 2. & <i>t.</i> 1056, <i>f.</i> 4. <i>G.t.</i> 10, <i>f.</i> E. <i>D.</i> 2, <i>t.</i> 48. <i>M.p.</i> 494.	————
7 corneum	3737	horn-co- loured	<i>S.Einl.</i> 2, <i>p.</i> 523, <i>t.</i> 6, <i>f.</i> 16.	African Ocean.
8 politum	3737	ring striated	<i>G. t.</i> 10, <i>f.</i> F. C. 1, <i>t.</i> 1, <i>f.</i> 3.A.	India.
9 eburneum	3737	smooth ivory	<i>L.S.N.p.</i> 1264.	————
10 fasciatum	3737	banded	<i>F.t.</i> 5, <i>f.</i> E. 2. C. 1, <i>t.</i> 1, <i>f.</i> 3.B.	Sicily.
11 Gadus		Hake's	<i>M.p.</i> 496, <i>t.</i> 14, <i>f.</i> 7. <i>L.T.</i> 8, <i>p.</i> 238.	British Channel.
12 imperforatum	minute, truncated		<i>W.M.S.f.</i> 15. <i>M. p.</i> 496. <i>L.T.</i> 8, <i>p.</i> 238.	Britain.
13 Trachea	minute, windpipe		<i>M. p.</i> 497, <i>t.</i> 14, <i>f.</i> 10. <i>L.T.</i> 8, <i>p.</i> 239.	————
14 glabrum	3737 minute, smooth [<i>minutum.</i>]		<i>M.p.</i> 497. <i>L.T.</i> 8, <i>p.</i> 239.	————
15 pellucidum	3738	pellucid	<i>S.Einl.p.</i> 529, <i>t.</i> 6, <i>f.</i> 17.	N. Seas.

Linn. names. *Gm. Engl. names.* *Synonyms.* *Habitat.*

XXXIV. SERPULA. WORM-SHELL.

- | | | | | | |
|----|--------------------|------|------------------|---|------------------------|
| 1 | stellaris | 3747 | rayed pin's head | <i>Fab.F.Gr.p.383.</i> | Greenland. |
| 2 | Semilunum | 3739 | small seed | <i>G.t.10, f. S. W.M.S.f.1.</i>
<i>M.p.520.</i> | Britain, &c. |
| 3 | incurvata | | incurved | <i>W.M.S.f.11. M.p.518.</i> | ————— |
| 4 | planorbis | 3740 | flat | <i>L.S.N.p.1264.</i> | Europe: on shells. |
| 5 | Cereolus | 3745 | bougie | <i>F.t.6, f.D. C.1, t.3, f.20.</i>
<i>E.</i> | W. Indies. |
| 6 | Spirillum | 3740 | minute spiral | <i>C. 1, t. 3, f. 20. C.D. M.</i>
<i>p.499. L.T.8, p.240.</i> | Europe: on corallines. |
| 7 | minuta | | minute | <i>M.p.505. L.T.8, p.241.</i> | Britain. |
| 8 | spirorbis | 3740 | tapering spiral | <i>L.t.553, f.5. G.t.10, f.O.</i>
<i>C. 1, t. 3, f. 21. A. B.</i>
<i>D.1, t.9. M.p.498.</i> | Britain, &c. |
| 9 | triquetra | 3740 | three-sided | <i>G.t.10, f.P. C.1, t.3, f.25.</i>
<i>D.3, t.95. M.p.511.</i> | ————— |
| 10 | carinata | | keeled | <i>M.p.502. L.T.8, p.242.</i> | Britain. |
| 11 | granulata | 3741 | grained | <i>D. 3, t. 100. M. p. 500.</i>
<i>L.T.8, p.241.</i> | ————— |
| 12 | cancellata | 3746 | grooved | <i>Fab.F.Gr.p.383.</i> | Greenland. |
| 13 | heterostro-
pha | | reversed | <i>M.p.503. L.T.8, p.242.</i> | Britain. |
| 14 | corrugata | | wrinkled | <i>M.p.502. L.T.8, p.242.</i> | ————— |

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
15 lucida		shining	<i>M.p.</i> 507. <i>L.T.</i> 3, p.243.	Britain.
16 vitrea	3746	brittle	<i>Fab.F.Gr.</i> p.382.	Greenland.
17 contortupli- cata	3741	twisted	<i>F.t.</i> 6, <i>f.</i> E. 1. <i>C.</i> 1, <i>t.</i> 3, <i>f.</i> 24.A.	Mediterranean.
18 nebulosa		clouded tawny	<i>F.t.</i> 6, <i>f.</i> 1.	American Seas.
19 Goreensis	3745	intestine	<i>F.t.</i> 6, <i>f.</i> E.2.	Goree.
20 glomerata	3742	glomerated	<i>G.t.</i> 10, <i>f.</i> T. <i>F.t.</i> 6, <i>f.</i> Q. <i>C.</i> 1, <i>t.</i> 6, <i>f.</i> 23.	Mediterranean.
21 lumbricalis	3742	flexuous	<i>L.t.</i> 548, <i>f.</i> 1. <i>G.t.</i> 10, <i>f.</i> Q.V. <i>C.</i> 1, <i>t.</i> 2, <i>f.</i> 12.B.	Amboyna.
22 conica		Elephant's trunk	<i>F.t.</i> 5, <i>f.</i> C. <i>C.</i> 1, <i>t.</i> 2, <i>f.</i> 15.	—
23 arenaria	3743	solitary rose	<i>G.t.</i> 10, <i>f.</i> L.T. <i>F.t.</i> 6, <i>f.</i> P. <i>C.</i> 1, <i>t.</i> 3, <i>f.</i> 19.A.B.C.	India.
24 Afra	3745	smooth brown	<i>C.</i> 1, <i>t.</i> 3, <i>f.</i> 20.A.B.	Goree.
25 Volvox		Caterpillar	<i>P.t.</i> 16, <i>f.</i> 32. <i>F.t.</i> 6, <i>f.</i> M. <i>C.</i> 1, <i>t.</i> 2, <i>f.</i> 14.	E. Indies.
26 anguina	3743	serpent	<i>L.t.</i> 548, <i>f.</i> 2. <i>F.t.</i> 6, <i>f.</i> G.1. <i>C.</i> 1, <i>t.</i> 2, <i>f.</i> 13.B.C.	Amboyna.
27 echinata	3744	prickly	<i>G.t.</i> 10, <i>f.</i> R. <i>C.</i> 1, <i>t.</i> 2, <i>f.</i> 3.	Indian Ocean.
28 annularis		ringed snake	<i>F.t.</i> 6, <i>f.</i> G.2. <i>C.</i> 1, <i>t.</i> 2, <i>f.</i> 16.	U.
29 Cornu-copiæ	3745	Cornucopia	<i>B.t.</i> 13, <i>f.</i> 10, 11. <i>C.</i> 11, <i>t.</i> 211, <i>f.</i> 2092-3.	Mauritius.
30 decussata	3745	decussated	<i>L.t.</i> 547, <i>f.</i> 4. <i>F.t.</i> 6, <i>f.</i> L. <i>C.</i> 1, <i>t.</i> 2, <i>f.</i> 17.	America.


<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
31 vermicularis 3743	round		<i>D.</i> 3, <i>t.</i> 95. <i>M.</i> p. 509. <i>L.T.</i> 8, p. 243.	Britain, &c.
32 tubularia	awl-shaped tubular		<i>M.</i> p. 513. <i>L.T.</i> 8, p. 244.	Britain.
33 denticulata 3746	toothed		<i>S.Einl.</i> 2, p. 570, <i>t.</i> 6, <i>f.</i> 18.	Europe?
34 Aquaria	3744 watering-pot		<i>L.t.</i> 548, <i>f.</i> 3. <i>G.t.</i> 10, <i>f.</i> M. <i>F.t.</i> 5, <i>f.</i> B. <i>C.</i> 1, <i>t.</i> 1, <i>f.</i> 7.	Amboyna.
35 Ocrea	3744 boot-shaped		<i>P.Amb.t.</i> 20, <i>f.</i> 12. <i>F.t.</i> 5, <i>f.</i> D. <i>C.</i> 1, <i>t.</i> 1, <i>f.</i> 9.	E. Indies.
36 proboscidea 3745	proboscis		<i>C.</i> 1, <i>t.</i> 2, <i>f.</i> 18. B.	u.
37 protensa 3744	lengthened		<i>F.t.</i> 5, <i>f.</i> F. <i>C.</i> 1, <i>t.</i> 2, <i>f.</i> 12. A.	Amboyna.
38 gigantea 3747	great conical toothed		<i>Pall.M.S.p.</i> 139, <i>t.</i> 10, <i>f.</i> 2- 10.	Caribbee Islands.

XXXV. TEREDO. BORER.

1 gigantea 3742	great bifur-	<i>F.</i> 1, <i>t.</i> 5, <i>f.</i> N. <i>C.</i> 1, <i>t.</i> 1, [<i>S. polythalamia.</i>] cated <i>f.</i> 6 & 11.	Island of Ceram.
2 navalis 3747	ship	<i>F.t.</i> 60, <i>f.</i> C. 1. C. 2. & C. 3. <i>D.</i> 5, <i>t.</i> 145. <i>M.</i> p. 527 & <i>Suppl.</i> p. 7. <i>E.M.t.</i> 167, <i>f.</i> 1-3.	Bottoms of ships.

<i>Linn. names.</i>	<i>Gm. Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
3 Utriculus	3748 timber	<i>Kæn. Cab. Rudolst. p. 7, t. 1.</i>	In wood in the sea.
4 Ciava	3748 club-shaped	<i>S. Einl. 2, p. 574, t. 6, f. 20.</i> <i>E. M. t. 167, f. 6-16.</i>	Coromandel.





PATELLA.

Pl. 33




DENTALIUM.



SERPULA.



TEREDO.





INDEX GENERUM.

	Page.
Anomia.....	54
Arca.....	44
Argonauta.....	62
Buccinum.....	103
Bulla.....	85
Cardium.....	24
Chama.....	41
Chiton.....	1
Conus.....	67
Cypræa.....	79
Dentalium.....	183
Donax.....	31
Halotis.....	174
Helix.....	154
Lepas.....	4
Mactra.....	28
Murex.....	119
Mya.....	10
Mytilus.....	56
Nautilus.....	63
Nerita.....	169
Ostrea.....	47
Patella.....	176
Pholas.....	8
Pinna.....	59
Serpula.....	185
Solen.....	13
Spondylus.....	41
Strombus.....	115
Tellina.....	16
Teredo.....	187
Trochus.....	133
Turbo.....	142
Venus.....	33
Voluta.....	89

ENGLISH INDEX.

	Page.
Anomia.....	54
Ark.....	44
Barnacle.....	4
Borer.....	187
Clamp.....	41
Coat of Mail.....	1
Cockle.....	24
Cone.....	67
Cowry.....	79
Dipper.....	85
Gaper.....	10
Hinged Oyster.....	41
Limpet.....	176
Mactra.....	28
Muscle.....	56
Nerite.....	169
Oyster.....	47
Paper Sailor.....	62
Piercer.....	8
Razor.....	13
Rock.....	119
Sailor.....	63
Screw.....	115
Sea Ear.....	174
Snail.....	154
Tellen.....	16
Tooth Shell.....	183
Top Shell.....	133
Venus.....	33
Volute.....	89
Wedge.....	31
Whelk.....	103
Wing Shell.....	59
Worm Shell.....	185
Wreath.....	142

ERRATA.

Page	21,	No: 66,	for	balustina	read	balaustina.
—	21,	—	71,	—	radula	read Radula.
—	53,	—	77,	—	semiaurata	read semiaurita.
—	82,	—	39,	—	Errones	read erronea.
—	90,	—	15,	—	Coffeæ	read Coffea.
—	109,	—	80,	—	turgitum	read turgidum.
—	120,	—	11,	—	melanomathos	read melanamathos.
—	124,	—	55,	—	lacerus	read lacer.
—	141,	—	122,	—	dolobratuſ	read dolabratus.
—	172,	—	46,	—	Paloronta	read Peloronta.
—	176,	—	20,	—	phyanotis	read phimotis.

PRINTED BY RICHARD AND ARTHUR TAYLOR, SHOE-LANE.



Lately published in one Volume, of the same size with this work,

Price 16s.

ELEMENTS OF CONCHOLOGY,
ACCORDING TO THE LINNÆAN SYSTEM,

Illustrated by 28 Plates, drawn from Nature,

BY THE REV. E. I. BURROW, A.M. F.L.S.

MEM. GEOL. SOC.



S U P P L E M E N T

TO THE

Index Testaceologicus ;

OR

A C A T A L O G U E

OF

S H E L L S,

BRITISH AND FOREIGN.

ILLUSTRATED WITH 480 FIGURES.

By W. WOOD, F.R.S. & L.S. &c.

LONDON:

PRINTED FOR W. WOOD, 428, STRAND.

1828.

PRINTED BY RICHARD TAYLOR,
RED LION COURT, FLEET STREET.

P R E F A C E.

IN submitting the following SUPPLEMENT to the Public, it will be proper to remark, that the plan pursued in the *Index Testaceologicus* has been continued for the sake of uniformity, though liable to an objection with respect to the first column.

It appears absurd that the word Linnean names, should be continued to shells wholly unknown to Linneus; yet as the arrangement is Linnean, the head could not well be dispensed with, without injury to the body.

It will be seen by a reference to the third column, that the majority of the shells have been figured from specimens in the British Museum, and the names attached to them in that collection have been adopted. For the rest, except such as have been derived from books, the Author gratefully acknowledges the assistance of Mrs. Mawe, and Mr. Gray, from whose Cabinets, and principally from the former he has derived the most essential benefit.

It is to be hoped that an inspection of the Plates, and a careful comparative examination of the Figures, will leave the Subscribers at least as well satisfied with the second part of the Index, as they have kindly professed themselves to be with the first.


The additional list of Lamarckian names, adapted to the plates and figures in the *Index Testaceologicus*, has been extracted from the three last volumes of the “*Animaux sans Vertèbres*”; and the Genera have been arranged alphabetically for the convenience of reference.

As a guide to the comparative size of the different shells, a mark or a letter of the alphabet is added after the number engraved on the plate. Thus + indicates a shell half an inch long; $\frac{3}{4}$ three-quarters of an inch; *a* an inch; $\frac{5}{4}$ an inch and a quarter; *a* + an inch and a half; $\frac{7}{4}$ an inch and three-quarters; *b* two inches; *c* three inches, and so on: *n* denotes shells of the natural size; and *m* such as are magnified.

LONDON,

May, 17, 1828.

A B B R E V I A T I O N S.



<i>Au. Cab.</i>	. . .	Author's <i>Cabinet</i> .
<i>Bligh Cat.</i>	. . .	Bligh <i>Catalogue</i> .
<i>Br. M.</i>	. . .	<i>British Museum</i> .
<i>E. M.</i>	. . .	<i>Encyclopédie Méthodique</i> , art. <i>Vers</i> .
<i>Fer.</i>	. . .	Ferussac, <i>Histoire Naturelle des Mollusques</i> .
<i>Gray Cab.</i>	. . .	Mr. Gray's <i>Cabinet</i> .
<i>M. Cab.</i>	. . .	Mrs. Mawe's <i>Cabinet</i> .
<i>S. G. S.</i>	. . .	Sowerby's <i>Genera of Recent and Fossil Shells</i> .
<i>Sw. Ex. Con.</i>	. . .	Swainson's <i>Exotic Conchology</i> .
<i>Sw. Z. Ill.</i>	. . .	————— <i>Zoological Illustrations</i> .
<i>Tan. Cat.</i>	. . .	Tankerville <i>Catalogue</i> .
<i>Turt. B.</i>	. . .	Turton's <i>British Bivalves</i> .
<i>Zool. Jour.</i>	. . .	<i>Zoological Journal</i> .
Fr. w.	. . .	Fresh water.
L.	. . .	Land.
U.	. . .	Unknown.

} These abbreviations occur in
the last column.

SUPPLEMENT.



<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synon. & Ref.</i>	<i>Habitat.</i>
CHITON.		COAT OF MAIL.	
1 Peruvianus	black, bristle- edged	<i>M. Cab. E.M. pl.</i> 163, f. 7 & 8.	Peru.
2 undulatus	brown-waved	<i>M. Cab.</i>	Indian Ocean.
3 luteolus	yellowish	————	————
4 nebulosus	clouded	————	Isle of France.
5 setosus	yellow-bearded	————	W. Indies.
6 olivaceus	smooth, olive	————	Indian Ocean.
7 variegatus	variegated	<i>Au. Cab.</i>	Britain.
8 latus	brindled	<i>Zool. Jour. 2, pl. 5, f. 6</i> & 7.	————
9 aselloides	smooth, brown	<i>Zool. Jour. 2, pl. 5,</i> <i>f. 5.</i>	————
10 Carmichaelis	Carmichael's	<i>Br. Mus.</i>	C. of Good Hope.
11 Capensis	Cape	————	————
12 Siculus	Sicilian	————	Coast of Sicily.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synon. & Ref.</i>	<i>Habitat.</i>
---------------------	---------------------	--------------------------	-----------------

LEPAS.

BARNACLE.

1 aculeata	spiny-ribbed	<i>M. Cab.</i>	African Seas.
2 pulchra	wrinkled	<i>Br. Mus.</i>	Corsica.
3 Peronii	Peron's	————	South Seas.
4 Pyrgoma	ribbed	————	West Indies.
5 Lyonii	Lyon's	————	Indian Seas.
6 Homii	Home's	————	South Seas.
7 angulosa	angular	<i>S. G. S. No. 26, pl. 2.</i>	

PHOLAS.

PIERCER.

1 papyracea	Paper	<i>Au. Cab.</i>	Britain.
2 tuberculata	tuberculated	<i>Turt. B. t. 1, f. 7, 8.</i>	————
3 lamellata	lamellated	<i>Turt. B. t. 1, f. 5, 6.</i>	————
4 Ovum	egg-shaped	<i>Br. Mus.</i>	West Indies.

MYA.

GAPER.

1 rotunda	round	<i>Au. Cab.</i>	N. America. Fr. w.
2 oblongata	brown-rayed	————	————
3 alata	winged	<i>Sw. Ex. Con. No. 1.</i>	————

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synon. & Ref.</i>	<i>Habitat.</i>
4 nasuta	lancet-shaped	<i>Au. Cab.</i>	N. Amer. Fr.w.
5 undulata	dark-streaked	————	————
6 gravis	heavy	————	————
7 rugulosa	green, wrinkled	————	————
8 obliqua	oblique	<i>Br. Mus.</i>	————
9 ambigua	doubtful	————	————
10 rigida	rigid	————	————
11 prælonga	lengthened	————	————
12 angulata	sharp-cornered	<i>M. Cab.</i>	S. America. Fr.w.

SOLENN.

RAZOR.

1 Mediterraneus	dark-rayed	<i>Br. Mus.</i>	Sardinia.
2 corneus	horn-coloured	————	u.
3 lividus	pale	————	New Holland.
4 orbiculatus	orbicular	————	u.
5 tenuis	slender	<i>M. Cab.</i>	—
6 politus	polished	————	—

TELLINA.

TELLEN.

1 Childreni	Children's	<i>Br. Mus.</i>	Brazil.
2 convexa	round	————	New Holland.
3 lutea	yellowish	————	u.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synon. & Ref.</i>	<i>Habitat.</i>
4 pulchella	orange-streaked	<i>M. Cab.</i>	u.
5 elegans	beaked	————	—
6 ochroleuca	ochre-coloured	————	—

MACTRA.

MACTRA.

1 cyprinus	brittle	<i>Br. Mus.</i>	Peru.
— 2 recurva	recurved	————	u.
— 3 Campechensis	grooved	————	Campeachy.
— 4 tenera	thin spotted	————	Van Dieman's L.
— 5 similis	rough coated	————	————
— 6 subplicata	wrinkle-skinned	————	Tranquebar.
— 7 alata	pale single-ridged	————	u.
8 Veneriformis	Venus-shaped	————	—
9 denticulata	toothed	————	—
10 subtriangulata	truncated	————	—
11 ovata	oval	————	—
12 Taprobanensis	smooth, angular	————	Ceylon.

DONAX.

DONAX.

1 Scalpellum	slender	<i>Br. Mus.</i>	u.
2 Stultorum	macra-shaped	————	Indian Seas.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synon. & Ref.</i>	<i>Habitat.</i>
3 Madagascariensis	ribbon	<i>M. Cab.</i>	Madagascar.
4 biradiata	two-rayed	————	Isle of France.
5 sexradiata	six-rayed	————	————

VENUS.

VENUS.

1 lamellata	rough, ridged	<i>Br. Mus.</i>	New Holland.
2 Berrii	Capuchin	————	u.
3 elegans	cockle-shaped	————	Brazil.
4 Stutchburii	Stutchbury's	————	Sandwich Isl.
5 similis	spotted	————	China.
6 subrugosa	roughish	<i>M. Cab.</i>	Panama.
7 subrostrata	slightly beaked	<i>Br. Mus.</i>	New Holland.
8 papyracea	Paper	————	————
9 Kingii	King's	————	S. Seas.
10 aphrodinoides	grated	————	————
11 hians	gaping	————	China.
12 aurisiaca	golden-valved	————	u.
13 Childreni	Children's	————	—
14 cyprinoides	strong marked	————	Japan.
15 costulata	mottle ribbed	<i>M. Cab.</i>	S. Seas.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synon. & Ref.</i>	<i>Habitat.</i>
16 pulchra	smooth-rayed	<i>M. Cab.</i>	S. Seas.
17 Damaoides	interrupted	<i>Br. Mus.</i>	East Indies.

CHAMA.

CLAMP.

1 angulata	angular	<i>Br. Mus.</i>	N. Holland.
2 rostrata	beaked	————	u.
3 incrassata	heavy, grooved	————	—
4 Australis	Cockle	————	N. Holland.
5 crassicostata	thick-ribbed	————	u.
6 pectinata	comb-shaped	————	—

ARCA.

ARK.

1 Americana	regular shaped	<i>Br. Mus.</i>	Bay of Campeachy.
2 semitorta	winged	————	u.
3 cylindrica	cylindric	————	—
4 obliquata	mussel-shaped	————	—
5 tellinoides	tellen-shaped	————	Cumana.
6 glacialis	small brittle	————	North Sea.
7 Braziliana	Brazilian	————	Brazil.
8 nodosa	tuberculated	————	u.
9 Rostrum	hoe-shaped	————	—

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synon. & Ref.</i>	<i>Habitat.</i>
10 elongata	lengthened	<i>Br.Mus.</i>	u.
11 pectiniformis	pecten-shaped	————	—
12 squamosa	scaly	————	—

OSTREA. OYSTER.

1 asperrima	roughish	<i>Br.Mus.</i>	South Sea.
2 muscosa	prickly	————	————
3 Tegula	tile-ribbed	<i>M.Cab.</i>	u.
4 ornata	mottled	————	Tranquebar.
5 subauriculata	little-eared	<i>Br.Mus.</i>	Great Britain.
6 elliptica	shapeless	————	Nile Fr. w.
7 gigantea	gigantic	————	u.
8 angulata	angular	————	Africa.

ANOMIA. ANOMIA.

1 dentata	toothed	<i>Br.Mus.</i>	u.
2 ostreoides	oyster-shaped	————	Africa.
3 rosea	rose-coloured	————	N. Holland.
4 rubra	red-coloured	<i>M.Cab.</i>	East Indies.

MYTILUS. MUSSEL.

1 Niloticus	Nilotic	<i>Br.Mus.</i>	Nile Fr. w.
-------------	---------	----------------	-------------

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synon. & Ref.</i>	<i>Habitat.</i>
2 dilatatus	dilated	<i>Br.Mus.</i>	u.
3 castaneus	chestnut	————	China.
4 Folium	leafy	————	u.
5 lævigatus	Northern	————	Polar Seas.
6 Volgensis	mottled	————	Volga. Fr.w.

CONUS.

CONE.

1 brunneus	brown	<i>M.Cab.</i>	u.
2 interruptus	dotted	————	—
3 gracilis	slender	————	Timor.
4 lucidus	bright	————	South Sea.
5 Balteus	girdled	————	u.
6 gradatus	interrupted	————	California.

CYPRÆA.

COWRY.

1 tessellata	painted	<i>M.Cab.</i>	S. Seas.
2 lactea	milky	————	————
3 sulcidentata	strong-toothed	————	————
4 Listeri	ocellated	————	————
5 arenosa	sand	————	————
6 Turdus	thrush-backed	————	————

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synon. & Ref.</i>	<i>Habitat.</i>
7 <i>Arabacula</i>	snake-skin	<i>M. Cab.</i>	S. Seas.
8 <i>quadrinaculata</i>	four-spotted	————	u.
9 <i>interstincta</i>	spotted	————	—
10 <i>aperta</i>	open-mouthed	————	—
11 <i>commixta</i>	blended	————	Ind. Ocean.
12 <i>nivea</i>	white-banded	————	S. Seas.
13 <i>umbilicata</i>	umbilicated	<i>Tan. Cat. p. 30, pl. 7.</i>	u.
14 <i>Algoensis</i>	Algoa Bay	<i>Br. Mus.</i>	Africa.
15 <i>rosea</i>	violet	————	Ind. Ocean.
16 <i>Childreni</i>	Children's	————	u.
17 <i>clandestina</i>	angular-streaked	————	S. Seas.
18 <i>Capensis</i>	Cape	————	C. of Good Hope.

BULLA. DIPPER.

1 <i>lineata</i>	linear	<i>Br. Mus.</i>	New Holland.
2 <i>elegans</i>	inflated	<i>Gray Cab.</i>	Britain.
3 <i>decussata</i>	pear-shaped	<i>M. Cab.</i>	Panama.

VOLUTA. VOLUTE.

1 <i>subnodosa</i>	zigzag	<i>Br. Mus.</i>	u.
--------------------	--------	-----------------	----

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synon. & Ref.</i>	<i>Habitat.</i>
2 gracilis	slender	<i>Br.Mus.</i>	u.
3 Fulgetrum	lightning	<i>Tan.Cat.pl.28,pl.4</i> & 5.	—
4 aulica	red-clouded	<i>Tan.Cat.p.29,p.6.</i>	Ind. Oc.
5 Flammula	flame-marked	<i>Tan.Cat.pl.3,fig.1.</i> [<i>V. cymbiola.</i>]	u.
6 pulchra	speckled flesh- coloured	<i>Tan.Cat.p.28,pl.3,f.2.</i>	u.
7 Goodalli	Goodall's	<i>Br.Mus.</i>	—
8 marginata	double-banded	————	—
9 Pusio	five-banded	————	—
10 vittata	ribbon	————	—
11 lyriformis	lyre-shaped	————	—
12 lugubris	dark-coloured	————	—
13 zonata	zoned	————	Mediterranean.
14 contracta	contracted	<i>M.Cab.</i>	u.
15 Australis	Southern	————	Van Dieman's Land.
16 Pyramis	taper	————	u.
17 rigida	stiff, ribbed	————	—
18 crassa	heavy	————	South Sea.
19 punctata	dotted	————	————
20 marmorata	marbled	————	u.
21 angulata	cornered	————	—

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synon. & Ref.</i>	<i>Habitat.</i>
22 tuberculata	pimpled	<i>M. Cab.</i>	S. Seas.
23 rubiginosa	reddish	————	U.
24 modesta	open-mouthed	————	—
25 Lens	lentil-shaped	————	—
26 Harpa	Harp-shaped	————	—
27 Fragaria	Strawberry	————	—
28 unifasciata	single-banded	————	—
29 corrugata	wrinkled	————	—
30 Filum	Thread	————	—
31 tessellata	mosaic	————	—
32 ignea	reticulated	————	—
33 Nux	Hazel	<i>Br. Mus.</i>	—
34 columellaris	thick-lipped	————	—
35 Peruviana	Peruvian	————	S. America.
36 cærulea	blue-banded	<i>M. Cab.</i>	U.
37 Dama	fawn-spotted	————	S. Sea.
38 tenebrosa	dark	————	————

BUCCINUM. WHELK.

1 ringens	wry-mouthed	<i>Br. Mus.</i>	U.
2 semigranosum	lightly grained	————	—

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synon. & Ref.</i>	<i>Habitat.</i>
3 melanostoma	thick-ribbed	<i>Br.Mus.</i>	u.
4 tenue	thin-coated	<i>M.Cab.</i>	—
5 coarctatum	Roller	————	—
6 Rudolphi	purple-marked	————	—
7 distortum	misshapen	————	—
8 Bulbus	bulbous	————	—
9 subrostratum	channeled	————	—
10 brevidentatum	short-toothed	————	—
11 denticulatum	small-toothed	————	—
12 armatum	single-spined	————	—
13 tectum	knob-whirled	————	—
14 callosum	thick-skinned	————	—
15 Planaxis	girdled	————	—
16 Tankervillii	Tankerville's	<i>Br.Mus.</i>	—
17 marginatum	marginated	————	—
18 Strombiforme	strombus-shaped	————	—
19 fulgurans	Lightning	————	—
20 chlorostoma	thick-lipped	————	—
21 Terpsichore	small spotted	————	—
22 lineolatum	slender lined	————	—
23 roseum	rose harp	————	—

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synon. & Ref.</i>	<i>Habitat.</i>
24 minus	clouded harp	<i>Br.Mus.</i>	u.
25 elongatum	long	<i>M.Cab.</i>	India.
26 Noveboracensis	New York	<i>GrayCab.</i>	America.
27 melanopsis	brown, furrowed	————	S. of Europe.
28 prærosum	Spindle	————	————
29 lævigatum	smooth	————	u.
30 Zebra	Zebra	————	Pacific Ocean.

STROMBUS. SCREW.

1 gracilior	indented	<i>Br.M.</i>	u.
2 variabilis	streaked	————	—
3 labiosus	spreading	————	—
4 jugosus	ridged	————	Indian Ocean.
5 floridus	florid	<i>M.Cab.</i>	————
6 cancellatus	Spindle	<i>Br.M.</i>	u.
7 zonatus	zoned	<i>M.Cab.</i>	—
8 obtusus	blunt	<i>Br.M.</i>	—
9 petrosus	rocky	<i>M.Cab.</i>	East Indies.
10 rugosus	rugged	<i>Br.M.</i>	u.
11 lineolatus	lined	————	—

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synon. & Ref.</i>	<i>Habitat.</i>
12 incisus	notch-lipped	<i>Br.M.</i>	u.
13 Galea	Helmet	————	—
14 Galea junior	young helmet	————	—
15 bituberculatus	Banner	————	—
16 tricornis	three-horned	————	—
17 Thersites	spotted	————	—
18 variabilis(<i>var.</i>)	spot mouth	————	—
19 Persicus	Persian	————	Persian Gulf.
20 dilatatus	dilated mouth	————	u.
21 granulatus	granulated	————	—
22 auritus	eared	————	—
23 Byronensis	nailed	————	S. Amer.
24 Sayii	top-shaped	————	N. Amer.

MUREX.

ROCK.

1 costularis	prickly-lipped	<i>Br.M.</i>	u.
2 Papilla	Nipple	————	—
3 rigidus	rigid	————	—
4 cristatus	horned	————	—
5 Mitra	Mitre	————	—
6 echinatus	echinated	————	—

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synon. & Ref.</i>	<i>Habitat.</i>
7 bicarinatus	double-keeled	<i>Br.M.</i>	u.
8 elegans	slender	————	—
9 Pleurotoma	ribbed	————	—
10 sanguineus	red-ribbed	<i>M.Cab.</i>	—
11 unifasciatus	white-banded	————	—
12 acuminatus	sharp-pointed	————	—
13 regius	imperial	<i>Sw.Ex.Con.part2.</i>	S. Seas.
14 Salmo	salmon-coloured	<i>M.Cab.</i>	u.
15 ceratus	wax-noduled	————	—
16 Ferrugo	rusty	————	—
17 Funiculus	corded	————	—
18 labiosus	lipped	————	—
19 aculeatus	spiny	————	—
20 pinnatus	winged	<i>BlighCat.p.18.</i>	—
21 exasperatus	rough-coated	<i>M.Cab.</i>	—
22 cariosus	carios	————	—
23 subglobosus	roundish	————	—
24 pictus	painted	————	—
25 mitriformis	brown striated	————	Isle of France.
26 curvirostris	curve-beaked	<i>Br.M.</i>	u.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synon. & Ref.</i>	<i>Habitat.</i>
TROCHUS.	TOP-SHELL.		
1 undosus	waved	<i>M. Cab.</i>	California.
2 Unguis	clawed	————	————
3 olivaceus	olive gray	————	S. Sea.
4 Pellis Serpentis	snake skin	————	Panama.
5 armillatus	beaded	————	S. Sea.
6 acuminatus	sharp-edged	————	————
7 rugosus	rough	<i>Br. M.</i>	u.
8 Listeri	Lister's	————	—
9 elegantulus	red, rough	————	Ceylon.
10 Tankervillii	Tankerville's	————	u.
11 granosus	grained	————	—
12 tæniatus	Ribbon	————	—
13 lævis	smooth	————	—
14 albidus	whitish	<i>Au. Cab.</i>	Ireland.
15 Clelandi	small dotted	————	————
16 quadricostatus	four-ribbed	<i>Br. M.</i>	u.
17 Byronianus	shaded	————	Sandwich Islands.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synon. & Ref.</i>	<i>Habitat.</i>
18 Zebra	Zebra	<i>Br.M.</i>	u.
19 elongatus	lengthened	_____	—
20 Smithii	Smith's	_____	—
21 reticularis	blunt-tipped	_____	—
22 articulatus	interrupted	_____	—
23 filusus	threaded	_____	—
24 Trochlea	Screw	_____	—
25 atratus	sombre	_____	—
26 obscurus	doubtful	_____	—
27 Maugeri	warted	_____	—
28 pictus	painted	_____	—
29 formosus	ornamented	<i>Gray Cab.</i>	—
30 æqualis	small, flattish	_____	—
31 clangulus	Trumpet	_____	—
32 Mediterraneus	clouded	_____	Mediterranean.
33 callosus	thick-skinned	_____	u.
34 zonatus	zoned	_____	—
35 concameratus	dome-shaped	_____	—
36 viridis	green, striped	_____	—
37 odontis	Mulberry	_____	—
38 reticulatus	reticulated	_____	—

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synon. & Ref.</i>	<i>Habitat.</i>
39 <i>clanguloides</i>	regularly marked	<i>Gray Cab.</i>	u.
40 <i>sulcatus</i>	furrowed	————	—
41 <i>indistinctus</i>	indistinct	————	—
42 <i>interruptus</i>	mottle-banded	————	Ireland.
43 <i>Montagui</i>	Montagu's	————	————
44 <i>Calyculus</i>	Cup	————	u.
45 <i>pulcherrimus</i>	elegant	————	—
46 <i>badius</i>	chesnut-coloured	————	S. Seas.

TURBO.

WREATH.

1 <i>niger</i>	black	<i>Br.M.</i>	u.
2 <i>Petiverianus</i>	Petiver's	————	—
3 <i>Jamaicensis</i>	Jamaica	————	W. Indies.
4 <i>pulcher</i>	plaited mouth	————	u.
5 <i>lævis</i>	smooth	————	—
6 <i>Chemnitzii</i>	Chemnitz's	————	—
7 <i>Australis</i>	Southern	————	New Holland.
8 <i>Fascia</i>	banded	————	u.
9 <i>fulvus</i>	tawny	————	Minorca.
10 <i>elongatus</i>	finely-striated	————	u.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synon. & Ref.</i>	<i>Habitat.</i>
11 maculatus	spotted	<i>Au. Cab.</i>	Britain.
12 Anglicus	broad-toothed	————	————
13 rufescens	reddish	<i>Gray Cab.</i>	————
14 edentulus	toothless	————	————
15 fuscus	brown	————	————
16 raricostatus	net-work	<i>Br. M.</i>	u.
17 lamellosus	distant-ribbed	————	—
18 Australis	Southern	————	New Holland.
19 varicosus	close-ribbed	————	————
20 Martinii	Martini's	————	u.
21 Columna	Pillar	<i>Gray Cab.</i>	—
22 mirabilis	broad-lipped	————	—
23 aurantius	Orange	————	—
24 formosus	elegant	————	W. Indies.
25 varius	speckled	————	u.
26 lineolatus	marked	————	Isle of France.
27 bulimoides	Bulimus-shaped	————	————
28 Francesii	dark-banded	————	E. Indies.
29 minimus	dotted	————	u.
30 tuberculatus	knobbed	————	—
31 flavidus	cylindrical	————	—

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synon. & Ref.</i>	<i>Habitat.</i>
32 tortus	crooked	<i>Gray Cab.</i>	u.
33 Zebra	Zebra	————	S. America.
34 Pintado	Pintado	————	Sandwich Isl.
35 torticollis	wry-necked	<i>Br.M.</i>	Mediterranean.
36 costulatus	Cone	————	u.
37 truncatulus	wire-worm	————	Mediterranean.
38 gracilis	slender	————	W. Indies. L.
39 Chrysalis	wrinkled	————	————
40 Mediterraneus	seed-shaped	————	Malta. L.
41 suturalis	taper	————	u.
42 compressus	compressed	————	—
43 crassus	heavy	<i>M. Cab.</i>	—
44 fluctuosus	green-waved	————	—
45 saxosus	rocky	————	—
46 Perdix	Partridge	————	—
47 bicarinatus	double-ridged	————	—
48 Funis	corded	————	—

HELIX.

SNAIL.

1 formosa ¹	bright-spotted	<i>Fer.t.47,f.1.</i>	u.
2 orbiculata	roundish	<i>Fer.t.42,f.4.</i> (<i>plicaria.</i>)	West Indies.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synon. & Ref.</i>	<i>Habita.</i>
3 squamosa	scaly	<i>Fer.t.41,f.3.</i>	W. Indies.
4 auriculata	eared	<i>Sw.Z.Ill.v.1.</i>	u.
5 sylvatica	wood	<i>Fer.t.32,f.7.</i>	N. of Eur. L.
6 turgidula	yellow-brown	<i>Fer.t.29,f.12.</i>	Europe. L.
7 Helicella	scollop-edged	<i>Fer.t.30,f.2.</i> (<i>planata</i> 295.)	Marocco.
8 Zonula	small girdled	<i>Fer.t.26,f.6.</i> (<i>vittata</i> , n. 35.)	Ceylon.
9 patula	open-mouthed	<i>Fer.t.11,f.15.</i>	West Indies.
10 formosa ²	delicate, red stri- ped	<i>Fer.t.31,f.4,5,6.</i>	u.
11 tridentata	three-toothed	<i>Au.Cab.</i>	N. America. L.
12 angulata	sharp-angled	————	———— Fr.w.
13 subcarinata	slightly keeled	<i>L.T.13,pl.5,f.1.</i>	————
14 septemvolva	seven-whirled	<i>Au.Cab.</i>	Florida.
15 monodon	single-toothed	————	N. America. L.
16 fraterna	brown, five whirl- ed	————	———— L.
17 decisa	tawny Delaware	————	———— Fr.w.
18 dissimilis	dissimilar	————	————
19 virginea	beak-mouthed	————	————
20 coniformis	cone-shaped	<i>Fer.t.108,f.1.</i>	u.
21 concamerata	dome-shaped	————	Cape of G. Hope.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synon. & Ref.</i>	<i>Habitat.</i>
22 <i>conica</i>	conical	<i>Br.M.</i>	u.
23 <i>Listeri</i>	Lister's	————	—
24 <i>goniostoma</i>	angular-mouthed	————	Brazil. Fr.w.
25 <i>odontostoma</i>	six-toothed	————	———— L.
26 <i>lævissima</i>	smooth, striped	————	S. America.
27 <i>Kingii</i>	King's	————	New Holland.
28 <i>Dufresnii</i>	Dufresne's	————	————
29 <i>pulchra</i>	Garter	<i>Gray Cab.</i>	u.
30 <i>Byronii</i>	Lord Byron's	————	Otaheite.
31 <i>Maugeri</i>	Mauger's	————	W. Indies.
32 <i>nigrescens</i>	three-toothed, black	————	u.
33 <i>Tripolitana</i>	African	————	Tripoli.
34 <i>Sayii</i>	Say's	————	N. America.
35 <i>globulosa</i>	inflated	<i>Fer.t.25,f.4.</i>	u.
36 <i>Caffra</i>	thin, streaked	<i>Fer.t.9.A.f.8.</i>	Africa.
37 <i>conformis</i>	shapely	<i>Fer.t.25.A.f.10.</i>	Molucca.
38 <i>Prunum</i>	plum-shaped	<i>Fer.t.26,f.7,8,9.</i>	N.Holland.
39 <i>contusa</i>	blunt-tipped	<i>Fer.t.31,f.1. & t.39.</i> <i>B.f.5,6.</i>	Brazils.
40 <i>deformis</i>	deformed	<i>Fer.t.32.A.f.1.</i>	Mediterr.
41 <i>Nicæensis</i>	double-banded	<i>Fer.t.28,f.1,2.</i>	————

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synon. & Ref.</i>	<i>Habitat.</i>
42 <i>Meridionalis</i>	Southern	<i>Fer.t.29,f.4,5.</i> (<i>Otahietana.</i>)	Otaeti.
43 <i>Melitensis</i>	Quince	<i>Fer.t.25,f.11,12.</i>	Malta.
44 <i>circumornata</i>	spotted whirl	<i>Fer.t.41,f.2.</i>	u.
45 <i>granosa</i>	grained	<i>Fer.t.44,f.1-3.</i> (<i>aspera.</i>)	America.
46 <i>discolor</i>	discoloured	<i>Fer.t.46,f.3-6.</i>	S. America.
47 <i>Lima</i>	File	<i>Fer.t.46,f.1&2.</i>	Porto Rico.
48 <i>dentiens</i>	indented lip	<i>Fer.t.49.A.f.2.</i>	S. America.
49 <i>parilis</i>	orange	<i>Fer.t.49,f.2.</i>	Gaudaloupe.
50 <i>Imperator</i>	claw-mouthed	<i>Fer.t.52.</i>	America.
51 <i>Soror</i>	four-toothed	<i>Fer.t.54,f.4.</i>	W. Indies?
52 <i>Zodiacus</i>	white-banded, red	<i>Fer.t.75,f.2.</i>	u.
53 <i>concisa</i>	diagonally-striated	<i>Fer.t.78,f.3 & 4.</i>	—
54 <i>Pellicula</i>	thin-skinned	<i>Fer.t.105,f.1.</i>	—
55 <i>Strobilus</i>	red-banded	<i>Fer.t.103,f.1.</i>	—
56 <i>Alauda</i>	double-striped	<i>Fer. t. 103,f. 2, 3. &</i> <i>140,f.4,5.</i>	—
57 <i>Carina</i>	sharp-edged	<i>Fer.t.60,f.2.</i> (<i>Lampas.</i>)	E. Indies.
58 <i>Pileolus</i>	conical	<i>Fer.t.63.A.f.1,2.</i>	u.
59 <i>bipartita</i>	party-coloured	<i>Fer.t.75.A.f.1.</i>	—

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synon. & Ref.</i>	<i>Habitat.</i>
60 <i>sinistrorsa</i>	reversed	<i>Fer.t.32.f.2,3.</i>	Cape of G. Hope. L.
61 <i>Listeriana</i>	Wheel	<i>Br.M.</i>	W. Indies.
62 <i>scabra</i>	rough-skinn'd	_____	_____
63 <i>Brownii</i>	Brown's	_____	_____
64 <i>scitula</i>	straw-coloured	_____	_____
65 <i>aureola</i>	somewhat golden	_____	_____
66 <i>Fibula</i>	Button	_____	Sicily.
67 <i>lævis</i>	smooth, broad-lipped	_____	Ceylon.
68 <i>lineata</i>	striped	_____	E. Indies.
69 <i>labrosa</i>	edge-lipped	_____	u.
70 <i>Petiveriana</i>	Petiver's	_____	—
71 <i>dentata</i>	toothed	_____	—
72 <i>fasciolata</i>	brown-streaked	<i>M.Cab.</i>	—
73 <i>sulculata</i>	beaked	_____	—
74 <i>subplicata</i>	fallow	<i>Br.M.</i>	—
75 <i>Auris Leporis</i>	Hare's Ear	_____	—
76 <i>papyracea</i>	paper	_____	—
77 <i>scobinata</i>	rough-coated	<i>M.Cab.</i>	—
78 <i>Vexillum</i>	Banner	_____	—
79 <i>Porto Sancta-na</i>	Porto Santo	_____	Madeiras.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synon. & Ref.</i>	<i>Habitat.</i>
80 punctulata	small dotted	<i>M. Cab.</i>	u.
81 exalbida	whitish	————	—
82 Bulverii	Bulwer's	————	—
83 tectiformis	roof-shaped	————	—
84 Madeirensis	little brown band- ed	————	Madeira.
85 bicarinata	double-keeled	————	u.

NERITA.

NERITE.

1 duplicata	doubled	<i>Br. M.</i>	S. America.
2 patula	wide snail-shaped	————	————
3 plumbea	lead-coloured	————	————
4 ornata	tooth-lipped	————	————
5 Australis	Cap	————	New Holland.
6 crepidularia	Slipper	————	————
7 intricata	mottled	<i>D. 1.</i>	Britain, &c.
8 Oweniana	shapeless	————	Africa.
9 cariosa	angular-mouthed	<i>Gray Cab.</i>	————
10 Caffra	Negro	————	————
11 Smithii	Smith's	————	————
12 spinosa	spiny	————	————

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synon. & Ref.</i>	<i>Habitat.</i>
13 rudis	unwrought	<i>Gray Cab.</i>	Africa.
14 glabra	smooth	————	————
15 semiconica	dark spotted	<i>M. Cab.</i>	India.
16 Owenii	Owen's	————	Africa.
17 Canalis	channeled	————	South Sea Islands.
18 pulchella	Festoon	<i>Br.M.</i>	W. Indies.

HALIOTIS. SEA-EAR.

1 rubra	red	<i>Br.M.</i>	New Holland.
2 tricostrata	three-ribbed	————	u.
3 sulcifera	blotched	————	Van Dieman's Land.
4 imbricata	imbricated	————	New Holland.
5 Mariæ	fluted	————	u.
6 corrugata	wrinkled	————	—

PATELLA. LIMPET.

1 angulata	angular	<i>Br.M.</i>	u.
2 Poculum	Cup	————	—
3 Peziza	Jew's Ear	————	—
4 scutellata	crenated	————	—

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synon. & Ref.</i>	<i>Habitat.</i>
5 Extinctorium	Extinguisher	<i>Br.M.</i>	u.
6 Laqueare	grooved	————	—
7 hiantula	key-hole	————	—
8 crystallina	brittle	————	—

SERPULA. WORM-SHELL.

1 filigrana	thread-like	<i>Au. Cab. Lam. 5,</i> <i>p.364.</i>	Britain, &c.
2 maxima	large	<i>Br.M.</i>	————
3 fuscata	brown	————	————
4 rosea	rose-coloured	<i>M.Cab.</i>	u.

REFERENCES

FROM

LAMARCK'S "*ANIMAUX SANS VERTEBRES*,"

ADAPTED TO

THE FIGURES IN THE

"*INDEX TESTACEOLOGICUS*."

The names in Italics refer to the Supplement, and are not in Lamarck.

ACASTA.

Vol. 5. p. 397.

	<i>Pl.</i>	<i>Fig.</i>
1 Montagui (<i>Lepas</i>) ...	1	16

ACHATINA.

Vol. 6. pt. 2. p. 126.

1 Perdix (<i>Bulla</i>)	18	53
4 purpurea.....	18	54
6 bicarinata	18	55
10 Vexillum.....	18	46
11 virginea	18	45
12 Priamus	18	51
13 Glans	18	34
15 albo-lineata (<i>Voluta</i>). ..	20	107
16 fusco-lineata (<i>Bulla</i>). ..	18	35
<i>Byronii</i> (<i>Helix</i>)	7	30

AMPHIDESMA.

Vol. 5. p. 489.

	<i>Pl.</i>	<i>Fig.</i>
2 donacilla (<i>Donax</i>) ...	6	9
6 lucinalis (<i>Tellina</i>) ...	4	76
7 Boysii (<i>Mactra</i>)	6	27
8 tenue (<i>Mactra</i>)	6	26
9 flexuosum (<i>Tellina</i>) .	4	78
10 prismaticum (<i>Mya</i>) .	2	21

AMPULLARIA.

Vol. 6. pt. 2. p. 176.

2 rugosa (<i>Helix</i>).....	33	72
3 fasciata	33	71
5 effusa	33	73
6 Guinaica.....	34	97
9 Avellana	33	46
<i>conica</i>	7	22

ANATIFA.

Vol. 5. p. 402.

	Pl.	Fig.
1 <i>lævis</i> (<i>Lepas</i>)	2	38
2 <i>villosa</i>	2	39
3 <i>dentata</i>	2	40
4 <i>striata</i>	2	37
5 <i>vitrea</i>	2	36
<i>aculeata</i>	1	1

ANATINA.

Vol. 5. p. 462.

3 <i>subrostrata</i> (<i>Solen</i>) ..	3	13
4 <i>longirostris</i> (<i>Mya</i>) ..	2	12
5 <i>globulosa</i>	2	6
9 <i>myalis</i>	2	4

ANCILLARIA.

Vol. 7. p. 412.

4 <i>candida</i> (<i>Bulla</i>)	18	44
<i>Tankervillii</i> (<i>Buccinum</i>)	4	16
<i>marginata</i>	4	17

ANCYLUS.

Vol. 6. pt. 2. p. 25.

1 <i>lacustris</i> (<i>Patella</i>) ..	37	56
--	----	----

ANODON.

Vol. 6. p. 83.

1 <i>cygneus</i> (<i>Mytilus</i>) ..	12	32
2 <i>anatinus</i>	12	33

ANOMIA.

Vol. 6. p. 225.

	Pl.	Fig.
1 <i>Ehippium</i>	11	3
4 <i>electrica</i>	11	5
5 <i>pyriformis</i>	11	13
8 <i>Squamula</i>	11	11
3 <i>Cepa</i>	11	4

ANOSTOMA.

Vol. 6. pt. 2. p. 100.

1 <i>depressum</i> (<i>Helix</i>) ..	33	26
--	----	----

ARCA.

Vol. 6. p. 33.

The same specific names as the
Linnean, except the following,

24 <i>Helbingii</i>	9	7
---------------------------	---	---

ARGONAUTA.

Vol. 7. p. 650.

1 <i>Argo</i>	13	1
2 <i>tuberculosus</i>	13	2
3 <i>nitidus</i>	13	3

ASPERGILLUM.

Vol. 5. p. 428.

1 <i>Javanum</i> (<i>Serpula</i>) ..	38	34
--	----	----

AURICULA.

Vol. 6. pt. 2. p. 156.

Pl. Fig.

1 Auricula Midæ (<i>Voluta</i>)	19	1
——— Judæ.....	19	2
3 ——— Sileni.....	19	6
6 Scarabæus (<i>Helix</i>) ..	32	1
10 minima (<i>Turbo</i>)	32	157
12 coniformis (<i>Voluta</i>)..	19	15
13 nitens.....	19	20
14 Monile	19	17

AVICULA.

Vol. 6. p. 146.

3 semi-sagitta (<i>Mytilus</i>)	12	42
-----------------------------------	----	----

BALANUS.

Vol. 5. p. 387.

2 sulcatus (<i>Lepas</i>)	1	11
3 Tintinnabulum.....	1	5
11 perforatus.....	1	10
13 spinosus.....	1	19
14 radiatus.....	1	21
21 galeatus.....	1	17
26 crispatus	1	23
27 punctatus	1	20
28 fistulosus	1	13
3 ovularis	1	12
16 stalactiferus	1	29
<i>angulosus</i>	1	7
<i>Lyonsii</i>	1	5

BUCCINUM.

Vol. 7. p. 262.

The specific names the same as the
Linnean, except

Pl. Fig.

3 Anglicanum	23	108
23 inflatum.....	22	39
29 Miga	23	120
<i>Fragaria</i> (<i>Voluta</i>) ..	3	27
<i>melanostoma</i> (<i>Buccinum</i>)	4	3
<i>callosum</i>	4	14
<i>chlorostoma</i>	4	20
<i>Noveboracense</i>	4	26

BULIMUS.

Vol. 6. pt. 2. p. 116.

1 ovatus (<i>Helix</i>).....	34	101
2 hæmastomus.....	34	102
3 Gallina-sultana	33	75
5 undatus (<i>Bulla</i>)	18	52
7 inversus (<i>Helix</i>)	34	113
8 citrinus	34	112
12 interruptus	34	114
16 calcareus	34	137
17 decollatus (<i>Helix</i>) ..	34	135
18 Lyonetianus	25	161
20 radiatus	35	156
22 Guadalupensis	35	157
27 octonus	35	150
30 acutus	35	154
33 hordeaceus	35	147
34 lubricus	34	145
<i>formosus</i> (<i>Turbo</i>)....	6	24

	Pl.	Fig.
<i>Listeri</i> (Helix)	7	23
<i>Kingii</i>	7	27
<i>Dufresnii</i>	7	28
<i>pulcher</i>	7	29
<i>Maugeri</i>	7	31
<i>lævis</i>	8	67
<i>labrosus</i>	8	69
<i>Auris Leporis</i>	8	75
<i>papyraceus</i>	8	76
<i>scobinatus</i>	8	77
<i>Vexillum</i>	8	78

BULLA.

Vol. 6. pt. 2. p. 31.

The specific names the same as the
Linnean, except

3 striata	18	19
6 fasciata	18	27
11 solida	18	56

BULLÆA.

Vol. 6. pt. 2. p. 29.

1 aperta (<i>Bulla</i>)	18	14
---------------------------------	----	----

CALYPTRÆA.

Vol. 6. pt. 2. p. 20.

3 equestris (<i>Patella</i>) ..	37	1
4 Tectum Sinense	37	3
angulata	8	1
Poculum	8	2
Peziza	8	3

scutellata	8	4
Extinctorium	8	5

CANCELLARIA.

Vol. 7. p. 111.

1 reticulata (<i>Voluta</i>) ..	20	71
3 scalarina	20	83
5 nodulosa (<i>Buccinum</i>)	24	124
6 cancellata (<i>Voluta</i>) ..	20	82
7 senticosa (<i>Murex</i>) ..	26	58
11 rugosa (<i>Voluta</i>)	20	116
12 Ziervogeliana	20	72

CAPSA.

Vol. 5. p. 553.

1 lævigata (<i>Donax</i>) ..	6	14
--------------------------------	---	----

CARDITA.

Vol. 6. p. 20.

1 sulcatus (<i>Chama</i>)....	9	4
3 turgidus	9	7
9 trapezoides	9	8
4 phreniticus	9	9
14 rufescens	9	19
15 calyculatus	9	10
19 concameratus	9	15
incrassatus	2	3

CARDIUM.

Vol. 6. p. 2.

The same specific names as the
Linnean.

CARINARIA.

Vol. 7. p. 671.

	Pl.	Fig.
<i>vitrea (Argonauta)</i>	13	6

CAROCOLLA.

Vol. 6. pt. 2. p. 94.

2 <i>albilabris (Helix)</i> ...	33	34
4 <i>Labyrinthus</i>	33	27
5 <i>Lucerna</i>	33	30
6 <i>inflata</i>	33	44
11 <i>marginata</i>	32	4
12 <i>Lychnuchus</i>	33	31
16 <i>Lapicida</i>	32	3
17 <i>albella</i>	32	9
18 <i>elegans (Trochus)</i> ...	29	73
<i>Soror (Helix)</i>	7	51
<i>Listeræ</i>	8	61

CASSIDARIA.

Vol. 7. p. 214.

1 <i>echinophora (Buccinum)</i>	22	9
2 <i>Tyrrhena</i>	22	11

CASSIS.

Vol. 7. p. 218.

2 <i>cornuta (Buccinum)</i> .	22	14
3 <i>tuberosa</i>	22	16
4 <i>flammea</i>	22	17
5 <i>fasciata</i>	22	27

Pl. Fig.

6 <i>glauca</i>	22	35
9 <i>Areola</i>	22	20
10 <i>Zebra</i>	22	21
11 <i>decussata</i>	22	19
13 <i>rufa</i>	22	15
15 <i>Testiculus</i>	22	18
16 <i>achatina</i>	22	22
19 <i>sulcosa</i>	22	25
20 <i>granulosa</i>	22	24
21 <i>Saburon</i>	22	23
24 <i>Vibex</i>	22	36
25 <i>Erinaceus</i>	22	32
<i>semigranosa</i>	4	2
<i>tenuis</i>	4	4
<i>coarctata</i>	4	5

CASTALIA.

Vol. 6. p. 66.

<i>ambigua (Mya)</i>	1	9
----------------------------	---	---

CERITHIUM.

Vol. 7. p. 63.

2 <i>palustre (Strombus)</i> . .	25	39
3 <i>sulcatum (Murex)</i> ...	28	161
4 <i>Telescopium (Trochus)</i>	30	120
5 <i>ebeninum (Murex)</i> ...	27	153
6 <i>nodulosum</i>	27	147
7 <i>vulgatum</i>	27	152
8 <i>Obeliscus</i>	27	142
9 <i>granulatum</i>	28	160
10 <i>Aluco</i>	27	146

	Pl.	Fig.
13 muricatum	27	154
14 Radula	28	156
16 decollatum.....	28	169
18 semigranosum.....	28	162
19 asperum	28	159
21 Vertagus.....	27	143
27 torulosum	28	155
28 tuberculatum(<i>Strombus</i>)25		38
31 literatum (<i>Murex</i>)...	28	163
32 atratum	27	151
<i>zonatum</i> (<i>Strombus</i>) .	4	7
<i>obtusum</i>	4	8
<i>petrosus</i>	4	9
<i>rugosus</i>	4	10
<i>exasperatum</i> (<i>Murex</i>)	5	21
<i>mitriforme</i>	5	24

CHAMA.

Vol. 6. p. 92.

2 damicornis	9	18
3 gryphoides	9	19
5 unicornis.....	9	20
7 lamellosa.....	9	22
8 calcarata.....	9	23
11 arcinella	9	35
12 radians	9	24

CHITON.

Vol. 6. p. 318.

The Specific names the same as
the Linnean.

CHITONELLUS.

Vol. 6. p. 316.

	Pl.	Fig.
1 lævis (<i>Chiton</i>).....	1	39

CINERAS.

Vol. 5. p. 407.

1 vittatus (<i>Lepas</i>)	2	43
-----------------------------------	---	----

CLAUSILIA.

Vol. 6. pt. 2. p. 111.

5 corrugata (<i>Turbo</i>) ...	32	146
10 papillaris.....	32	143
<i>torticollis</i>	6	35
<i>costulata</i>	6	36
<i>truncatula</i>	6	37
<i>gracilis</i>	6	38
<i>Chrysalis</i>	6	39
<i>Mediterranea</i>	6	40

COLUMBELLA.

Vol. 7. p. 292.

2 rustica (<i>Voluta</i>)	20	74
3 mercatoria	20	73
14 mendicaria	20	79
<i>Strombiformis</i> (<i>Buccinum</i>)	4	18
<i>fulgurans</i>	4	19
<i>Terpsichore</i>	4	21
<i>Zebra</i>	4	30

CONCHOLEPAS.

Vol. 7. p. 250.

Pl. Fig.

1 Peruviana (*Buccinum*) 22 56

CONUS.

Vol. 7. p. 440.

The Specific names the same as
the Linnean, except

5 araneosus	14	3
10 regius.....	14	25
21 obesus	15	81
30 lividus	15	91
80 cinereus.....	15	56
96 fulgurans	14	28
100 flammeus	14	29
131 Aurora	16	153
138 Omaicus	14	32
145 Terebra.....	16	127
155 Dux	16	114
156 tendineus	16	117
157 Præfectus	16	118

CORBIS.

Vol. 5. p. 536.

1 fimbriata (*Venus*) ... 8 65

CORBULA.

Vol. 5. p. 494.

6 Nucleus (*Mya*) 3 40

CORONULA.

Vol. 5. p. 385.

Pl. Fig.

1 Diadema (<i>Lepas</i>) ...	1	2
2 balænaris	1	3
3 testudinaria.....	1	4
<i>pulchra</i>	1	2

CRANIA.

Vol. 6. p. 237.

1 personata (*Anomia*) . 11 1

CRASSATELLA.

Vol. 5. p. 480.

11 striata (<i>Mactra</i>).....	6	16
7 contraria (<i>Venus</i>) ...	8	95

CRASSINA.

Vol. 5. p. 554.

1 Danmoniensis (*Venus*) 7 21

CRENATULA.

Vol. 6. p. 136.

7 phasianoptera (*Ostrea*) 11 82

CREPIDULA.

Vol. 6. pt. 2. p. 22.

1 fornicata (*Patella*) ... 37 10

	Pl.	Fig.
2 Porcellana	37	9
3 aculeata	37	11
4 unguiformis.....	37	13

CREUSIA.

Vol. 5. p. 399.

3 Verruca (<i>Lepas</i>).....	2	30
---------------------------------	---	----

CRISTELLARIA.

Vol. 7. p. 607.

1 Squamula (<i>Nautilus</i>)	14	47
2 papillosa	14	48
4 auricularis	14	50
5 Faba	14	51
6 Scapha	14	52
7 Crepidula	14	53
8 Auricula	14	54
9 tuberosa	14	55

CUCULLÆA.

Vol. 6. p. 35.

1 auriculifera (<i>Arca</i>) ..	9	16
-----------------------------------	---	----

CYCLAS.

Vol. 5. p. 557.

1 rivicola (<i>Tellina</i>)	5	90
3 lacustris	5	91
4 obliqua	3	19

CYCLOSTOMA.

Vol. 6. pt. 2. p. 142.

2 Valvulus (<i>Helix</i>).....	32	7
----------------------------------	----	---

	Pl.	Fig.
6 tricarinatum (<i>Turbo</i>)	32	125
8 Labeo	32	120
13 flavulum	32	114
21 ligatum	32	122
22 Lincinella	32	119
26 elegans	32	118
<i>Petiverianum</i>	6	2
<i>Jamaicense</i>	6	3
<i>pulchrum</i>	6	4
<i>læve</i>	6	5
<i>Chemnitzii</i>	6	6
<i>Fascia</i>	6	8
<i>fulvum</i>	6	9
<i>elongatum</i>	6	10
<i>maculatum</i>	6	11
<i>Columna</i>	6	21
<i>mirabile</i>	6	22
<i>Aurantium</i>	6	23
<i>flavidum</i>	6	31
<i>tortum</i>	6	32
<i>compressum</i>	6	42

CYPRÆA.

Vol. 7. p. 372.

The Specific names the same as
the Linnean, except

14 Aurora	17	8
23 zonata.....	17	34
28 rufa.....	17	40
37 olivacea	17	39
42 flaveola	17	49
48 Stercus-Muscarum...	17	41

CYPRICARDIA.

Vol. 6. p. 27.

	Pl.	Fig.
1 Guinaica (<i>Chama</i>) ...	9	14
4 coralliophaga	9	17
<i>angulata</i>	2	1
<i>rostrata</i>	2	2

CYPRINA.

Vol. 5. p. 556.

2 Icelandica (<i>Venus</i>) ...	7	41
-----------------------------------	---	----

CYRENA.

Vol. 5. p. 551.

4 fuscata (<i>Venus</i>).....	8	115
5 fluminea	8	114
11 Zeylanica	7	42

CYTHEREA.

Vol. 5. p. 559.

1 lusoria (<i>Venus</i>)	7	43
3 impudica	7	47
8 morphina	7	51
10 casta	7	46
11 Corbicula	7	33
12 tripla	7	34
13 gigantea.....	8	100
14 Erycina	7	38
22 Chione	7	44
23 maculata	7	48
31 castrensis	7	57

Pl. Fig.

36 juvenilis.....	8	85
39 Dione	7	1
48 exoleta	8	83
50 concentrica	8	84
53 tigerina	8	75
54 punctata	8	81
57 scripta	8	97
63 pectinata	8	90
64 gibbia.....	8	91
66 divaricata	8	94
72 flexuosa.....	7	32
<i>hians</i>	2	11
<i>subrugosa</i>	2	5

DELPHINULA.

Vol. 6. pt. 2. p. 229.

1 laciniata (<i>Turbo</i>)....	31	83
2 distorta	31	85

DENTALIUM.

Vol. 5. p. 341.

1 elephantinum	38	2
2 aprinum.....	38	3
4 fasciatum	38	10
10 Dentalis.....	38	5
13 Entalis	38	6
15 corneum	38	7
17 politum	38	8

DISCINA.

Vol. 6. p. 236.

1 <i>ostreoides</i> (<i>Anomia</i>)..	2	2
---	---	---

DOLIUM.

Vol. 7. p. 258.

	Pl.	Fig.
1 Galea (<i>Buccinum</i>) ..	22	2
2 Olearium	22	1
3 maculatum	22	6
5 Pomum	22	4
7 Perdix	22	3
<i>ringens</i>	4	1

DONAX.

Vol. 5. p. 544.

1 Scortum	6	1
2 pubescens	6	2
3 cuneata	6	13
14 vittata (<i>Donax</i>)	6	10
16 <i>ringens</i>	6	4
17 rugosa	6	3
20 denticulata	6	8
22 Meroe (<i>Venus</i>)	8	62
23 scripta	6	15
24 Trunculus	6	5
26 anatina (<i>Tellina</i>) ..	4	31

EBURNA.

Vol. 7. p. 28.

1 glabrata (<i>Buccinum</i>) .	23	79
2 Zeylanica	23	78
3 spirata	23	77

EMARGINULA.

Vol. 6. pt. 2. p. 5.

1 Fissura (<i>Patella</i>)	38	86
<i>crystallina</i>	8	8

ÆTHERIA.

Vol. 6. p. 98.

	Pl.	Fig.
1 elliptica (<i>Ostrea</i>)	2	6

FASCIOLARIA.

Vol. 7. p. 117.

1 Tulipa (<i>Murex</i>)	27	98
3 Trapezium	27	112

FISSURELLA.

Vol. 6. pt. 2. p. 8.

1 picta (<i>Patella</i>)	38	98
2 nimbose	38	99
4 Græca	38	91
5 nodosa	38	93
8 rosea	38	100
9 Barbadosensis	38	94
13 Pustula	38	90
<i>hiantula</i>	8	7

FISTULANA.

Vol. 5. p. 432.

3 gregata (<i>Teredo</i>)	38	4
----------------------------------	----	---

FUSUS.

Vol. 7. p. 121.

1 colosseus (<i>Murex</i>) ..	26	72
2 longissimus	26	71
8 incrassatus	27	103
11 antiquus	26	89
12 despectus	27	93
13 carinatus	27	94
15 Islandicus	27	107

	Pl.	Fig.
16 Morio	26	78
18 Cœchlidium	26	79
19 Corona	27	105
25 Syracusanus	27	119
29 Afer	28	170
31 sinistralis	27	124
32 Nifat	27	97
<i>curvirostris</i>	5	26

GALATEA.

Vol. 5. p. 554.

1 radiata (<i>Venus</i>)	7	48
----------------------------------	---	----

GASTROCHÆNA.

Vol. 5. p. 446.

1 cuneiformis (<i>Pholas</i>) ..	2	11
3 modiolina (<i>Mya</i>) ..	2	23

GLYCIMERIS.

Vol. 5. p. 457.

1 Siliqua (<i>Mya</i>)	2	10
--------------------------------	---	----

GRYPHÆA.

Vol. 6. p. 197.

1 angulata (<i>Ostrea</i>) ..	2	8
---------------------------------	---	---

HALIOTIS.

Vol. 6. pt. 2. p. 212.

The Specific names the same as
the Linnean, except

3 tubifera	36	12
13 canaliculata	36	16
<i>rubra</i>	8	1
<i>tricostata</i>	8	2

	Pl.	Fig.
<i>Mariæ</i>	8	5
<i>corrugata</i>	8	6

HARPA.

Vol. 7. p. 253.

1 imperialis (<i>Buccinum</i>) ..	22	51
2 ventricosa	22	49
<i>rosea</i>	4	23
<i>minor</i>	4	24

HELICINA.

<i>Tankervillei</i> (<i>Trochus</i>) ..	5	10
<i>Brownii</i> (<i>Helix</i>)	8	63
<i>scitula</i>	8	64
<i>atireola</i>	8	65

HELIX.

Vol. 6. pt. 2. p. 62.

The Specific names the same as
the Linnean, except

1 vesicalis	32	6
2 gigantea	33	36
9 aspersa	34	126
13 naticoides	34	131
71 carthusianella	34	124
83 scabra	32	11
97 nitida	33	60
99 personata	33	28
101 rotundata	32	11
<i>formosa</i> ¹	7	1
<i>orbiculata</i>	7	2
<i>squamosa</i>	7	3
<i>auriculata</i>	7	4

	Pl.	Fig.
<i>sylvatica</i>	7	5
<i>turgidula</i>	7	6
<i>Helicella</i>	7	7
<i>Zonula</i>	7	8
<i>formosa</i> ²	7	10
<i>tridentata</i>	7	11
<i>septemvolva</i>	7	14
<i>monodon</i>	7	15
<i>fraterna</i>	7	16
<i>coniformis</i>	7	20
<i>concamerata</i>	7	21
<i>nigrescens</i>	7	32
<i>Tripolitana</i>	7	33
<i>Sayii</i>	7	34
<i>globulosa</i>	7	35
<i>Caffra</i>	7	36
<i>conformis</i>	7	37
<i>Prunum</i>	7	38
<i>contusa</i>	7	39
<i>deformis</i>	7	40
<i>Nicæensis</i>	7	41
<i>Meridionalis</i>	7	42
<i>Melitensis</i>	7	43
<i>circumornata</i>	7	44
<i>granosa</i>	7	45
<i>discolor</i>	7	46
<i>Lima</i>	7	47
<i>dentiens</i>	7	48
<i>parilis</i>	7	49
<i>Imperator</i>	7	50
<i>Zodiaca</i>	7	52
<i>concosa</i>	7	53
<i>Pellicuta</i>	7	54
<i>Strobilus</i>	7	55
<i>Alauda</i>	7	56

	Pl.	Fig.
<i>Carina</i>	7	57
<i>Pileolus</i>	7	58
<i>bipartita</i>	7	59
<i>sinistrorsa</i>	7	60
<i>scabra</i>	8	62
<i>Fibula</i>	8	66
<i>subplicata</i>	8	74
<i>Porto Sanctana</i>	8	79
<i>punctulata</i>	8	80
<i>exalbida</i>	8	81
<i>Bulverii</i>	8	82
<i>tectiformis</i>	8	83
<i>Madeirensis</i>	8	84
<i>bicarinata</i>	8	85

HIATELLA.

Vol. 6. p. 29.

1 <i>Arctica (Solen)</i>	3	33
--------------------------------	---	----

HIPPOPUS.

Vol. 6. p. 107.

1 <i>maculatus (Chama)</i> ...	9	3
--------------------------------	---	---

HYALÆA.

Vol. 6. p. 284.

1 <i>tridentata (Anomia)</i> ..	11	28
---------------------------------	----	----

HYRIA.

Vol. 6. p. 81.

1 <i>avicularis (Mya)</i>	2	36
<i>corrugata</i>	1	12

IANTHINA.

Vol. 6. pt. 2. p. 204.

Pl. Fig.

1 communis (*Helix*) .. 34 116

IRIDINA.

Vol. 6. p. 88.

ovata (Arca) 2 9*elongata* 2 10*Nilotica* (*Mytilus*) .. 2 1

ISOCARDIA.

Vol. 6. p. 30.

1 Cor (*Chama*) 9 1

3 Moltkiana 9 5

LIMA.

Vol. 6. p. 155.

1 inflata (*Ostrea*)..... 10 51

2 squamosa 11 54

3 glacialis 11 55

5 fragilis 11 52

6 linguatula 11 53

subauriculata..... 2 5

LINGULA.

Vol. 6. p. 257.

1 anatina (*Mytilus*).... 12 45

LUCINA.

Vol. 5. p. 538.

1 Jamaicensis (*Venus*).. 8 79

Pl. Fig.

2 Pensylvanica..... 8 78

3 edentula..... 8 98

5 Radula (*Tellina*) 4 71

7 divaricata 4 87

8 carnaria 4 79

9 scabra..... 4 72

10 reticulata 4 70

12 lactea 4 76

13 undata (*Venus*)..... 8 87

LUTRARIA.

Vol. 5. p. 467.

1 solenoides (*Mactra*) . 6 37

2 elliptica 6 36

3 rugosa..... 6 33

4 compressa 6 25

8 papyracea 6 3

11 complanata 6 35

LYMNÆA.

Vol. 6. pt. 2. p. 157.

1 columnaris* (*Helix*) 35 151

2 stagnalis..... 35 166

3 palustris..... 35 167

7 auricularia..... 35 180

8 ovata 35 181

12 minuta 35 173

MACTRA.

Vol. 5. p. 471.

1 gigantea..... 6 22

2 Spengleri 6 1

* Lamarck has since removed the *Lymnæa columnaris* to the genus *Achatina*.

Pl. Fig.

4 carinata.....	6	5
5 helvacea.....	6	30
6 grandis	6	19
7 Stultorum	6	18
10 Australis	6	12
11 violacea.....	6	9
12 fasciata	6	14
13 turgida	6	8
14 plicataria	6	2
16 maculata	6	7
22 alba.....	6	15
23 solida	6	21
29 depressa.....	6	31
33 crassatella	6	23
<i>alata</i>	1	7

MALLEUS.

Vol. 6. p. 143.

2 vulgaris (<i>Ostrea</i>)	11	58
5 anatinus.....	11	59

MARGINELLA.

Vol. 7. p. 354.

1 glabella (<i>Voluta</i>)	20	64
4 cærulescens	20	68
9 Faba	20	63
11 bivaricosa	19	62
19 bullata	20	70
22 Persicula	19	55
<i>Goodalli</i>	3	7
<i>marginata</i>	3	8
<i>tessellata</i>	3	31

MELANIA.

Vol. 6. pt. 2. p. 163.

Pl. Fig.

10 amarula (<i>Helix</i>)	35	164
<i>lineolata</i> (<i>Strombus</i>) .	4	11
<i>aurita</i>	4	22
<i>Byronensis</i>	4	23
<i>Sayii</i>	4	24
<i>lineolata</i> (<i>Helix</i>)	7	26
<i>lineata</i>	8	68
<i>fasciolata</i>	8	72
<i>sulculata</i>	8	73

MELANOPSIS.

Vol. 6. pt. 2. p. 168.

<i>prærosa</i> (<i>Buccinum</i>) .	4	28
--------------------------------------	---	----

MELEAGRINA.

Vol. 6. p. 150.

1 margaritifera (<i>Mytilus</i>)	12	4
------------------------------------	----	---

MITRA.

Vol. 7. p. 297.

1 episcopalis (<i>Voluta</i>)..	21	143
2 papalis	21	144
5 millepora	21	142
6 cardinalis	21	141
8 versicolor	21	140
15 casta	20	124
17 olivaria	21	139
18 scabriuscula	20	96
20 crenifera	20	95
21 serpentina.....	21	138

	Pl. Fig.
22 <i>tæniata</i>	20 114
23 <i>plicaria</i>	20 115
25 <i>costellaris</i>	20 110
26 <i>lyrata</i>	20 111
27 <i>Melongena</i>	20 112
29 <i>Vulpecula</i>	20 109
30 <i>Caffra</i>	20 106
31 <i>Sanguisuga</i>	20 105
33 <i>filosa</i>	20 91
34 <i>fissurata</i>	20 92
36 <i>cornicularis</i>	20 86
41 <i>Tringa</i>	20 85
42 <i>melaniana</i>	20 123
43 <i>scutulata</i>	20 122
44 <i>Dactylus</i>	19 47
45 <i>fenestrata</i>	19 48
46 <i>crenulata</i>	19 49
47 <i>texturata</i>	19 50
48 <i>Conulus</i>	19 51
50 <i>aurantiaca</i>	20 120
52 <i>coronata</i>	21 146
53 <i>paupercula</i>	20 75
55 <i>patriarchalis</i>	20 78
62 <i>microzonias</i>	20 81
<i>vittata</i>	3 10
<i>lyriformis</i>	3 11
<i>lugubris</i>	3 12
<i>zonata</i>	3 13
<i>contracta</i>	3 14
<i>Australis</i>	3 15
<i>gracilis</i>	3 16
<i>rigida</i>	3 17
<i>crassa</i>	3 18
<i>Lens</i>	3 25
<i>unifasciata</i>	3 28

	Pl. Fig.
<i>corrugata</i>	3 29
<i>Filum</i>	3 30
<i>igneae</i>	3 32

MODIOLA.

Vol. 6. p. 109.

1 <i>Papuaea</i> (<i>Mytilus</i>) ..	12 31
8 <i>picta</i>	12 13
20 <i>plicata</i>	12 14
22 <i>lithophaga</i>	12 7
23 <i>caudigera</i>	12 8
18 <i>cinnamomea</i>	12 12
15 <i>discrepans</i>	12 39
16 <i>discors</i>	12 40
<i>Vagina</i>	2 3
<i>laevigata</i>	2 5

MONOCEROS.

Vol. 7. p. 250.

2 <i>imbricatum</i> (<i>Buccinum</i>)	22 54
<i>brevidentatum</i>	4 10
<i>denticulatum</i>	4 11
<i>armatum</i>	4 12

MONODONTA.

Vol. 7. p. 30.

2 <i>Pagodus</i> (<i>Turbo</i>)....	30 27
3 <i>Tectum Persicum</i> ..	30 24
6 <i>Ægyptiaca</i> (<i>Trochus</i>)	29 38
8 <i>Modulus</i>	29 37

	Pl.	Fig.
9 Tectum	29	70
10 Labio	29	80
14 fragaroides.....	29	84
<i>rugosa</i>	5	7
<i>Listeri</i>	5	8
<i>Zebra</i>	5	18
<i>reticularis</i>	5	21
<i>Trochlea</i>	5	24
<i>atrata</i>	5	25
<i>obscura</i>	5	26
<i>concamerata</i>	6	35
<i>viridis</i>	6	36
<i>Odontis</i>	6	37
<i>pulcherrima</i>	6	45
<i>badia</i>	6	46

MUREX.

Vol. 7. p. 155.

The Specific names the same as
the Linnean, except

3 crassispinus	25	4
11 inflatus	25	12
23 asperrimus.....	25	9
35 Endivia	25	18
53 miliaris	25	10
<i>costularis</i>	5	1
<i>cristatus</i>	5	4
<i>regius</i>	5	13
<i>Ferrugo</i>	5	16
<i>Funiculus</i>	5	17
<i>labiosus</i>	5	18
<i>aculeatus</i>	5	19

	Pl.	Fig.
<i>pinnatus</i>	5	20
<i>pictus</i>	5	23

MYA.

Vol. 5. p. 459.

1 truncata.....	2	1
2 arenaria.....	2	2

MYTILUS.

Vol. 6. p. 117.

1 Magellanicus	12	28
4 striatulus	12	19
6 exustus	9	15
7 bilocularis	12	17
12 elongatus	12	25
16 unguatus	12	23
19 smaragdinus	12	26
22 achatinus	12	24
29 edulis	12	21
33 incurvatus.....	12	48
34 lineatus	12	27
<i>dilatatus</i>	2	2
<i>Volgensis</i>	2	6

NATICA.

Vol. 6. pt. 2. p. 195.

1 glaucina (<i>Nerita</i>)....	35	5
2 Albumen	35	17
4 Mamilla.....	35	19
5 melanostoma (<i>Helix</i>)..	34	98
10 Canrena (<i>Nerita</i>) ..	35	1

Pl. Fig.

11 cruentata	35	12
12 millepunctata	36	69
13 Vitellus	35	6
18 rufa	35	18
21 fulminea.....	35	10
23 vittata	35	16
25 Marochiensis	35	14
26 arachnoidea	35	15
31 cancellata	35	3
<i>duplicata</i>	8	1
<i>patula</i>	8	2
<i>plumbea</i>	8	3
<i>intricata</i>	8	7
<i>glabra</i>	8	14

NAUTILUS.

Vol. 7. p. 630.

1 Pompilius	13	1
2 umbilicatus	13	2

NAVICELLA.

Vol. 6. pt. 2. p. 181.

1 Porcellana (<i>Patella</i>) .	37	9
-----------------------------------	----	---

NERITA.

Vol. 6. pt. 2. p. 188.

The Specific names the same as
the Linnean.

<i>ornata</i>	8	4
<i>Australis</i>	8	5
<i>rudis</i>	8	13

NERITINA.

Vol. 6. pt. 2. p. 182.

Pl. Fig.

2 pulligera (<i>Nerita</i>)....	35	31
3 dubia	35	29
4 Zebra.....	35	18
8 Corona	35	22
11 auriculata	36	70
16 strigilata	36	38
18 virginea.....	36	37
19 fluviatilis	35	26
20 viridis.....	36	36
<i>crepidularia</i>	8	6
<i>Oweniana</i>	8	8
<i>cariosa</i>	8	9
<i>Caffra</i>	8	10
<i>Smithii</i>	8	11
<i>spinosa</i>	8	12
<i>semiconica</i>	8	15
<i>Owenii</i>	8	17
<i>pulchella</i>	8	18

NODOSARIA.

Vol. 7. p. 595.

1 Radicula (<i>Nautilus</i>)..	13	27
3 Siphunculus	13	33

NUCULA.

Vol. 6. p. 57.

2 rostrata (<i>Arca</i>).....	10	43
3 pella	9	27
4 Nicobarica	9	26
6 margaritacea.....	10	42
<i>Tellinoides</i>	2	5
<i>glacialis</i>	2	6

OLIVA.

Vol. 7. p. 416.

	Pl. Fig.	
1 porphyria (<i>Voluta</i>) ..	19	29
3 erythrostoma	19	30
15 leucophæa.....	19	33
39 carneola.....	19	43
40 ispidula	19	38
46 Utriculus	19	37
52 hiatula	19	39
57 conoidalis	19	41
59 eburnea	19	40
62 Oryza.....	19	46
<i>Nux</i>	4	33
<i>columellaris</i>	4	34
<i>Peruviana</i>	4	35
<i>cærulea</i>	4	36

ORBICULA.

Vol. 6. p. 242.

1 Norwegica (<i>Anomia</i>) .	11	2
---------------------------------	----	---

ORBICULINA.

Vol. 7. p. 609.

1 numismalis (<i>Nautilus</i>)	14	56
2 angulata.....	14	57
3 uncinata.....	14	58

ORTHOCERA.

Vol. 7. p. 593.

1 Raphanus (<i>Nautilus</i>).	13	24
---------------------------------	----	----

Pl. Fig.

2 Fascia	13	31
3 Raphanistrum.....	13	23
4 obliqua	13	22
6 Legumen	13	34

OSTREA.

Vol. 6. p. 200.

The same names and Genus as the
Linnean, except the following

36 rubella (<i>Mytilus</i>)	12	3
45 Crista-Galli	12	1
47 Hyotis	12	2

OTION.

Vol. 5. p. 408.

1 Cuvieri (<i>Lepas</i>)	2	45
---------------------------------	---	----

OVULA.

Vol. 7. p. 365.

1 oviformis (<i>Bulla</i>)....	18	1
3 verrucosa	18	10
5 carnea	18	4
8 gibbosa	18	11
10 Spelta.....	18	9
11 birostris	18	6
12 Volva.....	18	3

PALUDINA.

Vol. 6. pt. 2. p. 172.

	Pl.	Fig.
1 vivipara (<i>Helix</i>)	34	119
2 achatina.....	34	120
5 impura	35	176
<i>Australis</i> (Turbo)....	6	7
<i>fuscus</i>	6	15
<i>bulimoides</i>	6	27
<i>Francesii</i>	6	28
<i>subcarinata</i>	7	13
<i>decisa</i>	7	17
<i>dissimilis</i>	7	18

PANDORA.

Vol. 5. p. 498.

1 rostrata (<i>Tellina</i>)....	4	97
2 obtusa (<i>Solen</i>)	3	35

PANOPÆA.

Vol. 5. p. 456.

1 Aldrovandi (<i>Mya</i>)....	3	41
---------------------------------	---	----

PARMOPHORUS.

Vol. 6. pt. 2. p. 2.

1 ambigua (<i>Patella</i>)....	38	84
----------------------------------	----	----

PATELLA.

Vol. 6. p. 321.

The Specific names the same as
the Linnean.

<i>Laqueare</i>	8	6
-----------------------	---	---

PECTEN.

Vol. 6. p. 161.

The same names as the Linnean
Genus *Ostrea*, except the fol-
lowing supplementary:

	Pl.	Fig.
<i>asperrimus</i> (<i>Ostrea</i>)..	2	1
<i>muscosus</i>	2	2
<i>ornatus</i>	2	4

PECTUNCULUS.

Vol. 6. p. 47.

1 Glycimeris (<i>Arca</i>)....	10	36
2 pilosus	10	37
3 undulatus	10	35
5 scriptus	10	39
6 pennaceus	9	31
8 angulatus	10	34
9 stellatus.....	10	38
10 pallens	9	33
14 nummarius	10	40
15 castaneus	9	32
16 pectiniformis.....	9	29
17 pectinatus.....	9	30

PEDUM.

Vol. 6. p. 153.

1 spondyloideum (<i>Ostrea</i>)11	75
-------------------------------------	----

PERNA.

Vol. 6. p. 138.

1 Ehippium (<i>Ostrea</i>) .	11	80
--------------------------------	----	----

Pl. Fig.

2 obliqua	11	81
3 Isogonum	11	79
8 sulcata	11	77

PETRICOLA.

Vol. 5. p. 502.

13 linguatula (<i>Venus</i>) ..	8	72
ochroleuca (<i>Tellina</i>)..	1	6

PHASIANELLA.

Vol. 7. p. 51.

1 bulimoides (<i>Buccinum</i>)	23	96
lineolatus (<i>Turbo</i>)....	6	26
<i>Perdix</i>	6	46

PHOLAS.

Vol. 5. p. 442.

1 Dactylus.....	2	1
2 orientalis	2	2
3 candida	2	3
4 dactyloides	2	6
6 costata	2	4
7 crispata	2	5
9 clavata	2	7
papyracea.....	1	1
ovum	1	4
tuberculata.....	1	2
lancellata	1	3

PHYSA.

Vol. 6. pt. 2. p. 155.

Pl. Fig.

2 fontinalis (<i>Bulla</i>)....	18	37
3 Hypnorum.....	18	39

PILEOPSIS.

Vol. 6. pt. 2. p. 16.

1 ungarica (<i>Patella</i>) ..	37	41
2 mitrula	37	43

PINNA.

Vol. 6. p. 129.

1 rudis	12	1
2 Flabellum	12	6
3 seminuda	12	7
5 nobilis	12	8
6 squamosa	12	12
7 marginata	12	20
8 muricata	12	9
9 pectinata	12	4
10 saccata	12	18
13 ingens.....	12	3
14 Vexillum	12	11
15 nigrina	12	2

PIRENA.

Vol. 6. pt. 2. p. 169.

1 terebralis (<i>Strombus</i>)	25	40
3 aurita.....	25	41

PLACENTULA.

Vol. 7. p. 620.

	Pl.	Fig.
1 pulvinata (<i>Nautilus</i>) .	13	38
2 asterisans	13	39

PLACUNA.

Vol. 6. p. 223.

1 Sella (<i>Anomia</i>).....	12	30
3 Placenta	12	29

PLANAXIS.

Vol. 7. p. 50.

2 undulata (<i>Buccinum</i>). .	23	64
<i>Planaxis</i>	4	15
<i>lævigatum</i>	4	29

PLANORBIS.

Vol. 6. pt. 2. p. 150.

1 Cornu-Arietis (<i>Helix</i>)	33	55
2 corneus	33	48
3 carinatus	33	23
6 spirorbis.....	33	50
7 Vortex	33	40
9 contortus	33	52
10 hispidus	33	53
11 nitidus (<i>Nautilus</i>) ..	13	3
12 imbricatus (<i>Turbo</i>)..	32	162
<i>angulatus</i> (<i>Helix</i>)....	7	12

PLEUROTOMA.

Vol. 7. p. 90.

	Pl.	Fig.
2 auriculifera (<i>Strombus</i>)	25	42
11 spirata (<i>Murex</i>)	27	120
14 buccinoides (<i>Buccinum</i>)	24	151
16 Virgo (<i>Murex</i>)	26	63
17 Babylonia	26	67
23 nodifera	26	68
<i>Mitra</i>	5	5
<i>echinata</i>	5	6
<i>bicarinata</i>	5	7
<i>elegans</i>	5	8
<i>Pleurotoma</i>	5	9
<i>curvirostris</i>	5	25

PLICATULA.

Vol. 6. p. 184.

1 ramosa (<i>Spondylus</i>)..	9	3
---------------------------------	---	---

POLLICIPES.

Vol. 5. p. 405.

1 Cornucopia (<i>Lepas</i>)..	2	34
2 Mitella	2	33
3 Scalpellum	2	35
<i>Peronii</i>	1	3
<i>Honiü</i>	1	6

POLYSTOMELLA.

Vol. 7. p. 624.

1 crispa (<i>Nautilus</i>).....	13	8
-----------------------------------	----	---

	Pl.	Fig.
2 costata.....	13	25
3 planulata.....	14	45
4 ambigua	13	44

PSAMMOBIA.

Vol. 5. p. 511.

2 Feroensis (<i>Tellina</i>)..	4	36
3 vespertina (<i>Solen</i>) ..	3	27

PSAMMOTÆA.

Vol. 5. p. 516.

6 candida (<i>Tellina</i>)....	4	39
----------------------------------	---	----

PTEROCERA.

Vol. 7. p. 194.

1 truncata (<i>Strombus</i>) .	24	8
2 Lambis	24	7
3 Millepeda	24	9
5 Scorpio	24	6
7 Chiragra	24	5

PUPA.

Vol. 6. pt. 2. p. 103.

1 Mumia (<i>Turbo</i>)	32	111
2 Uva.....	31	101
3 sulcata.....	32	115
16 tridens.....	32	151
17 quadridens	32	154

	Pl.	Fig.
24 fragilis	32	149
27 Muscorum	32	153
<i>Anglicus</i>	6	12
<i>rufescens</i>	6	13
<i>edentulus</i>	6	14
<i>odontostoma</i>	7	25
<i>Petiveriana</i>	8	70
<i>dentata</i>	8	71

PURPURA.

Vol. 7. p. 233.

1 Persica (<i>Buccinum</i>) .	22	52
3 patula	22	53
6 Consul (<i>Murex</i>).....	26	61
7 armigera (<i>Buccinum</i>).	22	58
9 Hippocastanum(<i>Murex</i>)	26	53
11 Hæmastoma (<i>Bucc.</i>)	22	57
12 Mancinella (<i>Murex</i>) .	26	52
15 neritoides.....	26	49
21 Sacellum.....	25	20
25 Sertum (<i>Buccinum</i>)...	22	41
29 cruentata	23	103
30 Lapillus	23	62
33 Cataracta	23	83
35 plicata (<i>Murex</i>)	26	56
36 Fiscella	27	102
41 Hystrix	26	50
45 Trochlea (<i>Buccinum</i>).	23	76
48 Vexillum (<i>Strombus</i>).	25	36
<i>Rudolphi</i> (<i>Buccinum</i>).	4	6
<i>distorta</i>	4	7
<i>Bulbus</i>	4	8
<i>subrostrata</i>	4	9

	Pl.	Fig.
— <i>Tectum</i>	4	13
— <i>cariosa</i> (<i>Murex</i>)	5	22

PYRAMIDELLA.

Vol. 6. pt. 2. p. 221.

2 dolabrata (<i>Trochus</i>) .	30	122
----------------------------------	----	-----

PYRGOMA.

Vol. 5. p. 400.

1 cancellatum (<i>Lepas</i>) .	1	4
----------------------------------	---	---

PYRULA.

Vol. 7. p. 137.

1 canaliculata (<i>Murex</i>)	26	82
2 Carica	26	83
3 perversa	26	88
5 Tuba	26	80
7 Vespertilio	27	114
8 Melongena	26	59
10 Ficus (<i>Bulla</i>)	18	29
13 Spirillus (<i>Murex</i>) ...	28	81
14 elongata (<i>Buccinum</i>) .	23	68
15 Ternatana (<i>Murex</i>) .	27	116
16 Bezoar (<i>Buccinum</i>) .	23	104
17 Rapa	23	105
18 papyracea (<i>Bulla</i>) ...	18	31
22 nodosa (<i>Murex</i>).....	26	85
23 citrina (<i>Buccinum</i>) ...	23	69
Salmo (<i>Murex</i>)	5	14

RANELLA.

Vol. 7. p. 147.

	Pl.	Fig.
1 gigantea (<i>Murex</i>) ...	26	44
3 candisata.....	26	36
4 Argus	25	27
5 Crumena.....	25	21
6 spinosa.....	25	22
7 bufonia	25	26
11 bitubercularis	25	25
12 ranina	25	24
Papilla.....	5	2

RICINULA.

Vol. 7. p. 230.

1 horrida (<i>Murex</i>).....	26	47
---------------------------------	----	----

ROSTELLARIA.

Vol. 7. p. 191.

1 curvirostris (<i>Strombus</i>)	24	1
2 rectirostris	24	2
3 Pes-Pelecani	24	4
cancellata	4	6

ROTELLA.

Vol. 7. p. 6.

1 lineolata (<i>Trochus</i>)...	29	76
formosa	5	29
æqualis.....	5	30

SANGUINOLARIA.

Vol. 5. p. 509.

	Pl.	Fig.
1 <i>occidens</i> (<i>Solen</i>)	3	29
2 <i>rosea</i>	3	28
4 <i>rugosa</i> (<i>Venus</i>)	8	64
<i>livida</i> (<i>Solen</i>)	1	3

SAXICAVA.

Vol. 5. p. 501.

1 <i>rugosa</i> (<i>Mytilus</i>).....	12	9
---	----	---

SCALARIA.

Vol. 6. pt. 2. p. 225.

1 <i>pretiosa</i> (<i>Turbo</i>).....	31	88
5 <i>communis</i>	31	90
<i>ravicostata</i>	6	16
<i>lamellosa</i>	6	17
<i>Australis</i>	6	18
<i>varicosa</i>	6	19
<i>Martini</i>	6	20

SEPTARIA.

Vol. 5. p. 436.

1 <i>arenaria</i> (<i>Teredo</i>) ...	38	1
---	----	---

SERPULA.

Vol. 5. p. 360.

1 <i>vermicularis</i>	38	31
4 <i>contortuplicata</i>	38	17

Pl. Fig.

6 <i>glomerata</i>	38	20
7 <i>decussata</i>	38	30
8 <i>protensa</i>	38	37
11 <i>Cereolus</i>	38	5
21 <i>echinata</i>	38	27
26 <i>arenaria</i>	38	23
<i>filograna</i>	8	1
<i>fuscata</i>	8	3
<i>rosea</i>	8	4

SIDEROLITES.

Vol. 7. p. 623.

1 <i>calcitrapoides</i> (<i>Nautilus</i>)	14	46
---	----	----

SIGARETUS.

Vol. 6. pt. 2. p. 207.

1 <i>halioideus</i> (<i>Helix</i>) .	35	187
--	----	-----

SILICUARIA.

Vol. 5. p. 337.

1 <i>anguina</i> (<i>Serpula</i>) ...	38	26
2 <i>muricata</i>	38	27

SOLARIUM.

Vol. 7. p. 2.

1 <i>perspectivum</i> (<i>Trochus</i>)	29	62
4 <i>stramineum</i>	29	63

	<i>Pl.</i>	<i>Fig.</i>
5 hybridum	29	61
6 variegatum	29	59

SOLEMYA.
Vol. 5. p. 488.

2 Mediterranea (<i>Solen</i>)	1	1
---------------------------------	---	---

SOLEN.
Vol. 5. p. 449.

1 Vagina.....	3	3
4 Siliqua.....	3	1
5 Ensis	3	6
6 pygmæus	3	7
8 Cultellus	3	9
9 planus	3	16
10 minutus	3	33
11 Legumen.....	3	8
15 antiquatus	3	10
18 strigilatus.....	3	12
19 radiatus	3	14
21 rostratus	3	22
<i>corneus</i>	1	2
<i>orbiculatus</i>	1	4

SPIRORBIS.
Vol. 5. p. 358.

1 nautiloides (<i>Serpula</i>).	38	8
2 Spirillum.....	38	6
3 carinatus	38	10

SPIRULA.

Vol. 7. p. 600.

	<i>Pl.</i>	<i>Fig.</i>
1 Peronii (<i>Nautilus</i>) ...	13	16

SPONDYLUS.
Vol. 6. p. 186.

1 Gædaropus.....	9	1
9 regius	9	2

STOMATELLA.

Vol. 6. pt. 2. p. 209.

4 Auricula (<i>Patella</i>) ...	37	54
<i>sulcifera</i> (<i>Haliotis</i>) ...	8	3
<i>imbricata</i>	8	4

STOMATIA.

Vol. 6. pt. 2. p. 211.

1 phimotis (<i>Haliotis</i>) ...	36	18
------------------------------------	----	----

STROMBUS.

Vol. 7. p. 199.

The Specific names the same as
the Linnean, except

2 accipitrinus.....	25	41
7 cristatus	25	15
9 bubonius	25	14
23 Troglodytes	25	26
26 plicatus	25	34
29 lineatus	24	14

	Pl.	Fig.		Pl.	Fig.
<i>gracilior</i>	4	1	5 <i>virgata</i>	3	3
<i>variabilis</i>	4	2	8 <i>Spengleri</i>	4	35
<i>labiosus</i>	4	3	9 <i>rostrata</i>	4	28
<i>jugosus</i>	4	4	12 <i>foliacea</i>	3	20
<i>floridus</i>	4	5	13 <i>operculata</i>	4	37
<i>incisus</i>	4	12	20 <i>planata</i>	3	24
<i>Galea</i>	4	13	21 <i>punicea</i>	4	47
<i>Galea junior</i>	4	14	22 <i>depressa</i>	4	48
<i>bituberculatus</i>	4	15	24 <i>Fabula</i>	3	23
<i>tricornis</i>	4	16	15 <i>tenuis</i>	3	22
<i>Thersites</i>	4	17	27 <i>donacina</i>	4	31
<i>variabilis</i>	4	18	31 <i>Remies</i>	4	69
<i>Persicus</i>	4	19	34 <i>scobinata</i>	4	67
<i>dilatatus</i>	4	20	35 <i>crassa</i>	4	75
<i>granulatus</i>	4	21	36 <i>lævigata</i>	4	29
STRUTHIOLARIA.			37 <i>Lingua-Felis</i>	3	2
Vol. 7. p. 147.			38 <i>rugosa</i>	3	8
1 <i>nodulosa (Murex)</i> ...	26	62	39 <i>lacunosa</i>	3	12
SUCCINEA.			40 <i>gargadia</i>	3	1
Vol. 6. pt. 2. p. 154.			42 <i>multangula</i>	3	11
2 <i>amphibia (Helix)</i> ...	35	171	43 <i>polygona</i>	4	80
<i>patula</i>	7	9	47 <i>obliqua</i>	4	46
TELLINA.			51 <i>solidula</i>	4	84
Vol 5. p. 519.			52 <i>bimaculata</i>	4	83
1 <i>radiata</i>	4	26	<i>convexa</i>	1	2
4 <i>maculosa</i>	3	4	TEREBELLUM.		
			Vol. 7. p. 409.		
			1 <i>subulatum (Bulla)</i> .	18	41
			TEREBRA.		
			Vol. 7. p. 283.		
			1 <i>maculata (Buccinum)</i>	24	129

	Pl.	Fig.
3 crenulata.....	24	133
4 dimidiata.....	24	147
5 muscaria	24	131
7 oculata	24	130
8 duplicata.....	24	142
18 Myuros	24	140
21 lanceata	24	146
22 aciculina.....	24	143
24 vittata	24	138
<i>lincolata</i>	4	22
<i>elongata</i>	4	25

TEREBRATULA.

Vol. 6. p. 243.

1 vitrea (<i>Anomia</i>)	11	24
8 dorsata.....	11	26
9 sanguinea	11	25
10 Caput-Serpentis.....	11	22
11 truncata	11	17
12 psittacea	11	27
<i>pulchra</i>	2	1
<i>rosea</i>	2	3
<i>rubra</i>	2	4

TEREDO.

Vol. 5. p. 438.

1 navalis.....	38	2
----------------	----	---

TORNATELLA.

Vol. 6. pt. 2. p. 219.

1 flammea (<i>Voluta</i>)....	19	12
---------------------------------	----	----

	Pl.	Fig.
2 solidula	19	13
3 fasciata	19	11

TRIDACNA.

Vol. 6. p. 104.

1 Gigas (<i>Chama</i>).....	9	2
-------------------------------	---	---

TRIGONIA.

Vol. 6. p. 61.

1 pectinata (<i>Chama</i>) ..	2	6
---------------------------------	---	---

TRITON.

Vol. 7. p. 177.

1 variegatus (<i>Murex</i>) .	27	95
4 Lampas	25	28
5 Scrobiculator	26	43
6 Spengleri	26	38
9 Pileare	26	35
10 Lotorium	26	34
11 Femorale	26	32
12 Pyrum	26	39
15 canaliferus	26	41
17 Clavator	26	40
21 Anus	26	45
25 maculosus.....	26	37
27 Rubecula	26	42
28 cutaceus.....	26	33

	Pl.	Fig.
29 Dolarius	27	106
31 undosus (<i>Buccinum</i>) .	23	97

TROCHUS.

Vol. 7. p. 9.

The Specific names the same as
the Linnean, except

12 stellaris (<i>Turbo</i>)	30	29
18 agglutinans (<i>Trochus</i>)	29	69
22 Merula	29	86
26 pyramidalis	30	110
<i>undosus</i>	5	1
<i>Unguis</i>	5	2
<i>olivaceus</i>	5	3
<i>Pellis-Serpentis</i>	5	4
<i>armillatus</i>	5	5
<i>acuminatus</i>	5	6
<i>elegantulus</i>	5	9
<i>granosus</i>	5	11
<i>tæniatus</i>	5	12
<i>lævis</i>	5	13
<i>albidus</i>	5	14
<i>Clelandii</i>	5	15
<i>quadricostatus</i>	5	16
<i>Byronianus</i>	5	17
<i>elongatus</i>	5	19
<i>Smithii</i>	5	20
<i>articulatus</i>	5	22
<i>filosus</i>	5	23
<i>Maugeri</i>	5	27
<i>pictus</i>	5	28
<i>Clangulus</i>	5	31
<i>Mediterraneus</i>	5	32

	Pl.	Fig.
<i>callosus</i>	5	33
<i>zonatus</i>	5	34
<i>reticulatus</i>	6	38
<i>clanguloides</i>	6	39
<i>sulcatus</i>	6	40
<i>indistinctus</i>	6	41
<i>interruptus</i>	6	42
<i>Montagui</i>	6	43
<i>Calyculus</i>	6	44

TUBICINELLA.

Vol. 5. p. 384.

1 Balænarum (<i>Lepas</i>) . . .	1	1
------------------------------------	---	---

TURBINELLA.

Vol. 7. p. 102.

1 Scolymus (<i>Murex</i>) ..	27	115
4 Pyrum (<i>Voluta</i>)	21	160
5 pugillaris	21	158
6 Rhinoceros	21	157
7 cornigera	21	155
8 Ceramica	21	159
9 Capitellum	21	156
11 Globulus	21	162
13 rustica (<i>Buccinum</i>) ..	23	66
14 cingulifera (<i>Murex</i>) .	27	110
15 polygona	27	113
16 carinifera	26	84
17 Infundibulum	27	118
18 craticulata	27	121
19 lineata (<i>Voluta</i>)	20	118

Pl. Fig.

23 ocellata (<i>Buccinum</i>) .	23	89
rigida (<i>Murex</i>)	5	3
sanguinea	5	10
unifasciata	5	11
acuminata	5	12
cerata	5	15

TURBO.

Vol. 7. p. 38.

The Specific names the same as
the Linnean, except

22 Hippocastanum	31	46
niger	6	1
minimus	6	29
tuberculatus	6	30
Zebra.....	6	33
Pintado	6	34
crassus	6	43
fluctuosus	6	44
saxosus	6	45
bicarinatus.....	6	47

TURRITELLA.

Vol. 7. p. 55.

1 duplicata (<i>Turbo</i>) ..	32	132
2 Terebra.....	32	137
3 imbricata	32	129
4 replicata	32	130
10 exoleta	32	136
suturalis	6	41

UMBRELLA.

Vol. 6. p. 339.

Pl. Fig.

1 Indica (<i>Patella</i>)	38	85
----------------------------------	----	----

UNIO.

Vol. 6. p. 68.

2 elongatus (<i>Mya</i>).....	2	30
3 crassus.....	2	28
13 radiatus	2	32
32 Pictorum.....	2	26
33 Batavus	2	25
34 corrugatus	2	31
35 nodulosus	2	34
nasutus.....	1	4
rotundatus	1	1
oblongatus	1	2
undulatus.....	1	5
cariosus	1	6
obliquus	1	8
alatus	1	3
rugulosus	1	7
rigidus ?.....	1	10
prælongus	1	11

VALVATA.

Vol. 6. pt. 2. p. 171.

1 piscinalis (<i>Turbo</i>) ...	31	87
-----------------------------------	----	----

VENERICARDIA.

Vol. 5. p. 609.

<i>Tankervillii</i> (<i>Chama</i>). .	2	4
crassicoslata	2	5

VENERUPIS.

Vol. 5. p. 506.

	Pl.	Fig.
1 perforans (<i>Venus</i>)....	8	108
3 Irus (<i>Donax</i>).....	6	21

VENUS.

Vol. 5. p. 583.

1 Puerpera	8	67
2 reticulata	8	66
5 crenulata	8	68
7 Verrucosa	7	12
8 rugosa	7	13
9 crassina	7	14
10 plicata	7	9
11 cancellata	7	15
14 granulata	7	29
16 Marica	7	5
22 mercenaria	7	40
24 Gallina	7	23
27 sulcata	7	18
29 exalbida.....	7	27
34 corrugata	8	105
35 Malabarica	7	36
36 papilionacea.....	8	103
40 litterata	8	101
42 Textile	8	104
44 geographica	8	102
46 decussata.....	8	107
47 pullastra	8	109
55 Scotica	7	20
56 aurea	8	111
57 virginea	8	110
61 callipyga	8	68

Pl. Fig.

62 opima	7	50
63 nebulosa	7	52
84 flammea	7	37
87 ovata	7	30
<i>lamellata</i>	2	1
<i>Berrii</i>	2	2
<i>elegans</i>	2	3
<i>Stutchburii</i>	2	4
<i>subrostrata</i>	2	7
<i>papyracea</i>	2	8
<i>aphroditinoides</i>	2	10
<i>Aurisiaca</i>	2	12
<i>costulata</i>	2	15

VERMETUS.

Vol. 6. pt. 2. p. 224.

1 lumbricalis (<i>Serpula</i>)	38	21
<i>maximus</i>	8	2

VERMILIA.

Vol. 5. p. 368.

2 triquetra (<i>Serpula</i>)...	38	9
-----------------------------------	----	---

VOLVARIA.

Vol. 7. p. 362.

1 Monilis (<i>Voluta</i>)	19	53
2 pallida	19	59
3 triticea	19	54

VOLUTA.

Vol. 7. p. 327.

The specific names the same as the
Linnean, except

	Pl.	Fig.
7 Milo	21	185
14 Brasiliana	21	174
33 ancilla	21	168
36 fulminata.....	21	167
41 volvacea	21	165
<i>subnodosa</i>	3	1
<i>gracilis</i>	3	2
<i>Fulgetrum</i>	3	3
<i>aulica</i>	3	4
<i>Flammula</i>	3	5
<i>pulchra</i>	3	6
<i>Pusio</i>	3	9
<i>punctata</i>	3	19
<i>marmorata</i>	3	20

Pl. Fig.

<i>angulata</i>	3	21
<i>tuberculata</i>	3	22
<i>rubiginosa</i>	3	23
<i>modesta</i>	3	24
<i>Harpa</i>	3	26

VORTICIALIS.

Vol. 7. p. 625.

1 craticulata (<i>Nautilus</i>)	13	42
2 strigilata	13	41

VULSELLA.

Vol. 6. p. 220.

1 lingulata (<i>Ostrea</i>) ...	11	84
-----------------------------------	----	----

THE END.

LONDON:
PRINTED BY RICHARD TAYLOR,
RED LION COURT, FLEET STREET.



BOOKS IN NATURAL HISTORY,

PUBLISHED BY

WILLIAM WOOD, 428, STRAND.

INDEX TESTACEOLOGICUS, or A Catalogue of Shells, British and Foreign, arranged according to the Linnæan System, with the Latin and English Names, References to Authors, and Places where found. Illustrated with 2300 figures. By W. WOOD, F.R.S. F.L.S., Author of "Zoography," "General Conchology," &c. &c. *Lond.* 1828, second edition. 8vo. boards. 2*l.* 12*s.* 6*d.*; or with the plates coloured, 5*l.* 5*s.*

The figures contained in this volume are for the most part original, and have been drawn from specimens with the greatest possible attention to accuracy. All Shells, even the most minute, that have been noticed as British by Montagu, Donovan, Walker and others, as well as all the Foreign Species described in the volumes of Martini and Chemnitz, &c., have been introduced. The divisions of Lamarck have been added, and his Genera referred to the figures in the Catalogue.

ZOOGRAPHY, or the Beauties of Nature displayed in select Descriptions from the Animal and Vegetable, with additions from the Mineral Kingdom. Systematically arranged by W. WOOD, F.L.S. 1807, 3 vols. 8vo. plates, bds. 3*l.* 13*s.* 6*d.* THE SAME, large paper, boards, 6*l.* 6*s.*

GENERAL CONCHOLOGY, or a Description of Shells, arranged according to the Linnæan System, and illustrated with plates drawn and coloured from Nature. By W. WOOD, F.R.S. F.L.S. *Lond.* 1815. royal 8vo. vol. 1, boards, 3*l.* 10*s.* THE SAME, on fine drawing paper, 4*l.* 18*s.*

This volume is composed of the genera of Shells in a regular Linnæan series, from *Chiton* to *Cardium*. Each genus is complete in itself, and contains many new and rare shells that have not hitherto been noticed. The plates are faithfully drawn and coloured from original specimens, by Mr. Sowerby.

ILLUSTRATIONS OF THE LINNÆAN GENERA OF INSECTS.
By W. WOOD, F.R.S. F.L.S. 2 vols. 12mo. with 86 coloured plates,
boards, 1*l.* 10*s.*

This work contains, besides the Generic Characters, and general observations on each genus, a method of catching and preserving Insects for collections, and also an explanation of the principal terms used in Entomology.

THE BRITISH FAUNA; containing a Compendium of the Zoology of the British Islands, arranged according to the Linnæan System. By W. TURTON, M.D. F.L.S. This very useful work contains both the Generic and Specific Characters of all the Quadrupeds, Birds, Fish, Reptiles, Worms, Shells, Corallines, and Animalculæ, inhabiting Great Britain. 12mo. boards, 10*s.* 6*d.*

COLEOPTERA BRITANNICA, sistens Insecta Coleoptera Britannicæ Indigena. Auctore T. MARSHAM. *London.* 8vo. boards, 16*s.*
THE SAME, in two Volumes, with 30 coloured plates, 1*l.* 6*s.*

TESTACEA BRITANNICA ; or Natural History of British Shells. By G. MONTAGU. *Romsey,* 1803, 4to. boards, 2*l.* 2*s.* THE SAME, fine paper, coloured, 4*l.* 4*s.*

SUPPLEMENT to the above. *Exeter,* 4to. boards, 1*l.* 1*s.* THE SAME, fine paper, coloured, 2*l.* 2*s.*

ELEMENTS OF CONCHOLOGY according to the Linnæan System, illustrated by 28 plates drawn from Nature. By the Rev. E. I. BURROW, A.M. F.R.S. F.L.S. Mem. Geol. Soc. *Lond.* 1825, third edition, boards. 16*s.* ; or with plates coloured, 1*l.* 11*s.* 6*d.*

A SYNOPTICAL CATALOGUE of British Birds, intended to identify the Species mentioned by different names in several Catalogues already extant. By T. FORSTER, F.L.S. &c. &c. *Lond.* 1821, 8vo. boards, with a coloured plate of the Strix Scops. 3*s.* 6*d.*

BRITISH ORNITHOLOGY, containing Portraits of all the British Birds, including those of Foreign Origin which have become domesticated ; drawn, engraved, and coloured by JOHN HUNT. *Norwich,* 1818, 8vo. parts 1—15, each Part 9*s.*

SUPPLEMENT TO THE ORNITHOLOGICAL DICTIONARY ; or Synopsis of British Birds. *Exeter,* 1813, 8vo. plates, boards, 14*s.*

SAXIFRAGEARUM ENUMERATIO. 82 pagg. Auctore A. H. HAWORTH, F.L.S. Accedunt Revisiones Plantarum Succulentarum. 209 pagg. *Lond.* 1821, 8vo. boards, 10s. 6d.

NATURALIST'S MISCELLANY. By G. SHAW, F.R.S. &c. In 267 Numbers, containing 1064 Plates coloured, 33*l.* 17*s.*

Numbers to complete sets, or any of the Plates of this work may be had separate in any quantity, for the purpose of illustrating other books, at 6*d.* each, coloured.

ZOOLOGICAL MISCELLANY; being descriptions of new, or interesting Animals, illustrated with coloured Figures drawn from Nature. By W. E. LEACH, M.D. F.L.S. &c. *Lond.* 1814—17. 3 Vols. 8vo. 4*l.* 10*s.*

This work contains many interesting animals from New Holland.

SKETCHES REPRESENTING THE NATIVE TRIBES, ANIMALS, AND SCENERY OF SOUTHERN AFRICA, from Drawings made by the late Mr. SAMUEL DANIELL. Engraved by WILLIAM DANIELL.—Royal Quarto. Price Three Guineas in boards; with the Plates on India paper, Four Guineas.

The illustrations which accompany this work were executed by Mr. S. Daniell with the utmost care and fidelity, and all the subjects contained in the volume are studies from the life. Mr. Daniell was indefatigable in the pursuit of his object, and always made himself master of the actions and habits of an animal before he committed it to paper.



CHYTOM.

P.1




LEPAS.



PHOLAS.




MYA.




SOLEN.




TELLINA



MAURA





Venus.



CHAMA.



ARCA.




Ostrea.




ANOMIA.



MYTILUS.





CONUS.



CYPRÆA



BULLA



LOLITA




VOLUTA



BUCCINUM



STROMBUS



MUREX

Pl. 5




TROCHUS



TROCHUS

Pl. 6



TURBO



HELIX

Pl. 7



HELIX

PL. B



NERITA




HALIOTIS



PATELLA





A LIST
OF
THE PLATES
OF THE
“*INDEX TESTACEOLOGICUS*,”

WITH THE LAMARCKIAN NAMES ADAPTED TO
THE FIGURES IN EACH PLATE.

[Where the Numbers of the Figures are omitted, the Linnean and Lamarckian Generic and Specific Names are the same: where they are retained, without being named, it is presumed that Lamarck has not noticed the Species in his “*Histoire Naturelle des Animaux sans Vertèbres*.”]

CHITON.	Pl. 1.	Fig.		Fig.
Chitonellus lævis.....		39	Balanus perforatus	10
			—— sulcatus	11✓
			—— ovularis	12
			—— fistulosus	13
				14
				15
LEPAS. Pl. 1.			Acasta Montagui.....	16
Tubicinella Balænarum		1	Balanus galeatus	17
Coronula Diadema		2	—— spinosus	19
—— balænaris.....		3	—— punctatus	20
—— Testudinaria		4	—— radiatus	21
Balanus Tintinnabulum		5	—— crispatus.....	22
		6		
		7		
		8		
		9		

LEPAS.	Pl. 2.	Fig.		Fig.
		24		7
		25	Glycimeris Siliqua	10
		26		11
		27	Glycimeris longirostris	12
		28		13
		29		14
Balanus stalactiferus		30		15
Creusia Verruca		32		17
		33		19
Pollicipes Mitella		34	Amphidesma prismaticum ...	21
—— Cornucopia.....		35	Gastrochæna modiolana.....	23
—— Scalpellum		36	Unio Batavus	25
Anatifa vitrea		37	—— Pictorum	26
—— striata.....		38		27
—— lævis		39	Unio crassus	28
—— villosa.....		40		29
—— dentata		41	Unio elongatus	30
		42	—— corrugatus	31
		43	—— radiatus	32
Cineras vittatus		44		33
		45	Unio nodulosus	34
Otion Cuvieri				35
			Hyria avicularis	36
PHOLAS.	Pl. 2.		MYA.	Pl. 3.
Pholas dactyloides		6		37
—— clavata		7		38
Gastrochæna cuneiformis ...		11		39
			Corbula Nucleus.....	40
			Panopæa Aldrovandi	41
MYA.	Pl. 2.		SOLEN.	Pl. 3.
		3		
Anatina myalis.....		4		4
		5		5
Anatina globulosa		6		

	Fig.		Fig.
Anatina subrostrata.....	11		19
	13		25
	15		
	16		
	17	TELLINA. Pl. 4.	
	18		
Cyclas obliqua.....	19		27
Solen rostratus	22		30
	23		33
	24		34
	25	Psammobia Feroensis	36
	26		38
Psammobia vespertina.....	27	Psammotea candida	39
Sanguinolaria rosea.....	28		40
———— occidens	29		41
	30		42
	31		43
	32		44
Hiatella Arctica	33		45
Pandora obtusa	35		49
			51
			52
			53
TELLINA. Pl. 3.			54
Tellina maculosa.....	4		55
	5		56
	6		57
	7		58
	9		59
	10		60
Tellina lacunosa	12		61
	13		62
	14		63
	15		64
	16		65
	17		68

	Fig.		Fig.
Lucina reticulata.....	70		6
—— Radula.....	71		10
—— scabra	72		11
	73	Mactra Australis	12
	74		13
Lucina lactea	76	Mactra fasciata	14
	77	—— alba.....	15
Amphidesma flexuosum	78	Crassatella striata	16
Lucina carnaria	79		17
	81		20
	82	Mactra gigantea	22
	85	—— crassatella	23
Lucina divaricata.....	87		24
	88	Lutraria compressa.....	25
	89	Amphidesma tenue... ..	26
		—— Boysii.....	27
			28
TELLINA. Pl. 5.		Mactra helvacea	30
Cyclas rivicola.....	90	—— depressa	31
—— lacustris	91		32
	92	Lutraria rugosa	33
	93		34
	94	Lutraria complanata	35
	95	—— elliptica.....	36
	96	—— solenoides	37
Pandora rostrata.....	97		
		DONAX. Pl. 6.	
		Donax ringens.....	4
			6
			7
		Amphidesma donacilla	9
		Donax vittata	10
			11
			12
CARDIUM. Pl. 5.			
MACTRA. Pl. 6.			
Lutraria papyracea	3		
	4		
Mactra carinata	5		

	Fig.		Fig.
Capsa lævigata.....	14	Cytherea maculata	45
	16	——— casta.....	46
	17	——— impudica	47
	19	Galatea radiata	48
	20		49
Venerupis Irus.....	21	Cytherea morphina.....	51
			53
			54
			55
			56
VENUS. Pl. 7.		Cytherea castrensis.....	57
Cytherea Dione	1		58
	2		59
	3		60
	6		
	7		
	8		
	10	VENUS. Pl. 8.	
	11		61
	16		62
	17	Sanguinolaria rugosa	64
	19	Corbis fimbriata	65
Crassina Danmoniensis	21		69
	22		70
	24		71
	25	Petricola linguatula.....	72
	31		73
	32		74
Cytherea flexuosa	32		
——— Corbicula.....	33	Cytherea tigerina	75
——— tripla	34		76
	35		77
Cytherea Erycina	38	Lucina Pensylvanica	78
	39	——— Jamaicensis	79
			80
Cyprina Icelandica	41		
Cyrena Zeylanica	42	Cytherea punctata	81
Cytherea lusoria	43		82
——— Chione.....	44	Cytherea exoleta.....	83

	Fig.		Fig.
Pectunculus pectiniformis ..	28	Pecten Pallium	15
———— pectinatus	29		16
———— pennaceus	30		17
———— pennaceus	31	Pecten nodosus	18
———— castaneus	32	—— Pes-felis	19
———— pallens	33	—— histrionicus	20
		—— Islandicus	21
		—— Senatorius	22
		—— aurantius	23
			24
ARCA. Pl. 10.		Pecten obliterated	25
Pectunculus angulatus	34		26
———— undulatus	35		27
———— Glycimeris	36		28
———— pilosus	37	Pecten sanguineus	29
———— stellatus	38		30
———— scriptus	39	Pecten varius	31
———— nummarius	40	—— sauciatus	32
	41	—— Pusio	33
Nucula margaritacea	42	—— sinuosus	34
—— rostrata	43		35
	44		36
	45		37
			38
OSTREA. Pl. 10.			39
Pecten maximus	1		40
—— Jacobæus	2	Pecten glabra	41
—— Zic-zac	3		42
—— Pleuronectes	6	Pecten opercularis	43
—— Japonicus	7	—— lineatus	44
—— Laurentii	8	—— Tranquebaricus	45
—— Magellanicus	9	—— gibbus	46
—— hybridus	10	—— turgidus	47
—— Radula	11		48
—— imbricatus	12		50
—— Plica	13	Lima inflata	51
	14		

OSTREA. Pl. 11. <i>Fig.</i>			<i>Fig.</i>	
			9	
Lima fragilis	52		10	
— linguatula.....	53	Anomia squammula	11	
— squamosa	54		12	
— glacialis.....	55	Anomia pyriformis	13	
	56		14	
	57		15	
Malleus vulgaris	58	Terebratula truncata	17	
— anatinus	59		18	
	60		19	
	61		20	
	64		21	
	66	Terebratula Caput-Serpentis	22	
	67		23	
	70	Terebratula vitrea	24	
Ostrea parasitica	71	— sanguinea	25	
	72	— dorsata	26	
Pedum spondyloideum.....	75	— psittacea	27	
	76	Hyalæa tridentata.	28	
Perna sulcata	77			
	78			
Perna Isogonum	79	ANOMIA. Pl. 12.		
— Ephippium	80	Placuna Placenta	29	
— obliqua.....	81	— Sella	30	
	82		31	
	83		32	
Vulsella lingulata	84			
		MYTILUS. Pl. 12.		
		Ostrea Crista-Galli	1	
		— Hyotis.....	2	
		— rubella.....	3	
		Meleagrina margaritifera ..	4	
			5	
		Modiola lithophaga	7	
		— caudigera.....	8	
ANOMIA. Pl. 11.				
Crania personata	1			
Orbicula Norwegica	2			
	6			
	7			
	8			

	<i>Fig.</i>	PINNA.	Pl. 12.	<i>Fig.</i>
<i>Saxicava rugosa</i>	9	<i>Pinna nigrina</i>		2
	10			5
	11	<i>Pinna Flabellum</i>		6
<i>Modiola cinnamomea</i>	12	— <i>seminuda</i>		7
— <i>picta</i>	13			
— <i>plicata</i>	14			
<i>Mytilus exustus</i>	15	PINNA.	Pl. 13.	
	16			10
	18			13
	20			14
	22			15
<i>Mytilus achatinus</i>	24			16
— <i>elongatus</i>	25			17
— <i>smaragdinus</i>	26	<i>Pinna marginata</i>		20
— <i>Magellanicus</i>	28			
	29			
	30	ARGONAUTA.	Pl. 13.	
<i>Modiola Papuana</i>	31	<i>Argonauta nitidus</i>		3
<i>Anodon cygneus</i>	32			4
— <i>anatinus</i>	33			5
	34	<i>Carinaria vitrea</i>		6
	35			7
	36			8
	38			
<i>Modiola discrepans</i>	39	NAUTILUS.	Pl. 13.	
— <i>discors</i>	40	<i>Nautilus umbilicatus</i>		2
	41	<i>Planorbis nitidus</i>		3
<i>Avicula semi-sagitta</i>	42			4
	43			5
	44			6
<i>Lingula anatina</i>	45			7
	46	<i>Polystomella crispa</i>		8
	47			9
	49			10
				11

	<i>Fig.</i>		<i>Fig.</i>
	12		49
	13	Cristellaria auricularis	50
Spirula Peronii	16	———— Faba.....	51
	17	———— Scapha.....	52
	18	———— Crepidula.....	53
	19	———— Auricula	54
	20	———— tuberosa	55
	21	Orbiculina numismalis	56
Orthocera obliqua	22	———— ungulata	57
———— Raphanistrum	23	———— uncinata	58
———— Raphanus	24		
Polystomella costata	25		
Nodosaria Radicula.....	27		
	28	CONUS. Pl. 14.	
	29	Conus araneosus	3
Orthocera fascia	31	———— Malacanus	11
	32	———— daucus	12
	33		14
Nodosaria Siphunculus	33		16
Orthocera Legumen	34	Conus Centurio	20
	35	———— Proteus	21
	36		23
	37		24
Placentula pulvinata	38	Conus regius	25
———— asterians	39	———— fulgurans	28
	40	———— flammeus	29
Vorticialis strigilata.....	41	———— Omaicus	32
———— craticulata	42		34
	43	Conus Vulpinus	39
Polystomella ambigua.....	44		40

NAUTILUS. Pl. 14.

Polystomella planulata	45
Siderolites calcitrapoides ...	46
Cristellaria Squamula	47
———— papillosa	48

CONUS. Pl. 15.

Conus cinereus	56
	57
Conus fumigatus	62
———— lithoglyphus.....	71

	Fig.
Conus asper.....	76
	79
Conus obesus	81
	87
Conus cardinalis	90
—— lividus	91
	94
	103
Conus Pusio.....	108

CONUS. Pl. 16.

	111
Conus auricomus.....	113
—— Dux	114
—— tendineus.....	117
—— Præfectus.....	118
	122
Conus verulosus	125
—— Terebra	127
	135
Conus Mozambicus.....	146
—— franciscanus.....	149
—— Aurora	153

CYPRÆA. Pl. 16.

Cypræa Aurora	8
	12

CYPRÆA. Pl. 17.

	14
	17
	18
	24
	26

	Fig.
	29
	30
Cypræa adusta.....	31
	32
Cypræa undata	33
—— zonata	34
	37
Cypræa olivacea	39
—— rufa.....	40
—— Stercus-Muscarum	41
	47
Cypræa flaveola	49
	50
	51
	52
	56
	57
Cypræa oryza	59
	61
	66
	67

BULLA. Pl. 18.

Ovula oviformis	1
	2
Ovula Volva	3
—— carnea	4
	5
Ovula birostris.....	6
	7
	8
Ovula Spelta	9
—— verrucosa	10
—— gibbosa	11
	13
	15

<i>Fig.</i>	<i>VOLUTA. Pl. 19.</i>	<i>Fig.</i>
16		
Bulla striata..... 19	Auricula Midæ 1	
21	——— Judæ 2	
22		3
Bulla fragilis 23		4
25		5
Bulla fasciata 27	Auricula Sileni 6	
28		7
Pyrula Ficus 29		8
30		9
Pyrula papyracea 31		10
Achatina Glans 34	Tornatella fasciata 11	
——— fusco-lineata 35	——— flammea 12	
36	——— solidula 13	
Physa fontinalis 37		14
38	Auricula coniformis..... 15	
Physa Hypnorum..... 39		16
Terebellum subulatum 41	Auricula Monile 17	
42		18
43		19
Ancillaria candida 44	Auricula nitens 20	
Achatina virginea 45		21
——— Vexillum 46		22
49		23
50		25
Achatina Priamus 51		27
Bulimus undatus 52		28
Achatina Perdix 53	Oliva porphyria 29	
——— purpurea 54	——— erythrostoma..... 30	
——— bicarinata 55		31
Bulla solida 56		32
57	Oliva leucophæa..... 33	
58		34
59		35
60		36
61	Oliva Utriculus 37	

	Fig.		Fig.
Oliva ispidula	38	Cancellaria reticulata	71
—— hiatula	39	—— Ziervogeliana ...	72
—— eburnea	40	Columbella mercatoria	73
—— conoidalis	41	—— rustica	74
	42	Mitra paupercula.....	75
Oliva carneola.....	43		76
	44		77
	45	Mitra patriarchalis	78
Oliva Oryza.....	46	Columbella mendicaria	79
Mitra Dactylus	47		80
—— fenestrata	48	Mitra microzonias	81
—— crenulata	49	Cancellaria cancellata.....	82
—— texturata	50	—— scalarina	83
—— Conulus.....	51		84
	52	Mitra Tringa	85
Volvaria Monilis	53	—— cornicularis	86
—— triticea	54		87
Marginella Persicula	55		88
	56	Mitra filosa	91
	57	—— fissurata.....	92
	58		93
Volvaria pallida	59		94
	60	Mitra crenifera`	95
	61	—— scabriuscula	96
Marginella bivaricosa	62		97
			98
			99
			101
VOLUTA. Pl. 20.			102
Marginella Faba	63		103
—— glabella.....	64		104
	65	Mitra Sanguisuga	105
	66	—— Caffra	106
	67	Achatina albo-lineata	107
Marginella cærulescens	68	Mitra Vulpecula	109
	69	—— costellaris... ..	110
Marginella bullata	70		

	<i>Fig.</i>		<i>Fig.</i>
Mitra lyrata.....	111	Mitra papalis	144
—— Melongena	112		145
	113	Mitra coronata	146
Mitra tæniata	114		148
—— plicaria	115		149
Cancellaria rugosa	116		153
	117	Turbinella cornigera	155
Turbinella lineata	118	—— Capitellum	156
	119	—— Rhinoceros	157
Mitra aurantiaca.....	120	—— pugillaris	158
	121	—— Ceramica	159
Mitra scutulata	122	—— Pyrum	160
—— melaniana	123		161
—— casta	124	Turbinella Globulus	162
	125		164
		Voluta volvacea	165
			166
VOLUTA. Pl. 21.		Voluta fulminata.....	167
	126		169
	127		171
	128	Voluta Brasiliana	174
	129		176
	130		177
	131		178
	132		182
	133		183
	134		184
	135	Voluta Milo.....	185
	136		186
	137		
Mitra serpentina	138		
—— olivaria	139	BUCCINUM. Pl. 22.	
—— versicolor	140	Dolium Galea	1
—— cardinalis	141	—— Olearium.....	2
—— millepora	142	—— Perdix.....	3
—— episcopalis.....	143	—— Pomum	4

	<i>Fig.</i>		<i>Fig.</i>
	5		50
<i>Dolium maculatum</i>	6	<i>Harpa imperialis</i>	51
	7	<i>Purpura Persica</i>	52
	8	—— <i>patula</i>	53
<i>Cassidaria echinophora</i> ^....	9	<i>Monoceros imbricatum</i>	54
	10		55
<i>Cassidaria Tyrrhena</i>	11	<i>Concholepas Peruviana</i>	56
	12	<i>Purpura Hæmastoma</i>	57
	13	—— <i>armigera</i>	58
<i>Cassis cornuta</i>	14		59
—— <i>rufa</i>	15		60
—— <i>tuberosa</i>	16		
—— <i>flammea</i>	17		
—— <i>Testiculus</i>	18		
—— <i>decussata</i>	19		
—— <i>Areola</i>	20		
—— <i>Zebra</i>	21		
—— <i>achatina</i>	22		
—— <i>Saburon</i>	23		
—— <i>granulosa</i>	24		
—— <i>sulcosa</i>	25		
—— <i>fasciata</i>	27		
	28		
	29		
	30		
	31		
<i>Cassis erinaceus</i>	32		
	33		
	34		
<i>Cassis glauca</i>	35		
—— <i>Vibex</i>	36		
<i>Buccinum inflatum</i>	39		
<i>Purpura Sertum</i>	41		
	42		
	45		
<i>Harpa ventricosa</i>	49		
		BUCCINUM. Pl. 23.	
			61
		<i>Purpura Lapillus</i>	62
			63
		<i>Planaxis undulatus</i>	64
			65
		<i>Turbinella rustica</i>	66
			67
		<i>Pyrula elongata</i>	68
		—— <i>citrina</i>	69
			70
			71
			72
			73
			74
			75
		<i>Purpura Trochlea</i>	76
		<i>Eburna spirata</i>	77
		—— <i>Zeylanica</i>	78
		—— <i>glabrata</i>	79
			80
			81
		<i>Purpura Cataracta</i>	83

	Fig.		Fig.
	85		122
	86		123
	87	Cancellaria nodulosa	124
	88		125
Turbinella ocellata	89		126
	91		127
	92	Terebra maculata..	129
	93	—— oculata.....	130
	94	—— muscaria	131
	95		132
Phasianella bulimoides	96	Terebra crenulata.....	133
Triton undosus	97		134
	98	Terebra vittata	138
	99		139
	100	Terebra Myuros	140
	101		141
	102	Terebra duplicata	142
Purpura cruentata.....	103	—— aciculina	143
Pyrula Bezoar	104		144
—— Rapa	105		145
Buccinum Anglicanum.....	108	Terebra lanceata	146
	109	—— dimidiata.....	147
	110		149
	111		150
	112	Pleurotoma buccinoides	151
	113		152
	114		153
	115		154
	116		155
	118		156
	119		157
Buccinum Miga.....	120		158
			159
			160
			161
			162

<i>Fig.</i>		<i>Fig.</i>
163	<i>Cerithium palustre</i>	39
164	<i>Pirena terebralis</i>	40
165	—— <i>aurita</i>	41
166	<i>Pleurotoma auriculifera</i>	42
167		43
168		44
169		
170	MUREX. Pl. 25.	
171		2
		3
STROMBUS. Pl. 24.	<i>Murex crassispinus</i>	4
<i>Rostellaria curvirostris</i>		8
—— <i>rectirostris</i>	<i>Murex asperrimus</i>	9
	—— <i>miliaris</i>	10
<i>Rostellaria Pes-Pelecani</i>	—— <i>inflatus</i>	12
<i>Pterocera Chiragra</i>		13
—— <i>Scorpio</i>		14
—— <i>Lambis</i>	<i>Murex Endivia</i>	18
—— <i>truncata</i>	<i>Purpura Sacellum</i>	20
—— <i>Millepeda</i>	<i>Ranella Crumena</i>	21
<i>Strombus lineatus</i>	—— <i>spinosa</i>	22
		23
STROMBUS. Pl. 25.	<i>Ranella ranina</i>	24
<i>Strombus bubonius</i>	—— <i>bitubercularis</i>	25
—— <i>cristatus</i>	—— <i>bufonia</i>	26
	—— <i>Argus</i>	27
	<i>Triton Lampas</i>	28
<i>Strombus accipitrinus</i>		29
—— <i>Troglodytes</i>		30
	MUREX. Pl. 26.	
		31
<i>Strombus plicatus</i>	<i>Triton Femorale</i>	32
<i>Purpura Vexillum</i>	—— <i>cutaceus</i>	33
	—— <i>Lotorium</i>	34
<i>Cerithium tuberculatum</i>		

	Fig.		Fig.
Triton Pileare	35	Fusus longissimus	71
Ranella candisata	36	—— colosseus	72
Triton maculosus	37		73
—— Spengleri	38		74
—— Pyrum	39		75
—— Clavator	40		76
—— canaliferus	41		77
—— Rubecula	42	Fusus Morio	78
—— Scrobiculator	43	—— Cochlidium	79
Ranella gigantea	44	Pyrula Tuba	80
Triton Anus	45	—— Spirillus	81
	46	—— canaliculata	82
Racinula horrida	47	—— Carica	83
	48	Turbinella carinifera	84
Purpura neritoides	49	Pyrula nodosa	85
—— Hystrix	50		86
	51		87
Purpura mancinella	52	Pyrula perversa	88
—— Hippocastanum	53	Fusus antiquus	89
	54		
	55		
Purpura plicata	56	MUREX. Pl. 27.	91
	57		92
Cancellaria senticosa	58	Fusus despectus	93
Pyrula Melongena	59	—— carinatus	94
	60	Triton variegatus	95
Purpura Consul	61		96
Struthiolaria nodulosa	62	Fusus Nifat	97
Pleurotoma Virgo	63	Fasciolaria Tulipa	98
	64		99
	65		101
	66	Purpura Fiscella	102
Pleurotoma Babylonia	67	Fusus incrassatus	103
—— nodifera	68		104
	69	Fusus Corona	105
	70	Triton Dolarius	106

	<i>Fig.</i>		<i>Fig.</i>
Fusus Islandicus	107	Cerithium nodulosum.....	147
	108		148
	109		149
Turbinella cingulifera	110		150
	111	Cerithium atratum	151
Fasciolaria Trapezium	112	———— vulgatum	152
Turbinella polygona	113	———— ebeninum	153
Pyrula Vespertilio	114	———— muricatum	154
Turbinella Scolymus	115		
Pyrula Ternatana	116		
	117		
Turbinella Infundibulum.....	118	MUREX. Pl. 28.	
Fusus Syracusanus	119	Cerithium torulosum	155
Pleurotoma spirata	120	———— Radula	156
Turbinella craticulata.....	121		157
	122		158
	123	Cerithium asperum	159
Fusus sinistralis	124	———— granulatum.....	160
	125	———— sulcatum.....	161
	126	———— semi-granosum ...	162
	127	———— literatum	163
	128		164
	129		165
	130		167
	131		168
	132	Cerithium decollatum.....	169
	133	Fusus Afer	170
	134		171
	135		
	136		
	137		
	138		
Cerithium Obeliscus	142		2
———— Vertagus.....	143		3
	145		6
Cerithium Aluco	146		7
			8
			9

TROCHUS. Pl. 28.

<i>Fig.</i>		<i>Fig.</i>
10		45
11		46
12		48
13		51
14		52
15		54
16		56
17		57
18		58
19	Solarium variegatum	59
20		60
21	Solarium hybridum.....	61
22	——— perspectivum	62
23	——— stramineum	63
24		65
25	Trochus agglutinans	69
26	Monodonta Tectum	70
27		71
28		72
29		73
31		74
32		75
33		76
35		77
36	Rotella lineolata	78
37		79
Monodonta Modulus	38	Monodonta Labio
——— Ægyptiaca	39	81
	40	82
	41	83
	42	Monodonta fragaroides
		Trochus Merula
		87
		89
	43	90
	44	91

	Fig.		Fig.
	92		13
	95		15
	96		16
	98		20
Turbo diaphanus	99		21
	100	Monodonta Tectum Persicum	24
	101		25
	102		26
	103	Monodonta Pagodus	27
			28
TROCHUS. Pl. 30.		Trochus stellaris	29
			30
	106		31
	108		32
Trochus pyramidalis	110		36
	115		41
	116		43
	117		
	118		
	119	TURBO. Pl. 31.	
Cerithium Telescopium	120		44
	121	Turbo Hippocastanum	46
Pyramidella dolabrata.....	122		47
	125		49
	126		50
	127		51
	130		52
			53
			54
TURBO. Pl. 30.			55
	4		56
	6		57
	9		58
	10		59
	11		61
	12		62

Fig.		Fig.
66		110
67		
68		
69	TURBO. Pl. 32.	
70	Pupa Mumia	111
71		112
72		113
73	Cyclostoma flavulum	114
74	Pupa sulcata	115
Turbo versicolor	78 Cyclostoma elegans.....	118
	79 ——— Lincinella	119
	80 ——— Labeo	120
	81 ——— ligatum	122
Delphinula laciniata	83	123
	84	124
Delphinula distorta.....	85	125
Valvata piscinalis.....	87	126
Scalaria pretiosa	88	127
	89	128
Scalaria communis	90 Turritella imbricata.....	129
	91 ——— replicata	130
	92	131
	93 Turritella duplicata.....	132
	95	133
	97	134
	98	135
	99 Turritella exoleta	136
	100 ——— Terebra	137
Pupa Uva.....	101	138
	102	139
	103	140
	104	141
	105	142
	106 Clausilia papillaris	143
	107	144
	108	145

	Fig.	HELIX. Pl. 33.	Fig.
Clausilia corrugata	146		19
	147		20
	148		21
Pupa fragilis.....	149		22
	150	Planorbis carinatus	23
Pupa tridens.....	151		24
	152		25
Pupa Muscorum	153	Anostoma depressum	26
— quadridens	154	Carocolla Labyrinthus	27
	155	Helix personata	28
	156	Carocolla Lucerna	30
Auricula minima	157	——— Lycimnuchus	31
	159		33
	160	Carocolla albilabris.....	34
	161	Helix gigantea.....	36
Planorbis imbricatus	162		37
	163		38
	164		39
	165	Planorbis Vortex.....	40
	166		41
	167	Carocolla inflata	44
			45
		Ampullaria Avellana	46
			47
		Planorbis corneus	48
		——— spirorbis	50
			51
		Planorbis contortus.....	52
		——— hispidus	53
			54
		Planorbis Cornu-Arietis	55
			56
			58
			59
		Helix nitida.....	60
			61

	Fig.	HELIX. Pl. 32.
Auricula Scarabæus.....	1	
	2	
Carocolla Lapidica	3	
——— marginata	4	
	5	
Helix vesicalis.....	6	
Cyclostoma Valvulus	7	
Carocolla albella.....	9	
	10	
Helix rotundata	11	
	15	

	<i>Fig.</i>		<i>Fig.</i>
	63		115
	65	Ianthina communis	116
	68	Helix pulla	117
	69		118
	70	Paludina vivipara	119
Ampullaria fasciata	71	—— achatina	120
—— rugosa	72		121
—— effusa.....	73		122
	74	Helix carthusianella	124
Bulimus Gallina-sultana.....	75		125
	77	Helix aspera.....	126
			130
		Helix naticoides	131
			132
	83		133
	85		134
	86	Bulimus decollatus	135
	87		136
Helix Cookiana	90	Bulimus calcareus	137
	92		138
	95		139
Ampullaria Guinaica	97		140
Natica melanostoma	98		141
Bulimus ovatus	101		143
—— hæmastomus.....	102		144
	103	Bulimus lubricus	145
	104		146
	106		
	107		
	108		
	109	Bulimus hordeaceus	147
	110		148
	111		149
Bulimus citrinus	112	Bulimus octonus.....	150
—— inversus.....	113	Achatina columnaris	151
—— interruptus	114	Bulimus acutus	154

HELIX. Pl. 34.

HELIX. Pl. 35.

	<i>Fig.</i>		<i>Fig.</i>
	155		4
<i>Bulimus radiatus</i>	156	<i>Natica glaucina</i>	5
—— <i>Guadalupensis</i>	157	—— <i>Vitellus</i>	6
	158		7
	159	<i>Natica rufa</i>	8
	160		9
<i>Bulimus Lyonetianus</i>	161	<i>Natica fulminea</i>	10
<i>Melania amarula</i>	164		11
	165	<i>Natica cruentata</i>	12
<i>Lymnæa stagnalis</i>	166		13
—— <i>palustris</i>	167	<i>Natica Marochiensis</i>	14
	168	—— <i>arachnoidea</i>	15
	169	—— <i>vittata</i>	16
	170	—— <i>Albumen</i>	17
<i>Succinea amphibia</i>	171	<i>Neritina Zebra</i>	18
	172	<i>Natica Mamilla</i>	19
<i>Lymnæa minuta</i>	173		20
	174		21
	175	<i>Neritina Corona</i>	22
<i>Paludina impura</i>	176		23
	177		24
	178	<i>Neritina fluviatilis</i>	26
	179		27
<i>Lymnæa auricularia</i>	180		28
—— <i>ovata</i>	181	<i>Neritina dubia</i>	29
	182		30
	183	<i>Neritina pulligera</i>	31
	185		
<i>Sigaretus haliotoides</i>	187		
	188		
	189		
		NERITA. Pl. 36.	
			32
			33
			34
			35
	2	<i>Neritina viridis</i>	36
<i>Natica cancellata</i>	3	—— <i>virginica</i>	37

NERITA. Pl. 35.

	Fig.	PATELLA. Pl. 37.	Fig.
Neritina strigilata	38	Calyptræa equestris.....	1
	40		2
	41	Calyptræa Tectum Sinense...	3
	42		4
	44		5
	45		6
	48		7
	50		8
	55	Crepidula Porcellana	9
	56	———— fornicata.....	10
	57	———— aculeata	11
	58	———— unguiformis	12
	59	Patella plicata	15
	61		16
	63		19
	65		20
	67		21
Natica millepunctata	69		23
Neritina auriculata	70		25
			28
			29
	2		30
	3		31
	5	Patella deaurata	32
	6		33
	7		35
	8		36
Haliotis tubifera	12		37
	14	Pileopsis ungarica	41
	15		42
Haliotis canaliculata	16	Pileopsis Mitrula.....	43
	17		44
Stomatia phimotis	18		45
	19		46
	20		47
	21		48

	Fig.		Fig.
Patella tricolorata.....	51	Fissurella Græca.....	91
	53		92
Stomatella Auricula	54	Fissurella nodosa.....	93
	55	———— Barbadosensis.....	94
Ancylus lacustris	56		95
	57		96
	59		97
	61	Fissurella picta	98
	63	———— nimbosa	99
	65	———— rosea	100
	66		101
	67		102
Patella Magellanica.....	69		
PATELLA. Pl. 38.		DENTALIUM. Pl. 38.	
			1
	70	Dentalium elephantinum ...	2
	71	———— aprinum.....	3
	72		4
	73	———— Dentalis.....	5
	74	———— Entalis	6
	75	———— corneum	7
	76	———— politum	8
	78	———— fasciatum	10
	79		11
	80		12
	81		13
	82		15
	83		
Parmophorus ambiguus	84	SERPULA. Pl. 38.	
Umbrella Indica	85		2
Emarginula Fissura.....	86		3
	87		
	88	Serpula Cereolus.....	5
	89	Spirorbis Spirillum.....	6
Fissurella Pustula	90	———— nautiloides	8

	Fig.		Fig.
Vermilia triquetra	9		28
Spirorbis carinatus	10	Serpula decussata	30
	11	—— vermicularis	31
	13		32
	14		33
	15	Aspergillum Javanum	34
Serpula contortuplicata	17		35
	18		36
	19	Serpula protensa	37
Serpula glomerata	20		38
Vermetus lumbricalis	21		
	22	TEREDO. Pl. 38.	
Serpula arenaria	23	Septaria arenaria	1
	24	Teredo navalis	2
Siliquaria muricata	25		3
—— anguina	26		
Serpula echinata	27	Fistulana gregata	4

SUPPLEMENT.

[*The Specific Names, as they occur in the Supplement, are to be constantly applied to the Lamarckian Genera.*]

CHITON.	Pl. 1.	Fig.			Fig.
			Hyria	12
LEPAS.	Pl. 1.		SOLEN.	Pl. 1.	
Anatifa	1	Solemya	1
Coronula	2	Sanguinolaria	3
Pollicipes	3			
Pyrgoma	4	TELLINA.	Pl. 1.	
Balanus	5	Lucina	1
Pollicipes	6	Petricola	6
Balanus	7			
PHOLAS.	Pl. 1.		MACTRA.	Pl. 1.	
MYA.	Pl. 1.		Lutraria	1
Unio	1	———	2
———	2	———	3
———	3	Crassatella	8
———	4	———	9
———	5	———	10
———	6	———	11
———	7	———	12
———	8			
Castalea	9	DONAX.	Pl. 2.	
Unio	10			
———	11			

VENUS.	Pl. 2.	Fig.
Cyrena		5
Cytherea		11
Cyrena		13
————		14
Cytherea		16

CHAMA.	Pl. 2.	
Cypricardia		1
————		2
Cardita		3
Venericardia		4
————		5
Trigonia		6

ARCA.	Pl. 2.	
Nucula		5
————		6
Iridina		9
————		10
Pectunculus		11

OSTREA.	Pl. 2.	
Pecten		1
————		2
————		3
————		4
Lima		5
Ætherea		6
Pecten?		7
Gryphæa		8

ANOMIA.	Pl. 2.	
Terebratula		1

	Fig.
Discina	2
Terebratula	3
————	4

MYTILUS. Pl. 2.

Iridina	1
Modiola	3
Crenatula	4
Modiola	5

CONUS. Pl. 3.

CYPRÆA. Pl. 3.

BULLA. Pl. 3.

Pyruia	3
--------------	---

VOLUTA. Pl. 3.

Marginella	7
————	8
Mitra	10
————	11
————	12
————	13
————	14
————	15
————	16
————	17
————	18
————	25
Turbinellus	27
Mitra	28

Mitra	Fig. 29
—	30
Marginella	31
Mitra	32

VOLUTA. Pl. 4.

Oliva	33
—	34
—	35
—	36
—	37
—	38

BUCCINUM. Pl. 4.

Dolium.....	1
Cassis	2
—	4
—	5
Purpura	6
—	7
—	8
—	9
Monoceros	10
—	11
—	12
Purpura	13
Planaxis	15
Ancillaria	16
—	17
Columbella.....	18
—	19
—	21
Terebra	22
Harpa	23

Harpa	Fig. 24
Terebra	25
Melanopsis.....	26
—	27
—	28
Planaxis	29
Columbella.....	30

STROMBUS. Pl. 4.

Rostellaria	6
Cerithium	7
—	8
—	9
—	10
Melania	11
—	22
—	23
—	24

MUREX. Pl. 5.

Ranella	2
Turbinella	3
Pleurotoma.....	5
—	6
—	7
—	8
—	9
Turbinella	10
—	11
—	12
Pyrrula	14
Turbinella	15
Cerithium	21
Purpura	22

	<i>Fig.</i>		<i>Fig.</i>
Cerithium	24	Cyclostoma.....	11
Pleurotoma.....	25	Pupa.....	12
Fusus	26	—	13
		—	14
		Auricula	15
		Scalaria	16
		—	17
		—	18
		—	19
		—	20
		Cyclostoma.....	21
		—	22
		—	23
		Bulimus	24
		Phasianella.....	25
		—	26
		Paludina	27
		—	28
		Cyclostoma.....	31
		—	32
		Clausilia	35
		—	36
		—	37
		—	38
		—	39
		—	40
		Turritella.....	41
		Cyclostoma.....	42
		Phasianella.....	46
		—	47
		Paludina	48
		HELIX. Pl. 7.	
		Succinea	9
		Planorbis.....	12

TROCHUS. Pl. 5.

Monodonta.....	7
Helicina	10
Monodonta.....	18
—	19
—	21
—	22
—	24
—	25
—	26
Rotella.....	29
—	30

TROCHUS. Pl. 6.

Monodonta.....	35
—	36
—	37
—	46


TURBO. Pl. 6.


Cyclostoma	2
—	3
—	4
—	5
—	6
Paludina	7
Cyclostoma.....	8
—	9
—	10

	<i>Fig.</i>	SERPULA.	Pl. 8.	<i>Fig.</i>
Calyptræa	4			
————	5	Vermetus.....		2
Fissurella	7	————.....		3
Emarginula.....	8	————.....		4

THE END.

Carder





SMITHSONIAN INSTITUTION LIBRARIES



3 9088 00591 8339